nts MART

GLOBAL ONE-STOP FOODSERVICE & HOSPITALITY SOLUTIONS PROVIDER

EXPERIENCE 11 YEARS EXPERIENCE

- DESIGN
- EQUIPMENT
- SUPPLIES
- INSTALL
- SERVICE

FOODSERVICE SOLUTIONS













PUBLIC AREA SOLUTIONS







GUEST ROOM SOLUTIONS





KITCHEN SOLUTIONS



2021-2025
WWW.NTSMART.COM

OVER 30,000 FOODSERVICE AND HOSPITALITY PRODUCTS

©2010-2021 NTSmart Corporation. All rights reserved.

NTS MART OVERVIEW









NTS MART CHINA

No.28 Daganwei Road, South of Gongye Dadao,
Haizhu Dist., Guangzhou, Guangdong, China
Tel: +86-20-89301818/28/38
Email: nts@ntsmart.com
Website: www.ntsmart.com





NTS MART MYANMAR (Yangon)

No.(2), Shwe Gone Daing (2) Road, West Shwe
Gone Daing Quarter, Bahan Township, Yangon Myanmar
Tel: +95-1-7534400 Email: nts@ntsmyanmar.com.mm
Website: www.ntsmyanmar.com.mm





NTS MART MYANMAR (Mandalay)

Buliding (5),62th street, Between 38/39th,
Maha Aung Myay Township, Mandalay Myanmar
Tel: +95-9-775 966645 Email: nts@ntsmyanmar.com.mm
Website: www.ntsmyanmar.com.mm



NTS MART THAILAND

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri,
Bangkoknoi, Bangkok 10700 Thailand
Tel: +66-2-8667474 (auto) Email: sales@ntsmart.co.th
Website: www.ntsmart.co.th









NTS MART TANZANIA

Plots No. 66 Block'D', Msasani Village, Kinondoni District, Dar es salaam, Tanzania
Tel: +255-22-2700674/75
Email: ntstz@ntsmart.com
Website: www.ntsmart.com







ABOUT NTS MART

NTS MART is a professional product supplier and project solution provider for restaurants and hotels, located in Guangzhou, China since 1998. We offer a bundle of value-added services including project consultant, drawing design, customization, product supply, logistic, equipment installation, maintenance and comprehensive after sale service to our customers.

We have 5000 square meter production workshop and 2000 square meter showroom in Guangzhou. Our product ranges are: kitchen equipment and utensils, bakery equipment, food processing equipment, refrigeration equipment, bar supplies, tableware. **NTS MART** has been providing products and services to more than 1,000 customers including restaurants, hotels, healthcare facilities, schools, hospitals, airlines, office buildings, and industrial facilities from all over the world.

Until now **NTS MART** has set up branches and showrooms in Thailand, Myanmar and Tanzania to fulfill the increasing demand for product diversification of global buyer and created a more convenient, more economical, more professional purchasing environment for our customers.

NTS MART Around The World



PROJECT DESIGN



SUPERIOR HOTEL AND CATERING SUPPLIES SOLUTIONS FROM START TO SERVICE

NTS MART has been providing hotel and catering supplies solutions and efficient services to customers for more than 10 years. By constantly enriching product categories and offering excellent service, **NTS MART** has provided an effective personalized hotel and catering supplies solutions to our various hotels and catering enterprises around the world.

NTS MART always takes ahead planning and service innovation as the core value of our enterprise. Relying on overseas branches and showrooms, E-commerce platform, we recommend a high quality hotel and catering supplies solutions to our clients. In the future, **NTS MART** will bring in more advanced after-sales market philosophy, industrial technology, products, design and services into our system, in order to let customers have more diversified, personalized service experience.


1 Project Research


2 Draft Design


3 Confirm Design


4 Examination & Approval


5 Final Drawing


6 Drawing Embedded


7 Production & Procurement


8 Transport & Installation


9 Test Run


10 Acceptance Check


11 Official Operation


12 After-sales Service



NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

SUCCESSFUL CASES

MYANMAR





THAILAND





TANZANIA





OVERSEA

CONTENTS

01 KITCHEN EQUIPMENT

Western Cooking Equipment

900 Modular Western Cooking Range

Burner	KE 001-002
Hot Plate Cooker	KE 003
Griddle	KE 003
Grill (Lava Rock/Radiant)	KE 004
Fryer	KE 004
Noodle Boiler	KE 005
Pasta Cooker	KE 005
French Top Hot Plate	KE 005
Bain Marie	KE 006
Tilting Pan	KE 006
Soup Kettle	KE 007
Wok Range	KE 007
Working Table	KE 007

800 Modular Western Cooking Range

Burner	KE 008
Griddle	KE 008
Grill (Lava Rock/Radiant)	KE 009
Fryer	KE 009
Noodle Boiler	KE 009

700 Modular Western Cooking Range

Burner	KE 010-011
Hot Plate Cooker / Ceramic Hob	KE 012
Griddle	KE 013
Grill (Lava Rock/Radiant)	KE 013
Fryer	KE 014
Noodle Boiler	KE 015
Pasta Cooker	KE 015
French Top Hot Plate	KE 015
Bain Marie	KE 016
Tilting Pan	KE 016
Soup Kettle	KE 017
Wok range	KE 017
Working Table	KE 017

600 Modular Western Cooking Range

Burner	KE 018
Hot Plate Cooker	KE 018
Griddle	KE 019
Grill	KE 019
Fryer	KE 020
Noodle Boiler	KE 020
Bain Marie	KE 021

400 Modular Western Cooking Range

Burner	KE 021
Hot Plate Cooker	KE 021
Griddle	KE 022
Grill	KE 022
Fryer	KE 023
Noodle Boiler	KE 024
Bain Marie	KE 024

Economy Cooking Range

Burner	KE 025
Burner with Griddle and Oven	KE 026
Fryer	KE 027
Counter Top Burner	KE 028
Counter Top Griddle	KE 029
Counter Top Radiant Broiler	KE 030
Stock Pot	KE 031
Salamander	KE 032
Floor Type Convection Oven	KE 032

Combi Oven

Electric/Gas Range Combi Oven	KE 033-039

Fast Food & Snack Equipment

Fast Food Equipment

Speed Oven	KE 040-041
Microwave Oven	KE 041-042
Pizza Oven	KE 042-044
Fryer	KE 044-047
Pressure Fryer	KE 048-049
Computerize Open Fryer	KE 050-051
Auto Lift Noddle Boiler	KE 052
Gas Noddle Boiler	KE 052

01 KITCHEN EQUIPMENT

Fast Food & Snack Equipment

Fast Food Equipment

Griddle	KE 053-055
Electric BBQ Grill	KE 055
Bain Marie	KE 056-058
Salamander	KE 058-059
Plate Warmer	KE 060
Cup Warmer	KE 060
Hot Cupboard	KE 061
Banquet Cart	KE 061
Pass Through Mobile Holding Cabinet	KE 062
Food Warmer	KE 062
Warming Plate	KE 062-063
Electrical Hob	KE 063
Burger Station	KE 063
Marinator	KE 064
Filter Cart	KE 064
Rotisserie	KE 064-065
Slow Cooker	KE 065
Kebab Machine with Kebab Slicer	KE 066

Snack Food Equipment

Panini Grill/ Contact Grill	KE 067-068
Waffle Baker	KE 069-071
Egg Waffle Maker	KE 072
Toaster	KE 072-073
Crepe Maker	KE 074
Hotdog Equipment	KE 074-076
Bun Warmer	KE 076-077
French Fries Station	KE 077
Oden Food Cooker	KE 077
Popcorn Maker	KE 078-079
Cotton Candy Mechine	KE 079-080
Gyoza Hot Plate	KE 081
Takoyaki Grill	KE 081

Chinese Cooking Range

Gas Burner

Gas Wok Range	KE 082-083
Asian Wok Range	KE 084
Gas Stock Pot	KE 085-086

Steamer

Gas Three Deck Steam Cabine	KE 087
Gas Single/ Double Steamer(Pot Type)	KE 088
Gas Single/ Double Steamer(Steam Generator Type)	KE 088-089
Gas Rice Roll Steamer	KE 089-090

Roaster

Duck Roaster	KE 090-091
Pig Roaster	KE 092

Rice Cooker

Gas Doube Door Rice Cabinet	KE 093
Gas Rice Cooker	KE 093
Electric Rice Cooker	KE 094
Deck Rice Cooker	KE 095
Automatic Rice Cooking Line	KE 095
Table Top Round Rice Cooker	KE 095

Induction Cooking Solution

Western Cooking

Induction Burner	KE 096
Induction Griddle	KE 096
Induction Fryer	KE 096
Induction Noddle Boiler	KE 097
Induction Auto-lift Noddle Boiler	KE 097
Induction Bain Marie	KE 098
Induction Soup Stove	KE 098
Electric BBQ Grill	KE 099

Chinese Cooking

Induction Chinese Wok Range	KE 099
Induction Seafood Steamer	KE 100
Induction Rice Steamer	KE 101
Induction Dim-sum Steamer	KE 101

Table Top Induction Hob

Table Top Induction Hob	KE 102-103

CONTENTS

02 KITCHEN SUPPORTING

	Page No.
Food Processing	
Meat Slicer	KS 001-003
Meat Mincer/Grinder	KS 003-004
Fresh Meat Slicer	KS 005
Meat Tenderizer/Stripper	KS 006
Cheese Grater/Chopper	KS 006
Bone Saw	KS 007
Vacuum Package Machine	KS 008-009
Sous Vide Cooking	KS 009-010
Hand Mixer	KS 011-013
Food Cutter	KS 014-015
Vegetable Cutter	KS 015-021
Bowl Cutter	KS 021
Patato Peeler	KS 021-022
Potato Chip Machine	KS 022
Tomato Slicer	KS 022
Garlic Ginger Onion Processors	KS 023
Soybean Milk Machine	KS 023
Noodle Making Machine	KS 023
Fruit Juice Extractor	KS 024-025
Hamburger Patty Machine	KS 026
Sausage Stuffer	KS 026
Vegetable Washer	KS 027
Vegetable Spin Dryer	KS 028
Refrigeration Equipment	
Commercial Kitchen Refrigeration	
Upright Chiller	KS 033/045/048
Upright Freezer	KS 034/045/049
Upright Dual Temperature	KS 035/046
Counter Dual Temperature	KS 036
Counter Chiller	KS 037-038/046/050-052
Counter Freezer	KS 039/047/053
Glass Door Chill/ Freezer	KS 040-041/054-055
Salad Preparation Counter	KS 042-043/056
Pizza Preparation Counter	KS 044/056-057
Sandwiches Preparation Counter	KS 057
Blast Freezer	KS 057
Walk in Cold Room	KS 058-059
Refrigeration for Super market & Store	
Comtomized Merchandisers Chiller and Freezer	KS 060-064
Comtomized Fresh Meat Counter	KS 065-066
Island Display Freezer	KS 067-069
Chest Freezer	KS 068-069
Store Chiller & Freezer	KS 070-073
Other Refrigeration equipment	
Bar Refrigerator	KS 074-075
Steak Ager Fridge	KS 075
Wine Showcase	KS 076-077
Ice Making Machine	
Cube Ice Machine	KS 078/081-082
Crescent Ice Machine	KS 079
Flake Ice Machine	KS 080
Ice Storage Bin	KS 081
Dishwashing	
Conveyor Type Dishwasher	KS 082/084
Undercounter Type Dishwasher	KS 083/084/085
Hood Type Dishwasher	KS 083/085
Channel Type Dishwasher	KS 086
Stainless Steel Fabricate Equipment	
Sink Table	KS 087-089
Work Table	KS 089-097
Storage Rack	KS 098-099
Storage Cabinet	KS 099
Work Top Cabinet	KS 100-101
Wall Shelf	KS 102
Wall Cabinet	KS 102-103
Solied Dish Table	KS 104
Clean Dish Table	KS 104-105
Hand Sink	KS 106-108
Exhaust Hood	
Normal Type Exhaust Hood	KS 109
Built-in Static Exhaust Hood	KS 109

02 KITCHEN SUPPORTING

	Page No.
Stainless Steel Fabricate Equipment	
Exhaust Hood	
Filter Type Exhaust Hood	KS 110
Island Type Exhaust Hood	KS 111-112
Vent Wash Exhaust Hood	KS 112
Pan Rack Trolley	KS 113
GN Pan Trolley	KS 114-115
Flat Truck	KS 115
Accessories	
Commerical Faucet	KS 116-128
Waste Drain	KS 128
Hose Reel Series	KS 129
Sink	KS 130
Sink Drainer	KS 131
Steam Pressure Safety Valves	KS 131
Bullet feet	KS 131
Gravity Pin	KS 132
Grease Trap	KS 132
Grease Filter for Exhaust Hood	KS 132
Hood Lamp	KS 133
Insect Killer	KS 133
Showcase & Display Equipment	
Warming Showcase	KS 134-138
Cake Showcase	KS 138-139
Ice Cream Showcase	KS 139-140
Bread Showcase	KS 140
Sushi Showcase	KS 140
Water Boiler	
Buffet & Self Service Series	KS 141
QSR Series	KS 141-142
Commercial Kitchen Series	KS 143-144

03 KITCHEN UTENSILS

	Page No.
Pan & Pot	
Stock Pot	KU 001
Sauce Pot	KU 002
Sauce Pot with Handle	KU 003-004
Fryer Pan	KU 004-005
Roast Pan	KU 005
Pasta Pot	KU 005-006
Water Pot	KU 006
Chinese Wok	KU 006-007
Chinese Wok Holder	KU 007
Kitchen Container	
Gastronorm Food Pan & Lid	KU 008-010
Perforated Gastronorm Food Pan	KU 011
PC Gastronorm Food Pan	KU 012-015
Kitchen Bowl	KU 015
Sauce Bucket	KU 016
Filter Basket	KU 017
Sauce Pot	KU 017
Sauce Boat	KU 017
Sugar Pot	KU 018
Dredger	KU 018
Cylinder Flatware Holder	KU 018-019
Chopstick Holder	KU 019-020
Water Jug	KU 020
Tea Pot	KU 020
Oil Pot	KU 020
Moltipurpose Container	KU 020-022
Knives & Tools	
Knives	KU 023-029
Knife Accessories	KU 029
Knives Holder / Case	KU 029-030
Knife Sterilizing Cabinet	KU 030
Kitchen Tools	KU 031
Spatula & Turner	KU 032-035
Ladle & Fryer Spatula	KU 035-037
Skimmer	KU 037
Funnel & Holder	KU 037

CONTENTS

03 KITCHEN UTENSILS

	Page No.
Knives & Tools	
Conical Strainer	KU 038-039
Noodle Basket	KU 039
Perforated Colander	KU 040
Vegetable Filter	KU 041
Whisk	KU 041
Gripper	KU 042
Lobster Cracker / Picker	KU 042
Grater	KU 043
Sauce Squeezer	KU 044
Mandoline	KU 044
Vegetable Cutter	KU 045
Can Opener	KU 045
Meat Tenderizer	KU 045
Shear	KU 046
Cheese Slicer	KU 046
Potato Cutter	KU 046
Fried Egg Mould	KU 046-047
Egg Slicer	KU 047
French Fries Sholve	KU 047
Tong	KU 047-048
Fishscale Scraper	KU 048
Pork Fork	KU 048
Meat Hook	KU 049
Bamboo Brush	KU 049
Sauce Syringe	KU 049
Measuing Cup	KU 050
Measuing Spoon	KU 050
Ice Scoop	KU 050
Ice Cream Scoop	KU 051
Flour Sieve	KU 051
Rolling Pin	KU 051-052
Thermometer	KU 052
Pepper Mill	KU 052-054
Oil Bottle	KU 054
Juice Presser	KU 055
Lemon Squeezer	KU 055
Potato Presser	KU 055
Glove	KU 055-056
Mesh Glove	KU 056
Order Pin	KU 056
Order Rack	KU 056
Chopping Board & Plane	KU 057-058
Chopping Board Rack	KU 058
Wooden Chopping Board Block	KU 058
Wooden Chopping Board	KU 058
Other Accessoriess	
Kitchen Counter Bell	KU 059
Condimen Dispenser	KU 059-060
Dish Cover	KU 060
French Fries Basket	KU 061
Steamer & Lid	KU 062
Roast Pig Holder	KU 063
Steamer Rack	KU 063
Steamer Piece	KU 063
Weighing Scale	KU 063-064
Meat Saw	KU 064
Dirty Dish Collecting Trolley	KU 064
Plate Rack	KU 065
Dish Caddy	KU 066
Bamboo Steamer & Lid	KU 066-067
Bamboo Steamer Silicon Mat	KU 068
Bamboo Sushi Mat	KU 068
Bamboo Sushi Boat	KU 068
Bamboo Filter	KU 068

04 BAKERY EQUIPMENT & UTENSILS

	Page No.
Bakery Equipment	
Spiral Mixer	BE 001
Planetary Mixer	BE 001
Cake Mixer	BE 002
Water Chiller	BE 002
Dough Divider & Rounder	BE 002
Dough Sheeter	BE 003

04 BAKERY EQUIPMENT & UTENSILS

	Page No.
Bakery Equipment	
Proofer	BE 004-006
Combination Oven	BE 006-007
Rotary Oven	BE 008
Deck Oven	BE 009-012
Convection Oven	BE 013-014
Bread Slicer	BE 015
Dough Rolling Pizza Machine	BE 015
Moulder (Toast & French Roll)	BE 015
Mini Proofer	BE 016
Mini Oven	BE 016
Hand Mixer	BE 016
Pan Rack Trolley	BE 016
Bakery Utensil	
Tray & Pan	
Baking Pan (Stick + Non-Stick)	BE 017-020
Baking Tray	BE 021-022
Cooling Rack	BE 023
Loaf Pan (Stick + Non-Stick)	BE 023-027
Pie Pan & Pizza Pan	BE 028-030
Baking Pan Trolley	BE 030
Ferment Basket	BE 031
Mould	
Multi-Link Mould	BE 031-032
Cake Mould	BE 033-037
Small Cake Mould	BE 037-041
Cannoli	BE 041
Silicone Mould	BE 041-042
Chocolate Mould	BE 043-045
Ice Mould	BE 045
Mousse Ring	BE 045-050
Knives & Tools	
Tong	BE 050-051
Dough Wheel	BE 052
Pizza Wheel	BE 052
Cutting Wheel	BE 053
Can Opener	BE 053
Wool Brush	BE 053-054
Dough Scraper	BE 054-055
Spatula	BE 055
Carving Knives	BE 055
Cake Slicer	BE 056
Egg Separater	BE 056
Egg Knock	BE 056
Melon Baller	BE 056-057
Chocolate Scraper	BE 057-058
Lemon Zester	BE 058
Shear	BE 058
Flour Scoop	BE 058
Rolling Pin	BE 059
Flour Stirrer	BE 060
Funnel & Stand	BE 061
Silicone Mat	BE 061
Cutter	BE 061
Flour Container	BE 062
Whisk	BE 062-063
Mixing Bowl	BE 063
Measuring Cup	BE 063-064
Measuring Spoon	BE 064
Thermometer	BE 064-065
Saccharometer	BE 065
Oven Mitt	BE 065
Pastry Tip	BE 066-067
Pastry Bag	BE 068
Pastry Bag Rack	BE 068
Pizza Board	BE 068-069
Pastry Display	
Tag Holder	BE 069-070
Plastic Tray	BE 070
Bread Basket	BE 071-072
Cake Stand	BE 073
Cake Display Tray	BE 073-074

CONTENTS

05 COFFEE & BAR SUPPLIES — Page No.

Coffee & Bar Equipment

Coffee Machine	CB 001-004
Coffee Grinder	CB 004-005
Coffee Boiler & Warmer	CB 005-006
America Coffee Machine	CB 006
Blender	CB 007-010
Hot Drink Dispenser	CB 010
Ice Crusher	CB 011
Juice Dispenser Mixing	CB 011-012
Slush Machine	CB 013
Ice Cream Machine	CB 014-016
Pearl Cooker	CB 017
Tea Warmer	CB 017
Milk Shaker	CB 017-018
Water Treatment	CB 019
Cup Sealing Machine	CB 019
Fructose Dispensing Machine	CB 020

Coffee & Bar Utensils

Jigger	CB 020
Milk Frother	CB 020
Coffee Pot	CB 020
Milk Jug	CB 021
Coffee Knock Box	CB 021
Coffee Tamper	CB 022
Coffee Scale	CB 022
Table Can Opener	CB 022
Ice Bucket	CB 022-024
Tong	CB 024
Champagne Bucket With Stand	CB 024
Cocktail Sharker	CB 025
Plastic Sharker	CB 025
Ice Strainer	CB 025
Ice Tong	CB 025
Bar Spoon	CB 026
Bottle & Wine Opener	CB 026
PC Scoop	CB 026
Compartment Holder	CB 026-027
Bar Muddler	CB 027
Whiskey Pourer	CB 027
Measure Pourer	CB 028
Store & Pourer	CB 028
Squeeze Dispenser	CB 028
Flair Bottle	CB 028
PC Jug	CB 029
Glass Rack & Cutlery Rack	CB 029-032
Storage Contianer	CB 032-033
Cup Brush	CB 033

Bar Serving Accessories

Non Slip Serving Tray	CB 033
Non Slip Serving Tray Rack	CB 034
Stianless Steel Serving Tray	CB 034-035
Plastic Serving Tray	CB 035
Bar Mat	CB 036
PC Cup	CB 036-042
PC Tong	CB 043
Glass Rimmer	CB 043
Bar Caddy	CB 043
PC Dish Cover	CB 044
Drink Server	CB 045
Food Warmer Cart	CB 046-047
Ice Caddy	CB 047

06 RESTAURANT TABLEWARE & BUFFET — Page No.

Ceramic Tableware

Bone China	RT 001-014
High Temperature Ceramic	RT 015-019

Melamine Tableware

Fast Food Restaurant Melamine	RT 020-028
Japanese Restaurant Melamine	RT 028-036

Glassware

Libbey Brand Glassware	RT 037-059
Chinese Brand Glassware	RT 059-075

06 RESTAURANT TABLEWARE & BUFFET — Page No.

Flatware

Stainless Steel 304	RT 076-078
Stainless Steel 201	RT 078-083
Stainless Steel 430	RT 084-089

Buffet Tableware

Heat Lamp Station	RT 090-091
Toaster	RT 092
Conveyor Toaster	RT 092
Bain Marie	RT 093
Chafing Dish	RT 094-099
Optional Accessories for Chafing Dish	RT 099-100
Soup Warmer	RT 101
Juice Dispenser/ Milk Urn / Coffee Urn	RT 101-103
Cereal Dispenser	RT 104
Chocolate Fountain	RT 104
Water Boiler	RT 105-106
Induction Cooker	RT 106-107
Beer Dispenser	RT 107
Plate Warmer	RT 107-108
Cup Warmer	RT 108
Buffet Display	RT 108-113
Pot (Vacuum Pot & Cold drink Jug)	RT 113-114
Sugar Bowl	RT 114-115
Tong	RT 115-116
Tong Holder	RT 117
Dish Cover	RT 117
Egg Cup	RT 118
Pepper Mill	RT 118-119
Oil Pot	RT 119
Tag Holder	RT 119-120
Reservation Sign	RT 121
Kitchen Counter Bell	RT 121
Table Lamp	RT 121
Placemat	RT 122
Flatware Holder	RT 122
Chopstick	RT 123
Chopstick Holder	RT 123-124
Wine Rack	RT 124
Straw Dispenser	RT 125
Napkin Holder	RT 125
Napkin Ring	RT 125
Baby Chair	RT 125

07 CLEANING PRODUCTS — Page No.

Cleaning Solution

Office Building Cleaning Solution	CL 001-003
Public Toilet Cleaning Solution	CL 004-006
Hospital Cleaning Solution	CL 007-010
Airport & Railway Station Cleaning Solution	CL 011-014

Cleaning Equipment

Scrubber	CL 015-018
Back Pack Vacuum Cleaner	CL 018
Sofa Maintainer	CL 019
Dry Only Vacuum Cleaner	CL 020
Wet & Dry Vacuum Cleaner	CL 020-021
Brushing Machine	CL 021-023
Blower	CL 023

Cleaning Tools

Mop Bucket Trolley	CL 023
Mop	CL 024-025
Squeegee	CL 025-026
Floor Brush	CL 026
Telescope Pole	CL 026
Window Squeegee	CL 027
Cotton Window Wiper	CL 027
Broom	CL 027
Plastic Rubbish Shovel	CL 028
Glass Scrape	CL 028
Duster	CL 028
Sign Board	CL 028
Microfiber Cloth	CL 029
Floor Pad	CL 029
Pick Up Tools	CL 029

CONTENTS

07 CLEANING PRODUCTS — Page No.

Cleaning Tools

Tool Bucket	CL 029-030
Foot Pedal	CL 030
3 Layer Cart	CL 030
Plastic Trolley	CL 030
Collector Cart	CL 030
Linen Trolley	CL 031
Guest Room Service Cart	CL 031
Dust Bin	CL 031-034

Entrance Mat System

Debris Trap Plus	CL 037
Z-Grid Plus	CL 038
Heavy Traffic Loop Mat	CL 038-039
Aqua Crystal	CL 039
Fish Bone	CL 040
Scrape Rib	CL 040
Cut Pile	CL 041
Aqua Crystal Logo Mat	CL 042
Loop Logo Mat	CL 042-043

Wet Area Mat

V-Deck	CL 043
Kitchen Guard	CL 044
Wet Star	CL 044

08 HOTEL LOBBY & GUEST ROOM SUPPLIES — Page No.

Guestroom Supplies

Safe Box	HL 001-002
Mini Bar	HL 003
Torch	HL 004
Telephone	HL 004
Hair Dryer	HL 005
Kettle	HL 006
Leather Set	HL 007-010
Acrylic Set	HL 011-012
Hanger	HL 013-014
Shoe Horn	HL 014
Bluetooth Alarm Clock	HL 014
Iron & Iron Holder	HL 015
Guestroom Dust Bin	HL 015
Scale	HL 016
Umbrella	HL 016
Hang Tag	HL 016
Luggage Rack	HL 016
Extra Bed	HL 017
Mattress	HL 018-022

Bathroom Supplies

Amenities Tray	HL 023
Shaving Mirror	HL 023
Clothes Line	HL 024
Paper Holder	HL 024
Bathroom Hardware	HL 025-031
Bathroom Dust Bin	HL 031-032
Paper Towel Dispenser	HL 032
Bath Mat	HL 032
Soap Dispenser	HL 033
Hand Dryer	HL 033
Wall Mounted Skin Dryer	HL 034
Laundry Basket	HL 034

Linen

Bed Sheet	HL 034
Quilt Cover	HL 035
Quilt	HL 035
Pillow	HL 035
Pillow Case	HL 036
Mattress Protector	HL 036
Face Towel	HL 036
Bath Mat	HL 036
Bath Towel	HL 036
Hand Towel	HL 036
Bathrope	HL 037
Slipper	HL 037

08 HOTEL LOBBY & GUEST ROOM SUPPLIES — Page No.

Linen

Linen Maintenance	HL 038
Linen Producing Process	HL 039

Room Amenities

Room Amenities	HL 040-044

Lobby Supplies

Luggage Cart	HL 045-046
Railing Stand	HL 047
Railing Rope	HL 047
Lobby Rubbish Bin	HL 048
Sign Board	HL 049
Outdoor Dust Bin	HL 050
Newspaper Rack	HL 051
Umbrella Rack	HL 051
Shoe Polish Machine	HL 051

09 LAUNDRY EQUIPMENT — Page No.

Industrial Washer

Fully Automatic Tilting Type Intelligent Washer Extractor	LE 001
Fully Automatic Industrial Washer Extractor	LE 002
Fully Automatic Isolated Washer Extractor	LE 003
Horizontal Semi Automatic Industrial Washing Machine	LE 003

Industrial Dryer

Fully Automatic Tumble Dryer	LE 004
Hydro Extractor	LE 005

Industrial Dry Cleaning Machine

Industrial Dry Cleaning Machine	LE 006

Folding Machine

Folding Machine	LE 006

Industrial Ironing Machine

Flatwork Ironer	LE 007-008

Auxiliary Machine

Stain Removal Table	LE 009
Ironing Table	LE 009-010
Steam Presser	LE 010-011
Collar & Sleeve Steam Presser	LE 011
Form Finisher	LE 012
Clothes Disinfection Cabinet	LE 012
Clothes Packing Machine	LE 012
Steam Generator	LE 013
Clothes Conveyor Machine	LE 013
Steam Ironer	LE 014
Air Compressor	LE 014

10 FURNITURE — Page No.

Guestroom Customize Furniture

Successful Case	FU 001-011

Dining Room Furniture

Banquet Table	FU 012-016
Multifunction Chair	FU 016-018
Coffee & Bar Table & Chair	FU 019
Mobile Stage	FU 019-020
Trolley	FU 020
Lazy Susan	FU 020

Outdoor Furniture

Rattan Furniture	FU 021
Plastic Wood Furniture	FU 021
Sectional Sofa	FU 022
Lounge Chair & Table	FU 022
Cradle	FU 023
Outdoor Umbrella	FU 023-025
Gazebo	FU 025

STANDARD ICON DIRECTORY

It certifies that the electrical and electronic equipment do not contain levels of lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyls (PBB) and polybrominated diphenylethers (PBDEs) above the legally permitted limit

ISO9001: certification of the management system

All the machine components in contact with water and steam undergo the Ruveco Teck coating process which drastically reduces the risk of release of metals in the delivered beverages

The CSQ-CERT certification body offers complex services in the field of Environmental Management System according to the ISO14001

The CSQ-CERT certification body offers complex services in the field of Quality Management System according to the IS09001

Listed by the National Sanitary. Foundation. NSF, an independent testing organization, lists products which meet their criteria for sanitation and cleanability Certification of products and materials intended for contact with food and drinking water on the U.S. market

The Canadian Standards Association(CSA) is a nonprofit association serving business, industry, government and consumers in Canada and the global marketplace.

Conformance European With the CE mark, which is obligatory in the European Union member countries, the manufacturer states that the individual product is compliance with the general safety regulations in the CE-marking directives.

Underwriters Laboratories The UL Listing Mark attests that products have been tested and evaluated according to the US safety standards

The cUL Listing Mark attests that products have been tested and evaluated according to the Canedian safety standards

The C UL US Listing Mark attests that products have Canadian safety standards

The UL EPH mark appear on products that have been evaluated to Environmental and Public Health Standards. The "Classified" version is used for products complying with ANSI/NSF Standards and other food equipment hygiene codes and requirements. Examples include Food Service and Meat and Poultry Plant Equipment and Drinking Water Additives. The "Listed" version is typically used for products complying with UL's own published EPH Standards for Safety.

ETL Testing Laboratories

The Eco-design Directive for Energy-using Products (2005/32/EC) was adopted in 2005 and came Into force in August 2007. It establishes a framework under which manufacturers of energy-using products (EuP) will, at the design stage,be obliged to reduce the energy consumption and other negative environmental impacts that occur during the product's life cycle. This is an article 95 directive which means adoption will be aligned in all member states.

Registration, Evaluation, Authorization and Restriction of Chemicals

Restriction of Hazardous Substances, RoHS is the standard used to make sure certain substances are not used in electronic products. The legislation limits use of lead, polybrominated diphenyl ethers, mercury, hexavalent chromium, cadmium and polybrominated biphenyls.

The International "emc-Mark" appears on products meeting the electromagnetic compatibility requirements of Europe, the United States, Japan, Australia, or any combination of the four.In the United States, some types of products can't be sold without proof of compliance to U.S. electromagnetic compatibility requirements. The types of products that are subject to EMC testing include medical and dental equipment, computers, microwave ovens, televisions, radios, transmitters, and radio-controlled equipment

Products have been designed and manufactured to comply with any ad all specifications set out by the Australian Communications Authority(ACA) in regards to Electromagnetic Compatibility. As testament to such compliance these units bear the C-Tick symbol

Norway - NEMKO
(Norwegian Board for Testing and Approval of Electrical Equipment) The recognized association for Norwegian standards is the Norwegian Electrotechnical Committe (NEK). NEK starndards are identical to IEC and CENELEC.
The NEMKO mark molded into a plug or connector indicates that a product has been tested and approved by NEMKO.

ISO 9001:2008 certification has been in place for over a decade now and is used by both customers and companies as a method of controlling their quality. The Standard provides a framework to manage your business and ensure a philosophy of continual improvement in all aspects of your business.

The China Compulsory Certificate (CCC), which is obligatory, attests that products are complying with Chinese standards

Every operation serving or selling food needs to have a food safety system in place that is designed specifically to guarantee the food being served is safe to eat.This specific food safety system is called HACCP for hazard analysis and critical control point.



WEIGHT & MEASURES

(American and British English usage, with approximate metric equivalents)

Linear Measurement

1 centimeter (cm)	10 millimeters (mm)
1 meter (m)	100 centimeters (cm)
1 kilometer (km)	1000 meters (m)
1 foot (ft)	12 inches (in)
1 yard (yd)	3 feet (ft)
1 yard (yd)	36 inches (in)
1 mile (mi)	1760 (yd)
1 millimeters (mm)	0.03937 inches (in)
1 centimeters (cm)	0.39370 inches (in)
1 meter (m)	39.37008 inches (in)
1 meter (m)	3.28084 feet (ft)
1 meter (m)	1.09361 yards (yd)
1 kilometer (km)	1093.6133 yards (yd)
1 kilometer (km)	0.62137 miles (mi)
1 inch (in)	2.54 centimeters (cm)
1 foot (ft)	30.48 centimeters (cm)
1 yard (yd)	91.44 centimeters (cm)
1 yard (yd)	0.9144 meters (m)
1 mile (mi)	1609.344 meters (m)
1 mile (mi)	1.609344 kilometers

Square Measurement

1 sq centimeters (cm^2)	100 sq millimeters (sq mm)
1 sq meter (m^2)	10000 sq centimeters (cm^2)
1 hectare (ha)	10000 sq meters (m^2)
1 sq kilometer (km^2)	100 hectare (ha)
1 sq kilometer (km^2)	1 million sq meters (m^2)
1 sq foot (ft^2)	144 sq inches (in^2)
1 sq yard (yd^2)	9 sq feet (ft^2)
1 acre	4840 sq yards (yd^2)
1 acre	43560 sq feet (ft^2)
1 sq mile (mi^2)	640 acres
1 sq centimeters (cm^2)	0.15500 sq inches (in^2)
1 sq meter (m^2)	10.76391 sq feet (ft^2)
1 sq meter (m^2)	1.19599 sq yards (yd^2)
1 hectare (ha)	2.47105 acres
1 sq kilometer (km^2)	0.386102 sq miles (mi^2)
1 sq inch (in^2)	6.4516 sq centimeters (cm^2)
1 sq foot (ft^2)	929.0304 sq centimeters (cm^2)
1 sq foot (ft^2)	0.09290 sq meters (m^2)
1 sq yard (yd^2)	0.83613 sq meters (m^2)
1 acre	0.40469 hectares (ha)
1 sq mile (mi^2)	258.99881 hectares (ha)
1 sq mile (mi^2)	2.589988 sq kilometers (km^2)

Comparison table of the tube size and tube diameter

1/4 in	0.635 cm
3/8 in	0.950 cm
1/2 in	1.270 cm
3/4 in	1.900 cm
1 in	2.540 cm
1 1/4 in	3.180 cm
1 1/2 in	3.810 cm
2 in	5.080 cm
3 in	7.620 cm
3 1/2 in	8.910 cm
4 in	0.20 cm
4 1/2 in	1.40 cm
6 in	15.20 cm
8 in	20.30 cm

Cubic Measure(Volumes)

1 cubic centimeter (cm^3)	1000 cubic millimeters (cu mm)
1 cubic meter (m^3)	1 million cubic centimeters (cm^3)
1 cubic foot (ft^3)	1728 cubic inches (in^3)
1 cubic yard (yd^3)	46656 cubic inches (in^3)
1 cubic yard (yd^3)	27 cubic feet (ft^3)
1 cubic centimeter (cm^3)	0.60102 cubic inches (in^3)
1 cubic meter (m^3)	35.31467 cubic feet (ft^3)
1 cubic meter (m^3)	1.30795 cubic yards (yd^3)
1 cubic inch (in^3)	16.38706 cubic centimeters (cm^3)
1 cubic foot (ft^3)	0.02832 cubic meters (m^3)
1 cubic yard (yd^3)	0.76455 cubic meters (m^3)

Mass (Weight)

1 milligram (mg)	0.015 grain
1 centigram	10 milligram/0.154 grain
1 decigram	100 milligram/1.543 grain
1 gram (g)	1000 milligrams
1 kilogram (kg)	1000 grams (g)
1 tonne (1 megagram)	1000 kilograms (kg)
1 grain	0.065 grams (g)
1 dram (dr)	1.772 grams (g)
1 ounce (oz)	16 drams (dr)
1 pound (id)	16 ounces (oz)
1 stone	6.35 kilograms /14 pounds
1 hundred weight (cwt)	100 pounds (ib)
1 ton (short)	20 hundred weight (cwt)
1 ton (short)	200 pound (ib)
1 gram (g)	0.035274 ounce (oz)
1 kilogram (kg)	2.20462 pound (ib)
1 kilogram (kg)	35.27396 ounce (oz)
1 tonne	1.10231 ton,short
1 ounce (oz)	28.34952 grams (g)
1 pound (ib)	453.59237 grams (g)
1 pound (ib)	0.45359 grams (g)
1 hundred weight (cwt)	50.8023 kilograms (kg)
1 ton (short)	0.90718 tonnes

Liquid Volume

1 tablespoon (tbsp)	3 tablespoons (tsp)
1 fluid ounce (fl oz)	2 tablespoons (tbsp)
1 fluid ounce (fl oz)	8 drams (dr)
1 cup (c)	8 fluid ounce
1 quart (qt)	2 pints
1 gallon (gal)	4 quart (qt)

Capacity measurement

1 pint	20 fluid ounces
	34.68 in^3
	0.568 litre
1 gallon	4 quart
	4.546 litre
1 peck	2 gallon
	9.092 litre
1 bushel	4 peck
	36.4 litre
1 quarter	8 bushel
	2.91 litre

VOLTAGE & PLUG

Voltage Reference

Voltage	Countries & Places
100V	JAPAN, KOREA
110~130V	TAIWAN CHINA, USA, CANADA, MEXICO, PANAMA, CUBA, LEBANON
200V	HONGKONG
220~230V	CHINA, UK, DEUTSCHLAND, FRANCE, ITALY, AUSTRALIA, INDIA, SINGAPORE, THAILAND, NETHERLAND, SPAIN, GREECE, AUSTRIA, PHILIPPINE, NORWAY, TANZANIA

Plug Reference



Plug Types In Different Places

American Plug Types



Chinese Plug Types



European Plug Types



U.K. & Hongkong Plug Types



NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

TEMPERATURES FOR FOOD SAFENESS



COOPERATIVE BRANDS



COMMERCIAL KITCHEN SOLUTIONS

FROM DESIGN TO SERVICE

DESIGN EQUIPMENT SUPPLIES INSTALLATION AFTER SERVICE



GLOBAL ONE-STOP
FOODSERVICE & HOSPITALITY
SOLUTIONS PROVIDER

KITCHEN EQUIPMENT



No. 01

www.ntsmart.com

©2010-2021 NTSmart Corporation. All rights reserved.



KITCHEN EQUIPMENT

Western Cooking Equipment

900 Modular Western Cooking Range

Burner	001-002
Hot Plate Cooker	003
Griddle	003
Grill (Lava Rock/Radiant)	004
Fryer	004
Noodle Boiler	005
Pasta Cooker	005
French Top Hot Plate	005
Bain Marie	006
Tilting Pan	006
Soup Kettle	007
Wok Range	007
Working Table	007

800 Modular Western Cooking Range

Burner	008
Griddle	008
Grill (Lava Rock/Radiant)	009
Fryer	009
Noodle Boiler	009

700 Modular Western Cooking Range

Burner	010-011
Hot Plate Cooker / Ceramic Hob	012
Griddle	013
Grill (Lava Rock/Radiant)	013
Fryer	014
Noodle Boiler	015
Pasta Cooker	015
French Top Hot Plate	015
Bain Marie	016
Tilting Pan	016
Soup Kettle	017
Wok range	017
Working Table	017

600 Modular Western Cooking Range

Burner	018
Hot Plate Cooker	018
Griddle	019
Grill	019
Fryer	020
Noodle Boiler	020
Bain Marie	021

400 Modular Western Cooking Range

Burner	021
Hot Plate Cooker	021
Griddle	022
Grill	022
Fryer	023
Noodle Boiler	024
Bain Marie	024

Economy Cooking Range

Burner	025
Burner with Griddle and Oven	026
Fryer	027
Counter Top Burner	028
Counter Top Griddle	029
Counter Top Radiant Broiler	030
Stock Pot	031
Salamander	032
Floor Type Convection Oven	032

Combi Oven

Electric/Gas Range Combi Oven	033-039

Fast Food & Snack Equipment

Fast Food Equipment

Speed Oven	040-041
Microwave Oven	041-042
Pizza Oven	042-044
Fryer	044-047
Pressure Fryer	048-049
Computerize Open Fryer	050-051
Auto Lift Noddle Boiler	052
Gas Noddle Boiler	052
Griddle	053-055
Electric BBQ Grill	055
Bain Marie	056-058
Salamander	058-059
Plate Warmer	060
Cup Warmer	060
Hot Cupboard	061
Banquet Cart	061
Pass Through Mobile Holding Cabinet	062
Food Warmer	062
Warming Plate	062-063
Electrical Hob	063
Burger Station	063
Marinator	064
Filter Cart	064
Rotisserie	064-065
Slow Cooker	065
Kebab Machine with Kebab Slicer	066

Snack Food Equipment

Panini Grill/ Contact Grill	067-068
Waffle Baker	069-071
Egg Waffle Maker	072
Toaster	072-073
Crepe Maker	074
Hotdog Equipment	074-076
Bun Warmer	076-077
French Fries Station	077
Oden Food Cooker	077
Popcorn Maker	078-079
Cotton Candy Mechine	079-080
Gyoza Hot Plate	081
Takoyaki Grill	081

Chinese Cooking Range

Gas Burner

Gas Wok Range	082-083
Asian Wok Range	084
Gas Stock Pot	085-086

Steamer

Gas Three Deck Steam Cabine	087
Gas Single/ Double Steamer (Pot Type)	088
Gas Single/ Double Steamer (Steam Generator Type)	088-089
Gas Rice Roll Steamer	089-090

Roaster

Duck Roaster	090-091
Pig Roaster	092

Rice Cooker

Gas Doube Door Rice Cabinet	093
Gas Rice Cooker	093
Electric Rice Cooker	094
Deck Rice Cooker	095
Automatic Rice Cooking Line	095
Table Top Round Rice Cooker	095

Induction Cooking Solution

Western Cooking

Induction Burner	096
Induction Griddle	096
Induction Fryer	096
Induction Noddle Boiler	097
Induction Auto-lift Noddle Boiler	097
Induction Bain Marie	098
Induction Soup Stove	098
Electric BBQ Grill	099

Chinese Cooking

Induction Chinese Wok Range	099
Induction Seafood Steamer	100
Induction Rice Steamer	101
Induction Dim-sum Steamer	101

Table top Induction Hob

Table Top Induction Hob	102-103

WESTERN COOKING EQUIPMENT

900 Modular Western Cooking Range



Burner's Feature

- The burners are manufactured through precision casting and plated with hard chrome to make sure that flames are stable and endurable
- The European style burners adopt flower pattern flame design and the American style burner adopt Annular flame design to ensure high efficiency and save energy. The size of flames is adjustable
- Stretch forming cooking surface, easy to clean
- Equipped with heavy hobs and extra-long handles, this stove can be used for frying, stewing and roasting with small sizes pans
- The burners are located in the projected part of the basin to prevent water from overflowing
- It is equipped with a flame failure device and a flame size control device and it is easy to operate
- The models with oven offers temperature control and flame failure protection functions in the oven chamber to achieve even temperature distribution. The maximum oven chamber temperature is 320 °C
- Material: Front panel - S.S 304 with 1.5 mm thickness
  Side & cabinet panel - S.S 430 with 1 mm thickness
- Door handle material - Bakelite

4 Gas Burner With Cabinet
(European style burner)



Code: 0300101059

4 Gas Burner With Gas Oven
(European style burner)



Code: 0300101061

4 Gas Burner With Cabinet
(American style burner)



Code: 0300101728

4 Gas Burner With Electric Oven
Oven equipped with EGO thermostat 320°C
(American style burner)



Code: 0300101057



European style burner



American style burner

Code	Dimension(mm)	Power(kW/Btu)	Burner Power	Oven Chamber Size	LPG	NW
0300101059	800x900x850+70	24/103,490	2x7.5kw+2x4.5kw		2800-3700Pa,1.96kg/h	117kg
0300101061	800x900x850+70	24/103,490	2x7.5kw+2x4.5kw+5.8kw	560x700x270mm	2800-3700Pa,1.96kg/h	117kg
0300101057	800x900x850+70	31/106,000	4x6.5 kw+4.8kw	560x700x270mm	2800-3700Pa,1.66kg/h	136kg
0300101728	800x900x850+120	31.2/106,458	7.8 kwx 4		2800-3700Pa,1.66kg/h	136kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Burner's Feature

- The burners are manufactured through precision casting and plated with hard chrome to make sure that flames are stable and endurable
- The European style burners adopt flower pattern flame design and the American style burner adopt Annular flame design to ensure high efficiency and save energy. The size of flames is adjustable
- Stretch forming cooking surface, easy to clean
- Equipped with heavy hobs and extra-long handles, this stove can be used for frying, stewing and roasting with small sizes pans
- The burners are located in the projected part of the basin to prevent water from overflowing
- It is equipped with a flame failure device and a flame size control device and it is easy to operate
- The models with oven offers temperature control and flame failure protection functions in the oven chamber to achieve even temperature distribution. The maximum oven chamber temperature is 320 °C
- Material: Front panel - S.S 304 with 1.5 mm thickness
  Side & cabinet panel - S.S 430 with 1 mm thickness
- Door handle material - Bakelite

6 Gas Burner With Cabinet
(European style burner)



Code: 0300101066

6 Gas Burner With Gas Oven
(European style burner)



Code: 0300101068

6 Gas Burner With Electric Oven
(American style burner)



Code: 0300101063

6 Gas Burner With Gas Oven
(American style burner)



Code: 0300101065

6 Gas Burner With Cabinet
(American style burner)



Code: 0300102395

Code	Dimension(mm)	Power(kW/Btu)	Burner Power(kW)	Oven Chamber Size	LPG	NW
0300101066	1200x900x850+70	36/122, 837	3x7.5+3x4.5		2800-3700Pa ,2.4kg/h	136kg
0300101068	1200x900x850+70	41.8/142,627	3x7.5+3x4.5+5.8	560x700x270mm	2800-3700Pa ,2.96kg/h	179kg
0300101063	1200x900x850+70	46.8/159000	6x6.5+4.8	560x700x270mm	2800-3700Pa ,2.49kg/h	179kg
0300101065	1200x900x850+70	37/126281	6x6.5+5.8	560x700x270mm	2800-3700Pa ,2.97kg/h	208kg
0300102395	1200x900x850+60	46.8/159688	6x6.5		2800-3700Pa ,2.49kg/h	130kg

- The housing is made of 304 stainless steel and the worktop is 1.5mm thick thickness to ensure strength
- Core accessories (including hot plates and thermostats) made in Germany are adopted to ensure stable and reliable performance
- It is equipped with safety thermostats to ensure safety
- The cooker has 3-position selector switches to adjust and regulate heating. One switch is provided for each burner
- Material: Front panel - S.S 304 with 1.5 mm thickness , side & cabinet panel - S.S 430 with 1 mm thickness
- Door handle material - Bakelite

Electric 4 Plate Cooker With Cabinet



Code: 0300101070

Electric 4 Hot-Plate Cooker With Oven



Code: 0300101072

Electric 4 Hot-Plate Cooker With Oven



Code: 0300102396

Electric 6 Hot-Plate Cooker With Oven



Code: 0300102397

Code	Dimension(mm)	Oven chamber Size	Power(kW)	Stove head Power	Voltage	NW
0300101070	800x900x850+70		9.2	2x2kw+ 2x2.6kw	380V	63kg
0300101072	800x900x850+70	560x700x270mm	14	2x2kw+ 2x2.6kw+4.8kw	380V	104kg
0300102396	800x900x850+70	560x700x270mm	20.8	4x4kw+4.8kw	380V	129kg
0300102397	1200x900x850+70	560x700x270mm	28.8	6x4kw+4.8kw	380V	179kg

- High power output, quick heating and high efficiency
- All Stainless steel body, attractive design and easy to clean
- Chromed plate can help reduce heat loss
- It is equipped with adjustable feet
- Material: Front panel - S.S 304 with 1.5 mm thickness, side & cabinet panel - S.S 430 with 1 mm thickness
- Door handle material - Bakelite

Gas Griddle
(2/3 Flat & 1/3 Grooved)
With Cabinet



Code: 0300101087

Gas Griddle
(2/3 Flat & 1/3 Grooved)
With Gas Oven



Code: 0300102398

Electric Griddle
(2/3 Flat & 1/3 Grooved)
With Cabinet



Code: 0300101086

Electric Griddle
(2/3 Flat & 1/3 Grooved)
With Electric Oven



Code: 0300102399

Code	Dimension(mm)	Griddle Plate	Oven Chamber	Power(kW/Btu)	Oven Power	Voltage	Temperature
0300101087	800x900x850+70	725x610x20mm		11.8/40,262			120~330°C
0300102398	800x900x850+70	725x610x20mm	560x700x270mm	(11.8+5.8)/60,051	5.8kw		
0300101086	800x900x850+70	725x610x20mm		12		380V	
0300102399	800x900x850+70	725x610x20mm	560x700x270mm	16.8	4.8 kw	380V	120~330°C

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

- High power output, quick heating and high efficiency
- All Stainless steel body, attractive design and easy to clean
- The cast iron grid can keep thermal inertia
- It is equipped with adjustable feet
- Material: Front panel - S.S 304 with 1.5 mm thickness, side & cabinet panel - S.S 430 with 1 mm thickness
- Door handle material - Bakelite

Gas Lava Rock Grill With Cabinet



Code: 0300101089

Electric Radiant Grill With Cabinet



Code: 0300101090

Code	Dimension(mm)	Grill Dimension	Power(kW/Btu)	LPG	Voltage	NW
0300101089	800x900x850+70	610x178mmx4 pcs	17/58,208	2800-3700Pa , 1.2 kg/h		128kg
0300101090	800x900x850+70	610x178mmx4 pcs	12		380V	128kg

- Stretch forming worktop, easy to clean. The oil temperature in the tank is even
- The large oil cold zone can assure that food outside the basket will not be burned, improving the utilization rate of the oil and deep fry performance
- Door handle material - Bakelite
- Material: Front panel - S.S 304 with 1.5 mm thickness, side & cabinet panel - S.S 430 with 1 mm thickness
- Equipped with; EGO 238 degree high-limit with SIT 710 safety valve

Gas 1-Tank Fryer
(1- Basket) With Cabinet



Code: 0300101075

Gas 2-Tank Fryer
(2-Basket) With Cabinet



Code: 0300101078

Electric 1-Tank Fryer
(1- Basket)With Cabinet



Code: 0300101074

Electric 2-Tank Fryer
(2-Basket) With Cabinet



Code: 0300101076

Code	Dimension(mm)	Basket Size(mm)	Lid Size(mm)	Power(kW/Btu)	Tank(L)	Voltage	LPG
0300101075	400x900x850+70	190x300x145	405x295	15.5/52,886	1x20+/-2L		2800-3700Pa,1.23kg/h
0300101078	800x900x850+70	190x300x145	405x295	31/105,772	2x20+/- 2L		2800-3700Pa,2.46 kg/h
0300101074	400x900x850+70	190x300x145	405x295	15	1x20+/-2L	380V	
0300101076	800x900x850+70	190x300x145	405x295	24	2x20+/- 2L	380V	

- High power output, quick heating and high efficiency
- All Stainless steel body, attractive design and easy to clean
- Water can be easily poured in and drained
- It is equipped with adjustable feet
- Unique electric jet flow design makes it easy to operate
- Material: Front panel - S.S 304 with 1.5 mm thickness, side & cabinet panel - S.S 430 with 1 mm thickness
- Tank material: S.S 316 with 1.5 mm thickness
- Door handle material - Bakelite
- Equipped with EGO thermostat

Gas Noodle Boiler With Cabinet



Code: 0300101082

Electric Noodle Boiler With Cabinet



Code: 0300101080

Gas Pasta Cooker With Cabinet



Code: 0300101085

Electric Pasta Cooker With Cabinet



Code: 0300101084

Code	Dimension(mm)	No.of basket	Power(kW/Btu)	Tank Size(mm)	Basket Size(mm)	Voltage	NW
0300101082	800x900x850+70	16pcs	22/ 75067				100kg
0300101080	800x900x850+70	16pcs	18			380V	86kg
0300101085	800x900x850+70	6pcs	22/75328	380x540x180	60x145x18x 6 pcs		100kg
0300101084	800x900x850+70	6pcs	18	380x540x180	60x145x18x 6 pcs	380V	86kg

- High power output, quick heating and high efficiency
- All stainless steel body with attractive design and easy to clean
- It adopts die casting iron top with heat conducting grooves, which can conduct heat fast and keep food warm
- It is equipped with adjustable feet
- Thickness of top hot plate: 20mm
- Front panel S.S 304 with thickness 1.5mm, side plate S.S 430 with thickness 1.0mm, below cabinet S.S 430 with 1.0mm
- Top hot plate use Italian valve
- 2-door cabinet,door handle material is bakelite

Gas French Hot-Plate With Cabinet



Code: 0300102401

Gas French Hot-Plate Cooker With Gas Oven



Code: 0300102400

Code	Dimension(mm)	Power(kW/Btu)	Oven Chamber Size	Oven Power	NW
0300102401	800x900x(850+70)	10 / 34,120			112kg
0300102400	800x900x(850+70)	15.8 / 53,910	560x700x270mm	5.8kw	165kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

- High power output, quick heating and high efficiency
- All Stainless steel body, attractive design and easy to clean
- It adopts die casting iron top with heat conducting grooves, which can conduct heat fast and keep food warm for hot plate cooker
- The user friendly design of two way water inlet and outlet makes it convenient and easy to operate
- It is equipped with adjustable feet
- Material: Front panel - S.S 304 with 1.5 mm thickness, side & cabinet panel - S.S 430 with 1 mm thickness
- Tank material: S.S 316 with 1.5 mm thickness
- Door handle material - Bakelite
- Standard Accessories: 2 pcs x GN1/1x150MM 2 pcs GN1/3x150MM pan

Gas Bain Marie With Cabinet



Code: 0300900186

Electric Bain Marie With Cabinet



Code: 0300900184

Code	Dimension(mm)	Power(kW/Btu)	LPG	Voltage	NW
0300900186	800x900x850+70	6 / 20,472	2800-3700Pa , 0.43 kg/h		90kg
0300900184	800x900x850+70	6		380V	86kg

Tilting Braising Pan

- This product is multifuntional and can be used for deep frying, stir frying, braising and boiling, which means that it has extremely high price-performance ratio
- The housing is made of 304 stainless steel and decorated with cast iron flue trims
- The pan is made of S.S 304 stainless steel with a bottom made of 10mm thick 316 stainless steel plate to ensure the corrosion resistance of the pan and even heat conduction
- It adopts titling pan design to help users remove the food inside the pan
- Automatic temperature setting with a temperature range of 50-300°C
- Equipped with safety thermostats, the cooker's maximum temperature is 340°C to ensure safety
- The pan can be lifted and turned upside down. Lifting the pan annually can accurately control the lifting height. A device is adopted to cut off power supply when the pan is removed
- The bottom of the pan adopts curved design to make sure it can be completely cleaned
- It is easy to clean the residues in the pan
- It adopts high-efficiency iron energy-storage boards to avoid early loss of heat and improve heat efficiency, thus ensuring even heat on the bottom of the cooker
- Front panel S.S 304 with thickness 1.5mm, Side plate S.S 430 with thickness 1.0mm, Pan material S.S 304 with thickness 1.5mm, Pan bottom material S.S 316 with thickness 10mm

Electric Tilting Braising Pan

Code: 0300101092

Gas Tilting Braising Pan

Code: 0300101094



Code	Dimension(mm)	Power(kW/Btu)	Capacity(L)	Tilting Angle	LPG/Voltage	NW
0300101094	800x900x850+70	21 / 71652	80	85 degree	2800-3700Pa , 1.75 kg/h	140kg
0300101092	800x900x850+70	12	80	85 degree	380V	135kg

- With high power output, this product can heat up fast and ensures high efficiency and energy conservation
- High pressure heating makes it safe and reliable.
- All Stainless steel body, attractive design and easy to dean
- Water can be easily poured in and drained
- It is equipped with adjustable feet
- The cooking pot has strainer inside, which makes it easy to operate
- Front panel S.S 304 with thickness 1.5mm, side plate S.S 430 with thickness 1.0mm
- Outer pan material S.S 439 with thickness 1.5mm, jacket pan S.S 316 with 1.5mm

Gas Soup Kettle



Code: 0300101098

Code: 0300102402

Electric Soup Kettle



Code: 0300102403

Code: 0300102404

Code	Dimension(mm)	Power(kW/Btu)	Capacity	Pressure	LPG	Voltage	NW(kg)
0300101098	800x900x850+70	25/85,300	100L	≤50k Pa	2800-3700Pa , 2.08 kg/h		137
0300102402	800x900x850+70	25/88,712	150L	≤50k Pa	2800-3700Pa , 1.78 kg/h		140
0300102403	800x900x850+70	18	100L	≤50k Pa		380V	122.5
0300102404	800x900x850+70	24	150L	≤50k Pa		380V	130

Gas Wok Range

- Double-layer design of thickened plates ensures high stiffness and toughness of the cooker, making it durable and tenacious
- It adopts high-efficiency burners ensuring high efficiency and price-performance ratio. The built-in flame failure protection device ensures safety
- Front panel S.S 304 with thickness 1.5mm side plate S.S 430 with thickness 1.0mm

Code: 0300102405



Dimension(mm)	Power(kW/Btu)	Gas inlet size	Water inlet size	Water out size	LPG	NW(kg)
800x900x850+70	24/ 81,888	R13/4'	R13/4'	G1-1/2'	800-3700Pa , 1.99kg/h	137

Working Table With Cabinet

- Front panel S.S 304 with thickness 1.5mm, side plate and cabinet S.S 430 with thickness 1.0mm
- 1-door cabinet with handle material is bakelite
- Dimension(mm): 400x900x(850+70)
- NW: 35kg

Code: 0300102406



NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

- Heavy-duty 304 grade stainless steel finish
- Heavy-duty open burners with manual ignigition
- Flame failure protection on all burners
- Open storage underneath/ height adjustable feet
- Removable open burner, trivets and grease tray for easy cleaning
- Gas inlet: 3/4" BSP

2 Gas Open Burner





Code: 0300101992

0300101992

4 Gas Open Burner



Code:0300102059

6 Gas Open Burner



Code: 0300102063

4 Gas Open Burner With Standard Oven



Code:0300102407

6 Gas Open Burner With Standard Oven



Code: 0300102408

Code	Dimension(mm)	Oven Dimension	Power(kW/Btu)	Accessories	NW(kg)
0300101992	300x800x915+230		16/56000		38
0300102059	600x800x915+230		32/112000		67.5
0300102063	900x800x915+230		48/168000		95
0300102407	600x800x915+230	490x590x375mm	41.2/ 147000	2x oven rack grill & grese tray	129
0300102408	900x800x915+230	490x590x375mm	57.2/203000	2x oven rack grill & grese tray	166

- Heavy-duty 304 grade stainless steel finish
- Open storage underneath/ height adjustable feet
- Rated Power: 5.6 KW per burner
- Push button piezo ignition
- Flame failure protection on all burners
- Removable open burner, trivets and grease tray for easy cleaning
- Gas inlet: 3/4" BSP

300mm Gas Griddle



Code: 0300101993

0300101993

600mm Gas Griddle



Code:0300101994

900mm Gas Griddle



Code: 0300102064

600mm Gas Griddle With Toaster



Code: 0300102409

900mm Gas Griddle With Toaster



Code: 0300102410

Code	Dimension(mm)	Power(kW/Btu)	Accessories	NW(kg)
0300101993	300x800x915+230	5.6/21000		48
0300101994	600x800x915+230	11.1/42000		81
0300102064	900x800x915+230	16.7/63000		120
0300102409	600x800x915+230	11.172000	1x toaster rack & griddle grese tray	105
0300102410	900x800x915+230	16.7/63000	1x toaster rack & griddle grese tray	114.5

- Heavy-duty 304 grade stainless steel finish
- Push button piezo ignition
- Reversible heavy-duty top grates
- Inclined design to reduce flares & enhance grease run
- Insulated side pannel
- Flame failure protection on all burners
- Open storage underneath/ height adjustable feet
- Removable open burner, trivets and grease tray for easy cleaning
- Gas inlet: 3/4" BSP

Gas Char Grill (300mm)



Code: 0300101996

Gas Char Grill (600mm)



Code:0300101995

Gas Char Grill (900mm)



Code: 0300102065

Code	Dimension(mm)	Power(kW/Btu)	NW(kg)
0300101996	300x800x915+230	10.4/42000	58
0300101995	600x800x915+230	16.7/63000	92
0300102065	900x800x915+230	27.8/105000	143

Gas Deep Fryer



Code:0300101997

- Heavy-duty 304 grade stainless steel finish
- Deep cold zone design to reduce the wasteful oil
- Easy cleaning burner tube position
- Caster at the back & bullet feet in front
- Push button piezo ignition
- High thermal effeiciency (beyond 50%)
- High temperature limiting safety feature
- Flame failure safety device
- European gas valve
- Open storage underneath/ height adjustable feet
- Removable open burner, trivets and grease tray for easy cleaning

Dimension(mm)	Power(kW/Btu)	Tank capacity(L)	Accessories	NW(kg)
400x800x915+230	33.3/124000	25	2x fryer baskets/ 1x drain pipe extension	66

Gas Noodle Boiler



Code: 0300101998

- IAMPO WaterMark& GasMark Certificate
- Heavy-duty 304 grade stainless steel finish
- Easy cleaning burner tube position
- Caster at the back & bullet feet in front
- Pilot & piezo ignition
- Overflow system at rear to maintain adequate water level
- Open storage underneath/ height adjustable feet
- Removable open burner, trivets and grease tray for easy cleaning

Dimension(mm)	Power(kW/Btu)	Tank capacity(L)	Accessory	NW(kg)
400x800x915+230	16.7/ 62000	25L	6x Noodle or Paster basket	55

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com | NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm | NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th | NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Burner's Feature

- The burners are manufactured through precision casting and plated with hard chrome to make sure that flames are stable and endurable
- The European style burners adopt flower pattern flame design and the American style burner adopt annular flame to ensure high efficiency and save energy. Besides, the size of flames is adjustable
- Stretch forming cooking surface, easy to clean
- Door handle material - Bakelite
- The burners are located in the projected part of the basin and prevent water from overflowing
- Equipped with heavy hobs and extra-long handles, this stove can be used for frying, stewing and roasting with small size pans
- It is equipped with a flame failure device and a flame size control device and it is easy to operate
- The models with oven offers temperature control and flame failure protection functions in the oven chamber to achieve even temperature distribution. The highest temperature can reach 320 ℃
- Material: Front panel - S.S 304 with 1.5 mm thickness, side & cabinet panel - S.S 430 with 1 mm thickness

4 Gas Burner With Cabinet
(European style burner)



Code: 0300101060

4 Gas Burner With Gas Oven
(European style burner)



Code: 0300101062

4 Gas Burner With Cabinet
(American style burner)



Code: 0300101176

4 Gas Burner With Gas Oven
(American style burner)



Code: 0300101051

4 Gas Burner With Electric Oven
(American style burner)



Code: 0300101050



European style burner



American style burner

Code	Dimension(mm)	Power(kW/Btu)	Burner Power(kw)	Oven Chamber Size	LPG	Voltage	NW
0300101060	700x700x850+70	16/54,590	2x3.5+2x4.5		2800-3700Pa,1.13kg/h		168kg
0300101062	700x700x850+70	16/54,590	2x4.5+2x3.5+5.8	560x600x270mm	2800-3700Pa,1.61kg/h		117kg
0300101176	700x700x850+70	31.2/106458	4x7.8		2800-3700pa, 1.66 kg/h		168kg
0300101051	700x700x850+70	31.8/90785.8	4x6.5 +5.8	560x600x270mm	2800-3700pa, 2.14 kg/h		117kg
0300101050	700x700x850+70	31/106,000	6.5x4+4.8	560x600x270mm	2800-3700pa, 1.66 kg/h	380V	111kg

6 Gas Burner With Cabinet
(European style burner)



Code: 0300101067

6 Gas Burner With Gas Oven
(European style burner)



Code: 0300101069

6 Gas Burner With Cabinet
(American style burner)



Code: 0300101185

Gas Range with 6-burner With Electric Oven
(American style burner)



Code: 0300101064

6 Gas Burner With Gas Oven
(American style burner)



Code: 0300101052





European style burner



American style burner

Code	Dimension(mm)	Power(kW/Btu)	Burner Power(kw)	Oven Chamber Size	LPG	Voltage	NW
0300101067	1050x700x850+70	24/81,888	3x3.5+3x4.5		2800-3700Pa ,1.7kg/h		115kg
0300101069	1050x700x850+70	29.8/101681	3x3.5+3x4.5+5.8	560x600x270mm	2800-3700Pa ,2.18kg/h		130kg
0300101185	1050x700x850+70	39/133073	6x6.5		2800-3700pa - 2.49 kg		115kg
0300101064	1050x700x850+70	43.8/149451	6x6.5+4.8	560x600x270mm	2800-3700pa - 2.49 kg	380V	144kg
0300101052	1050x700x850+70	44.8/152863	6x6.5+5.8	560x600x270mm	2800-3700pa - 2.97 kg		155kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

- The housing is made of 304 stainless steel and the worktop is 1.5mm thick thickness to ensure strength
- Core accessories (including hot plates and thermostats) made in Germany are adopted to ensure stable and reliable performance
- It is equipped with safety thermostats to ensure safety
- The cooker has 3-position selector switches to adjust and regulate heating. One switch is provided for each burner
- Material: Front panel - S.S 304 with 1.5 mm thickness, side & cabinet panel - S.S 430 with 1 mm thickness
- Door handle material - Bakelite

Electric 4 Plate Cooker With Cabinet



Code: 0300101071

Electric 4 Plate Cooker With Oven



Code: 0300101073

Code	Dimension(mm)	Power(kW)	Oven Chamber Dimension	Voltage	NW
0300101071	700x700x850+70	9.2(2x2.6+ 2x2)		380V	55kg
0300101073	700x700x850+70	14(2x2.6+2x2+4.8)	560x600x270mm	380V	94kg

- All stainless steel body with attractive design. The smooth and flat surface ensures that it will not collect dirt and can be completelay cleaned
- Key components are supplied by world-renowned manufacturers
- The stainless steel feet are adjustable and user-friendly
- Front counter-top material is SS304 with thickness 1.5mm, side and rear plate is SS430 with thickness 1.0mm
- Bakelite handle
- EGO proportioner
- Microcrystalline glass

Electric 4 Ceramic Hob With Cabinet



Code: 0300101116

Electric 4 Ceramic Hob With Oven



Code: 0300101187

Code	Dimension(mm)	Power(kW)	Baking Chamber Size	Voltage	NW
0300101116	700x700x850+70	4x1.8		380V	66kg
0300101187	700x750x850+70	4x1.8+4.8	560x600x270mm	380V	94kg

- High power output, quick heating and high efficiency
- All stainless steel body with attractive design and easy to clean
- Chromed plate can help reduce heat loss
- The cast iron grid can keep thermal inertia
- It is equipped with adjustable feet
- Front counter-top material is SS304 with thickness 1.5mm, side and rear plate is SS430 with thickness 1.0mm
- 2-door cabinet, 2 knobs control left/right griddle area sperately

Gas Griddle
(2/3 Flat & 1/3 Grooved)
With Cabinet



Code: 0300101088

Gas Griddle
(2/3 Flat &1/3 Grooved)
With Oven



Code: 0300101730

Electric Griddle
(2/3 Flat & 1/3 Grooved)
With Cabinet



Code: 0300101049

Electric Griddle
(2/3 Flat &1/3 Grooved)
With Oven



Code: 0300102411

Code	Dimension(mm)	Griddle size	Oven Chamber Size	Power(kW/Btu)	LPG/Voltage	NW
0300101088	700x700x850+70	625x496x20mm		11.8/40,262	2800-3700pa - 0.84 kg/h	95kg
0300101730	700x700x850+70	625x496x20mm	560x600x290mm	(11.8+5.8)/ 60,051	2800-3700pa - 1.22 kg/h	148kg
0300101049	700x700x850+70	625x496x20mm		9	380V	86kg
0300102411	700x700x850+70	625x496x20mm	560x600x290mm	9+4.8	380V	139kg

- High power output, quick heating and high efficiency
- All stainless steel body with attractive design and easy to clean
- Chromed plate can help reduce heat loss
- The cast iron grid can keep thermal inertia
- It is equipped with adjustable feet
- Front counter-top material is SS304 with thickness 1.5mm, side and rear plate is SS430 with thickness 1.0mm
- 2-door cabinet, 2 knobs control left/right griddle area sperately

Electric Radiant Grill With Cabinet



Code: 0300101091

Gas Lava Rock-Grill With Cabinet



Code: 0300101053

Code	Dimension(mm)	Top grill dimension	Power	Voltage	LPG	NW
0300101091	700x700x850+70	494x155mm x 4 pcs	9kw	380V		95kg
0300101053	700x700x850+70	494x155mm x 4 pcs	14.4kw	380V	2800-3700pa - 1.07 kg/h	113kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Fryer

- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- Heated with tube under a constant temperature, the oil in the tank is kept at the same temperature. The food is evenly heated so that the flavor and appearance is uniform.
- The large oil cold zone can assure that food outside the basket will not be burned, improving the utilization rate of the oil.
- Front panel S.S 304 with thickness 1.5mm, side plate and cabinet S.S 430 with thickness 1.0mm
- EGO 238 degree thermostat with SIT 710 safety valve
- Basket material: Q235 with Nickel-plated cabinet and door handle material is bakelite.
- oil tank cover S.S 304 with thickness 1.0mm

Gas 1-Tank Fryer (1-Basket) With Cabinet



Code: 0300101048

Gas 2-Tank Fryer (2-Basket) With Cabinet



Code: 0300101079

Electric 1-Tank Fryer (1-Basket) With Cabinet



Code: 0300101047

Electric 2-Tank Fryer (2-Basket) With Cabinet



Code: 0300101077

Code	Dimension(mm)	Tank Capacity	Basket size	Power(kW/Btu)	LPG/Voltage	NW
0300101048	360x700x850+70	20+/- 2 L	190x300x145mm	15.5/52,886	2800-3700pa - 1.23kg/h	53kg
0300101079	700x700x850+70	20+/- 2Lx2	190x300x145mm	31/105,772	2800-3700pa - 1.23kg/h	85kg
0300101047	360x700x850+70	20+/- 2L	190x300x145mm	15	380V	53kg
0300101077	700x700x850+70	20+/- 2Lx2	190x300x145mm	24	380V	77kg

- With high power output, this product can heat up very soon. Such high cooking efficiency means high price-performance ratio. With the unique anti-dry heat design, the safety of the equipment and users is also guaranteed.
- All stainless steel body with attractive design. The smooth and flat surface ensures that it will not collect dirt and can be completely cleaned.
- The user-friendly design of two-way water inlet and outlet makes it convenient and easy to operate.
- With adjustable stainless steel feet, users can adjust the angle of the equipment as they want.
- The unique jet flow design is user-friendly and convenient.
- Front panel S.S 304 with thickness 1.5mm, side plate and cabinet S.S 430 with thickness 1.0mm tank S.S 316 with thickness 1.5mm
- EGO 110 thermostat
- 2 door cabinet, door handle material is bakelite

Gas Noddle Boiler With Cabinet



Code: 0300101083

Electric Noddle Cooker With Cabinet



Code: 0300101081

Gas Pasta Cooker With Cabinet



Code: 0300101055

Electric Pasta Cooker With Cabinet



Code: 0300101054

Code	Dimension(mm)	Tank Size	Basket Size	No. of basket	Power(kW/Btu)	LPG/Voltage	NW
0300101083	700x700x850+70			12 pcs	22/75328	2800-3700pa - 1.83kg/h	82kg
0300101081	700x700x850+70			12 pcs	12/40945	380V	75kg
0300101055	700x700x850+70	380x540x180mm	260x145x180	4 pcs	23.6/80526	2800-3700pa - 1.83 kg/h	82kg
0300101054	700x700x850+70	380x540x180mm	260x145x180	4 pcs	12/40945	380V	75kg

- High power output, quick heating and high efficiency.
- All stainless steel body with attractive design and easy to clean.
- It adopts die casting iron top with heat conducting grooves, which can conduct heat fast and keep food warm.
- It is equipped with adjustable feet.
- Front panel S.S 304 with thickness1.5mm, side plate S.S 430 with thickness 1.0mm, below cabinet S.S 430 with 1.0mm
- Top hot plate use Italian valve
- 2-door cabinet, door handle material is bakelite

Gas French Hot-Plate Cooker With Cabinet



Code: 0300101133

Gas French Hot-Plate Cooker With Oven



Code: 0300101186

Code	Dimension(mm)	Oven Chamber Size	Heating Plate	Power(kW/Btu)	LPG	NW
0300101133	700x700x850+70		20mm(Thickness)	10/34,120	2800-3700pa - 0.83kg/h	87kg
0300101186	700x700x850+70	560x600x290mm	20mm(Thickness)	10+5.8/53,910	2800-3700pa - 1.3kg/h	122kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Bain Marie With Cabinet

- High power output, quick heating, high efficiency and anti-dry heating.
- All stainless steel body with attractive design and easy to clean.
- Water can be easily poured in and drained.
- It is equipped with adjustable feet.
- Front panel S.S 304 with thickness 1.5mm, side plate and cabinet S.S 430 with thickness 1.0mm
- EGO thermostat 85 ℃
- 2-door cabinet and door handle material is bakelite



Gas
Code: 0300900187



Electric
Code: 0300900185

Code	Dimension(mm)	Power(kW/Btu)	LPG/Voltage	Accessories	NW
0300900187	700x700x850+70	6/20,472	2800-3700pa - 0.43 kg/h	2 pcs x GN1/1x150mm pan	77kg
0300900185	700x700x850+70	10+5	380V	2 pcs x GN1/1x150mm pan	68kg

Tilting Braising Pan

- This product is multifuntional and can be used for frying, stir frying, braising and boiling, which means that it has extremely high price-performance ratio.
- The body is made of 304 stainless steel and decorated with cast iron flue trims.
- The pan is made of SS304 stainless steel with a bottom made of stainless steel plate to ensure the corrosion resistance of the pan and even heat conduction.
- It adopts titling pan design to help users remove the food inside the pan.
- Equipped with safety thermostats, the cooker's maximum temperature is 340°C to ensure safety.
- The pan can be lifted and turned upside down. Lifting the pan annually can accurately control the lifting height.
- The bottom of the pan adopts curved design to make sure it can be completely cleaned and make it easy to clean the residues in the pan.
- The equipment is equipped with taps for flushing.
- Front panel SS304 with thickness 1.5mm, side plate SS304 with thickness 1.0mm
  Pan material SS304 with thickness 1.5mm, pan bottom material SS316 with thickness 10mm
- Automatic temperature setting with a temperature range of 60-300°C.



Gas
Code: 0300101095

Electric
Code: 0300101093

Code	Dimension(mm)	Power(kW/Btu)	Capacity	LPG/Voltage	Pan tilting angle	NW
0300101095	800x700x850+70	18/61,416	60L	2800-3700pa - 1.5 kg/h	85 degree	122kg
0300101093	800x700x850+70	9.3	60L	380V	85 degree	122kg

Soup Kettle

- High power output, quick heating, high efficiency and anti-dry heating.
- All stainless steel body with attractive design and easy to clean.
- The cooking pot has strainer inside it, which makes it easy to operate for soup kettle.
- Water can be easily poured in and drained.
- It is equipped with adjustable feet.
- Front panel S.S 304 with thickness 1.5mm, side plate and cabinet S.S 430 with thickness 1.0mm



Gas
Code: 0300101099

Electric
Code: 0300101097

Code	Dimension(mm)	Power(kW/Btu)	Capacity	Pressure	Voltage	NW
0300101099	700x700x850+70	16/78,476	60L	≤50k Pa		112kg
0300101097	700x700x850+70	12	60L	≤50k Pa	380V	88kg

Gas Wok Range

- Double-layer design of thickened plates ensures high stiffness and toughness of the cooker, making it durable and tenacious.
- Front panel S.S 304 with thickness 1.5mm, side plate S.S 430 with thickness 1.0mm
- It adopts high-efficiency burners ensuring high efficiency and price-performance ratio. The built-in flame failure protection device ensures safety.
- High power orifice - 20 pcs in 1 burner
- Equipped with Flame-failure system



Code: 0300102412

Dimension(mm)	Power	Gas inlet size	Water inlet size	Water out size	LPG
700x700x850+70	24kw	R1 3/4'	R1 3/4'	G1-1/2'	2800-3700pa - 1.70 kg/h

Working Table With Cabinet

- Front panel S.S 304 with thickness 1.5mm, side plate and cabinet S.S 430 with thickness 1.0mm
- 1-door cabinet with handle, material is bakelite
- Dimension(mm):360x700x(850+70)



Code: 0300102413

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

WESTERN COOKING EQUIPMENT

600 Modular Western Cooking Range



Gas Stove (European style burner)

- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes. The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- The simple stainless steel hobs are high temperature resistant and durable.
- The flame failure device and thermocouple safety device provides dual protection so that this product is safe and reliable.
- Newly designed burner with several layers. The flame can grow to the highest temperature very soon and then remain stable to provide constant cooking temperature. Complete combustion ensures high heat efficiency and reduces fumes. Therefore, it is energy-saving, safe and environmental-friendly.
- Counter top part S.S 304 with thickness 1.0mm, side and rear plate material is S.S 430 with thickness 1.0mm







Code: 0300101339

Dimension(mm)	Power(kW/Btu)	LPG	NW
600x650x475	3.5x2+4.5x2/54,590	2800-3700Pa /0.71x2Kg/h	29.8kg

Electric Hot-Plate

- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes.
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- With an efficient hot plate, this product is energy-saving and efficient and ensures safety and convenience.
- 4-position temperature setting is available. Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food.
- Counter top part S.S 304 with thickness 1.0mm, side and rear plate material is S.S 430 with thickness 1.0mm
- EGO Switch and heating plate



Code: 0300101188

Dimension(mm)	Power(kW)	Rated Voltage	NW
600x650x475	2.6x2+2x2	380V/50HZ	31.4kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes. The welded griddle plate is solid and firm and can be completely cleaned
- The removable griddle plate baffle is easy to install and can be removed for cleaning

Gas Griddle



Code: 0300101193

- The one forming front plate is tough, tenacious and simple
- It is also smooth and flat and will not deform easily
- Equipped with EGO 300℃ thermostat
- Safety value
- Counter top part S.S 304 with thickness 1.0mm, side and rear plate material is S.S 430 with thickness 1.0mm

Electric Griddle



Code: 0300101194

Code	Dimension(mm)	Griddle Plate Size(mm)	Power(kW/Btu)	LPG/Voltage	Temperature
0300101193	600x650x475	596x514.5x14	10/34,120	2800-3700Pa /0.5x2Kg/h	120-300°C
0300101194	600x650x475	596x510x14	7.8	380V/50HZ	50-300°C

- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes
- Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food
- The oil basin can collect the oil conveniently to keep it clean and efficient

- With an efficient heating tube, this product is energy-saving and efficient and ensures safety and convenience.
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned

Gas Grill



Code: 0300101195

Electric Grill



Code: 0300102414

Code	Dimension(mm)	Power(kW/Btu)	LPG/Voltage	Temperature	NW
0300101195	600x650x475	14.4/49,132	2800-3700Pa /0.6x2Kg/h	120-300°C	67kg
0300102414	600x650x475	7.5	380V/50HZ	120-200°C	68kg

- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes. The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned
- With an efficient heating tube and convenient design, this product is energy-saving and efficient and ensures safety and convenience
- Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food
- Counter top part S.S 304 with thickness 1.0mm, side and rear plate material is S.S 430 with thickness 1.0mm
- ORMON brand relay and EGO thermostat
- Counter top part S.S 304 with thickness 1.0mm, side and rear plate material is SS430 with thickness 1.0mm
- Tank material is S.S 304 with thickness SS 1.2MM
- EGO temperature limiter and SIT710 valve

Gas Fryer





Code: 0300101197

Electric Fryer



Code: 0300101198

Code	Dimension(mm)	Tank Capacity	Power(kW/Btu)	LPG/Voltage	Temperature	NW
0300101197	600x650x475	8-10L	5.6x2/38,214	2800-3700Pa /0.5x2Kg/h	120-200 °C	36kg
0300101198	600x650x475	(12.5-14.5)x2L	8.5x2	380V/50HZ	50-190 °C	35kg

- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned
- With an efficient heating tube, this product is energy-saving and efficient and ensures safety and convenience
- Counter top part SS304 with thickness 1.0mm,side and rear plate material is SS430 with thickness 1.0mm, Tank material SS316 with thickness 1.2mm

Gas Noddle Bolier



Code: 0300101199

Electric Noddle Bolier



Code: 0300101200

Code	Dimension(mm)	Tank Capacity	No. of baskets	Power(kW/Btu)	LPG/Voltage	Temperature	NW
0300101199	600x650x475	28L	9 pcs	11.2/38,214	2800-3700Pa /0.5x2Kg/h		39kg
0300101200	600x650x475	24L	9 pcs	9	380V/50HZ	0-100 °C	36kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Electric Bain Marie

- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned
- With an efficient heating tube, this product is energy-saving and efficient and ensures safety and convenience
- Free temperature setting is available to achieve excellent thermal insulation
- Counter top part S.S 304 with thickness 1.0mm, side and rear plate material is S.S 430 with thickness 1.0mm
- EGO proportioner



Code: 0300900220

Dimension(mm)	Power(kW)	Voltage	NW
600x650x475	1.2	230V/50HZ	24.4kg

Gas Stove (European style burner)

- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned
- The flame failure device and thermocouple safety device provides dual protection so that this product is safe and reliable
- Newly designed burner with several layers of flame. The flame can grow to the highest temperature very soon and then remain stable to provide constant cooking temperature. Complete combustion ensures high heat efficiency and reduces fumes. Therefore, it is energysaving, safe and environmental-friendly
- Counter top part S.S 304 with thickness 1.0mm,side and rear plate material is S.S 430 with thickness 1.0mm
- The simple stainless steel hobs are high temperature resistant and durable



Code: 0300101338

Dimension(mm)	Power(kW/Btu)	LPG	NW
400x650x475	3.5+4.5/27,295	2800-3700Pa /0.57Kg/h	22kg

Electric Hot Plate

- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- With an efficient hot plate, this product is energy-saving and efficient and ensures safety and convenience
- 3-position temperature setting is available. Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food
- Counter top part S.S 304 with thickness 1.0mm side and rear plate material is S.S 430 with thickness 1.0mm
- EGO Switch and heating plate



Code: 0300101331

Dimension(mm)	Power(kW)	Rated Voltage	NW
400x650x475	2.6x2	230V/50HZ	19kg

- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes. The welded griddle plate is solid and firm and can be completely cleaned
- The removable griddle plate baffle is easy to install and can be removed for cleaning
- The one forming front plate is tough, tenacious and simple. It is also smooth and flat and will not deform easily
- Counter top part S.S 304 with thickness 1.0mm,side and rear plate material is S.S 430 with thickness 1.0mm
- EGO 300℃ thermostat

Gas Griddle



Code: 0300101341

Electric Griddle



Code: 0300101329

Code	Dimension(mm)	Griddle Plate Size	Power(kW/Btu)	LPG/Voltage	Temperature	NW
0300101341	400x650x475	396x514.5x14mm	5/17,060	2800-3700Pa /0.5kg/h	120-300 °C	42kg
0300101329	400x650x475	396x510x14mm	3.9	380V/50HZ	50-300 °C	43.5kg

- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned
- With an efficient heating tube, this product is energy-saving and efficient and ensures safety and convenience. Free temperature setting is available
- The oil basin can collect the oil conveniently to keep it clean and efficient
- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes
- Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food
- Counter top part S.S 304 with thickness 1.0mm,side and rear plate material is S.S 430 with thickness 1.0mm
- EGO proportioner

Gas Grill



Code: 0300101340

Electric Grill



Code: 0300101332

Code	Dimension(mm)	Power(kW/Btu)	LPG/Voltage	Temperature	NW
0300101340	400x650x475	7.2 /24,566	2800-3700Pa /0.6kg/h	120-200 °C	45kg
0300101332	400x650x475	4.5	380V/50HZ		45kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

- Made of high-quality stainless steel, this product is corrosion resistant, and permits easy removal of cooking fumes
- The one stretch forming worktop is tough, tenacious and simple
- It is also smooth and flat so that it will not collect dirt and can be completely cleaned
- With an efficient heating tube and convenient design, this product is energy-saving and efficient and ensures safety and convenience
- Free temperature setting is available. Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food
- Counter top part S.S 304 with thickness 1.0mm, side and rear plate material is SS430 with thickness 1.0mm
- ORMON brand relay and EGO thermostat
- SIT710 valve

Counter Top Gas Fryer



Code: 0300101337

Counter Top Electric Fryer



Code: 0300101330

Code	Dimension(mm)	Tank Capacity	Power(kW/Btu)	LPG/Voltage	Temperature	NW
0300101337	400x650x475	8 -10L	5.6/19,107	2800-3700Pa /0.5Kg/h	120-200 °C	23kg
0300101330	400x650x475	12.5 -14.5L	8.5	380V	50-190 °C	20kg



- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned
- With an efficient heating tube, this product is energy-saving and efficient and ensures safety and convenience
- Free temperature setting is available to achieve excellent thermal insulation
- Counter top part S.S 304 with thickness 1.0mm,side and rear plate material is S.S 430 with thickness 1.0mm , tank material is S.S 316 with thickness 1.2mm

Gas Noddle Bolier



Code: 0300101336

Electric Noddle Bolier



Code: 0300101328

Code	Dimension(mm)	Tank Capacity	Power(kW/Btu)	No. of baskets	LPG/Voltage	Temperature	NW
0300101336	400x650x475	17L	5.6/19,107	6 pcs	2800-3700Pa /0.5Kg/h		28kg
0300101328	400x650x475	15L	5.4	6 pcs	380V/50HZ	0-100 °C	25.6kg

Electric Bain Marie

- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned
- With an efficient heating tube, this product is energy-saving and efficient and ensures safety and convenience
- Free temperature setting is available to achieve excellent thermal insulation
- Counter top part S.S 304 with thickness 1.0mm, side and rear plate material is S.S 430 with thickness 1.0mm
- EGO proportioner



Code: 0300101333

Dimension(mm)	Power(kW)	Voltage	No. of pan	NW
400x650x475	0.75	230V/50HZ	1 x 1/1GN pan	17kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

WESTERN COOKING EQUIPMENT

Economy Cooking range



- Fully MIG welded frame for stability
- Stainless steel front, back-riser, galvanized sides
- 6" stainless steel adjustable heavy duty legs
- Open top burners, each 30,000 BTU/hr
- Coved pilot burner cover to prevent clogging from spillage
- Stainless steel pilot for durability
- Heavy duty cast grates, 12" x 12" (30x30cm) in size, easy to be removed
- Full size sheet pans fit side-to-side or front-to-back
- Pull out crumb tray with rounded edges to prevent heat transfer
- Oven thermostat adjusts from 250°F to 550°F
- Two oven racks and four rack positions
- Optional with castors
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate

4 Gas Burners With Gas Oven



Code: 0300101731

4 Gas Burners With Gas Oven



Code: 0300102686

6 Gas Burners With Gas Oven



Code: 0300101732

6 Gas Burners With Gas Oven



Code: 0300102687

10 Gas Burners With Gas Ovens



Code: 0300101733

Code	Dimension(mm)	Power(Btu/hr)	Burner power(Btu/hr)	Oven Power(Btu/hr)	NW	GW
0300101731	609x830x1520	151,000	30,000x4	31,000	132kg	162kg
0300102686	609x830x957	151000	30,000x4	31,000	130kg	170kg
0300101732	915x829x744	211,000	30,000x6	31,000	167kg	207kg
0300102687	915x830x957	211,000	30,000x6	31,000	165kg	205kg
0300101733	1524x829x1520	362,000	30,000x10	31,000x2	280kg	335kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

- Fully MIG welded frame for stability
- Stainless steel front, back-riser
- 6" stainless steel adjustable heavy duty legs
- Open top burners, each 30,000 BTU/hr
- Coved pilot burner cover to prevent clogging from spillage
- Stainless steel pilot for durability
- Heavy duty cast grates,12" x 12"(30x30cm) in size, easy to be removed
- Full size sheet pans fit side-to-side or front-to-back
- Pull out crumb tray with rounded edges to prevent heat transfer
- Oven thermostat adjusts from 250°F to 550°F
- Two oven racks and four rack positions
- Optional with castors
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate

2 Gas Burners With Griddle With Gas Oven



Code: 0300102416

4 Gas Burners With Griddle With Gas Oven



Code: 0300102442

6 Gas Burners With Griddle With Gas Ovens



Code: 0300102415

6 Gas Burners With Griddle With Gas Ovens



Code:0300102417

Code	Dimension(mm)	Power(Btu/hr)	Burner power(Btu/hr)	Griddle power(Btu/hr)	NW	GW
0300102416	914x829x1532	131,000	30,000x2+31000	20,000x2	310kg	370kg
0300102442	914x826x1532	171,000	30,000 x4+31000	20,000x1	180kg	208kg
0300102415	1524x829x1532	282,000	30,000x6+31000x2	20,000x2	310kg	370kg
0300102417	1523x774x1532	278,000	30,000x6+31000x2	20,000x3	330kg	390kg

Gas Fryer

- Vertical cast iron burner, each 30,000 BTU/hr
- Stainless steel vat, available in 4 models
- 6" stainless steel adjustable heavy duty legs
- Continuous pilot for easy start of main flame
- Tube design with baffles inside for better heat transfer
- Chromed basket with plastic coating handle
- Large cold zone to prevent scorching of food particles at the bottom
- Robertshaw control system to guarantee best performance
- Prompt temperature recovery to make sure fries are crispy
- 1 ¼" drain cock for easy drainage of oil
- Thermostat adjusts from 93°C/200°F to 204°C/400°F
- 450°F/232°C hi-limiter guarantees safety
- Optional with castors
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate



Code: 0300101734

Code: 0300101735

Code: 0300101962

Code: 0300101963



Code: 0300101736

Code: 0300101737

Code: 0300101738

Code: 0300101739

Code	Dimension(mm)	Capacity(L)	Power(Btu/hr)	NW	GW	Gas type
0300101734	394x767x1182	18.5-23	90,000	65kg	71kg	NG
0300101735	394x767x1182	18.5-23	90,000	65kg	71kg	LPG
0300101962	394x767x1182	21.3-25	120,000	71kg	82kg	NG
0300101963	394x767x1182	21.3-25	120,000	71kg	82kg	LPG
0300101736	534x767x1182	31-37	150,000	78kg	83kg	NG
0300101737	534x767x1182	31-37	150,000	78kg	83kg	LPG
0300101738	534x871x1182	38-45	150,000	84kg	96kg	NG
0300101739	534x871x1182	38-45	150,000	84kg	96kg	LPG



NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Gas Burner

- Round cast iron burner, each 25,000 BTU/hr
- 12"x12" (30x30cm) cast iron grate for easy removal
- Standby pilot for easy start
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Crumb tray at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Available in 2, 4 and 6 burners
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate



Code: 0300101750



Code: 0300101968



Code: 0300101969

Code	Dimension(mm)	Power(Btu/hr)	NW	GW
0300101750	305x745xH380	50,000	38kg	46kg
0300101968	610x745xH380	100,000	57kg	73kg
0300101969	915x745xH380	150,000	86kg	104kg

- Big power input
- Round cast iron burner, each 30,000 BTU/hr
- 12"x12" (30x30cm) cast iron grate for easy removal
- Standby anti-clogging pilot for easy start
- Lift off burner structure for easy cleaning
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Crumb tray at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Available in 2, 4 and 6 burners
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate



Code: 0300102322



Code: 0300101751



Code: 0300102323

Code	Dimension(mm)	Power(Btu/hr)	NW	GW
0300102322	305x745x380	60,000	38kg	46kg
0300101751	610x745x380	120,000	57kg	73kg
0300102323	915x745x380	180,000	86kg	104kg

Gas Manual Griddle

- Steel U-shape burner, each 30,000 BTU/hr for better heat distribution
- One control every 12"
- Standby pilot for easy start
- ¾" thickness griddle plate
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Oil collector at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Available in 12", 24", 36", 48" and 60" width
- Manual control
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate



Code: 0300101983

Code: 0300101964

Code: 0300101984

Code: 0300101985

Code: 0300101986

Code	Dimension(mm)	Power(Btu/hr)	NW	GW
0300101983	310x761x412	30,000	45kg	52kg
0300101964	610x761x412	60,000	80kg	103kg
0300101984	915x761x412	90,000	110kg	143kg
0300101985	1220x761x412	120,000	152kg	187kg
0300101986	1525x761x412	150,000	180kg	220kg

Gas Thermostat Griddle

- Thermostat control
- Steel U-shape burner, each 30,000 BTU/hr for better heat distribution
- One control every 12"
- Standby pilot for easy start
- ¾" thickness griddle plate
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Oil collector at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Available in 12", 24", 36", 48" and 60" width
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate



Code: 0300101970

Code: 0300101965

Code: 0300101971

Code: 0300101972

Code: 0300101973

Code	Dimension(mm)	Power(Btu/hr)	NW	GW
0300101970	310x761x412	30,000	45kg	52kg
0300101965	610x761x412	60,000	80kg	103kg
0300101971	915x761x412	90,000	110kg	143kg
0300101972	1220x761x412	120,000	152kg	187kg
0300101973	1525x761x412	150,000	180kg	220kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Gas Radiant Broiler

- Cast iron bar burner, each 20,000 BTU/hr
- One control every 6"
- Standby pilot for easy start
- Cast iron radiant cover to hold heat and spread heat more evenly
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Oil collector at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Available in 14", 24", 36", 48" and 60" width
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate



Code: 0300101974

Code: 0300101748 Code: 0300101975 Code: 0300101976 Code: 0300101977

Code	Dimension(mm)	Power(Btu/hr)	NW	GW
0300101974	356 x 745 x 400	40,000	50kg	65kg
0300101748	605x745x400	80,000	85kg	158kg
0300101975	910x745x400	120,000	130kg	197kg
0300101976	1220x745x400	160,000	167kg	247kg
0300101977	1525x745x400	200,000	210kg	112kg

Gas Lava Rock Broiler

- Cast iron bar burner, each 20,000 BTU/hr
- One control every 6"
- Standby pilot for easy start
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Oil collector at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Available in 14", 24", 36", 48" and 60" width
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate



Code: 0300101978

Code: 0300101979 Code: 0300101980 Code: 0300101981 Code: 0300101982

Code	Dimension(mm)	Power(Btu/hr)	NW	GW
0300101978	356 x 745 x 400	40,000	22kg	36kg
0300101979	605 x 745 x 400	80,000	82kg	102kg
0300101980	910 x 745 x 400	120,000	120kg	145kg
0300101981	1220 x 745 x 400	160,000	157kg	187kg
0300101982	1525 x 745 x 400	200,000	186kg	220kg

Gas Stockpot

- 12"x12"(30x30cm) cast iron grate for easy removal
- Standby anti-clogging pilot for easy start
- Lift off burner structure for easy cleaning
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Crumb tray at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Available in 1, 2, 4 and 6 burners
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate



Code: 0300101651



Code: 0300102636

Code	Dimension(mm)	Power(Btu/hr)	NW	GW
0300101651	457x625x520	85,000	55kg	76kg
0300102636	457x1240x520	170,000	107kg	135kg



NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Gas Salamander

- Gas infrared burner for better and even heat distribution
- Extra large infrared burner to cover large cooking area
- Instant heating up, no need to pre-heat
- Standby pilot for easy start
- Three rack positions
- Chrome coated wire grid
- Zinc alloy knob with chrome coating
- Oil collector at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Available in 24", 36", 48", 60" and 72"width
- Manual control
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate



Code: 0300102151

Code: 0300102153

Code: 0300101752

Code: 0300102152

Code: 0300102154

Code	Dimension(mm)	Power(Btu/hr)	NW	GW
0300101752	610x475x580	20,000	46kg	66kg
0300102151	914x475x580	30,000	63kg	89kg
0300102152	1219x475x580	40,000	84kg	114kg
0300102153	1524x475x580	50,000	101kg	133kg
0300102154	1829x475x580	60,000	38kg	46kg

Gas Convection Oven

- Porcelainized cavity finish for easy cleaning
- Double speeds blower to meet demands for different food cooked inside
- Fully visible glazed doors to keep eyes on cooking process any time
- Interior illuminator controlled by switch
- Double stacking options to optimize your kitchen space with same footprint
- Solid state temperature controller
- Strong and robust angular legs for stability
- Stainless steel in the front
- Automatic igniting system for gas safety
- 60 minutes timer as a reminder
- 4 racks, 13 rack positions
- Optional with castors
- Front panel S.S 430
- Side, back & bottom plate is aluminized plate



Code: 0300101753

Dimension(mm)	Power(Btu/hr)	Voltage/Amp	NW	GW
967x1099xH1384	54,000	220V AC, 50Hz, 4.2A	185kg	275kg

COMBI OVEN



Electric Boilerless Combi Steamer

- Electro-mechanical control without boiler
- All stainless steel structure
- Stainless steel heating elements
- Heavy duty stainless steel cavity
- Standard GN1/1 rack， High quality silicon seal
- Boilerless to generate steam, free from water scale
- Heavy duty fan blade

Code: 0300102464

Code: 0300102465



Code	Dimension(mm)	No.of tray	Power	NW	GW
0300102464	867x918x750	6	12KW/ 380V	152kg	182kg
0300102465	867x918x930	10	18KW/ 380V	180kg	218kg

Electric Combi Steamer-5 Trays

COOKING MODE
Cooking / Grilling / Steaming / Without boiler
Electro Mechanical control without boiler

- Electro mechanical control without boiler
- High-efficiency heating tubes, fast warming speed.
- Parameters of temperature, time and moisture could be set at will, enabling easy operation.
- The core probe function enables controlling of the food temperature.
- The moisture removing function on the top ensures better baked food.
- The spraying function generates steam, reducing problems of scale.
- The knobs could be steplessly adjusted, enabling easy and flexible operation.
- Chamber material is SS304 with thickness 1.0mm，
  side plate material is SS430 with thickness 0.8mm



Code: 0300101323

Dimension	Oven Chamber Size	Capacity
635x650x710mm	368x380x428mm	5 x 2/3 GN x 2.5"
Power	**Voltage**	**Temperature range**
4.6KW	230V/50HZ	50-250°C
Height(per tray)	**Std. Accessories**	
74mm	· 5 pcs rack	· Oil spot remover

Electric Combi Steamer-10 Trays

COOKING MODE
Cooking / Steaming /
Digital control system /
Programmable / Without boiler

- Digital control with boiler
- Fully made of stainless steel.
- The chamber adopts fillets at all sides to avoid being contaminated by wastes and to ensure easy cleaning.
- High-efficiency heating tubes, fast warming speed.
- 4 common modes could be easily switched.
- The core probe mode enables measuring and controlling of the food temperature.
- Up to 100 common recipes could be saved, applied, and at any time, edited.
- The moisture removing function ensures better baked food.
- The auto spraying function reduces problems of scale.
- It is equipped with double lock for the door, protecting users from being hurt be by gushing steam.
- It is equipped with auto cleaning function, enabling easy cleaning.
- Chamber material is SS304 with thickness 1.2mm
  side plate material is SS304 with thickness 1.0mm



Code: 0300300207

Dimension(mm)	Bore Size(mm)	Capacity
910x810x1080	460x645x790	10xGN1/1x1" thickness
Power(kW)	**Voltage**	**Temperature range**
18.5	380V/50HZ	50-250°C
Height(per layer)	**Std. Accessories**	
60mm	· 4 pcs x536x330mm wiring grid	

Electric Combi Steamer

- Mechanical control without boiler
- It is fully made of stainless steel; the chamber adopts fillets at all sides to avoid being contaminated by wastes and to ensure easy cleaning.
- It adopts high-efficiency heating tubes, ensuring fast warming speed; the 3 common modes could be easily switched.
- The core probe mode enables controlling of the food temperature and the moisture removing function ensures better baked food.
- The spraying function generates steam, reducing problems of scale; the machine is equipped with double lock for the door, protecting users from being hurt by gushing steam。 The knobs could be steplessly adjusted, enabling easy and flexible operation.
- Chamber material is S.S 304 with thickness 1.2mm side plate material is S.S 430 with thickness 1.0mm



4 Trays
Code: 0300300200



6 Trays
Code: 0300300198



10 Trays
Code: 0300300205

Code	Dimension(mm)	Oven Chamber Size	Capacity	Power	Voltage	Temperature	Layer height
0300300200	502x643x620	390x380x370mm	4xGN 2/3x2"	4.6kw	230 V/ 50Hz	50-250°C	70mm
0300300198	910x810x900	440x650x558mm	6xGN1/1x1"	12.5kw	380 V/50HZ	50-250°C	67mm
0300300205	910x820x1080	438x645x600mm	10xGN1/1x1"	18.5kw	380V/50HZ	50-250°C	60mm

Electric Combi Steamer

- Four common modes, achieving various cookings (e.g. steaming, roasting, braising, baking and fryingetc.) in Chinese cuisine comprehensively.
- 360 °C hot-air convection, ensuring the food color and luster uniform.
- Equipped with integrated boiler, which can produce powerful steam, freely to cook.
- Shelf mode, controlling the cook time of every rack independently, can cook various dishes simultaneously without being tainted by other odor.
- Automatic cooking: can perform timing cooking, convenient and flexible.
- Multi-power selection (1,1/3, 2/3), energy saving.
- Automatic cleaning and delime function of boiler, with periodical reminder, can prevent incrustation efficiently and extend the service life of the device.
- A variety of automatic cleaning solution, convenient and simple, save manpower. Advanced door-opening, preventing injuries caused by sudden gush of steam.
- Chamber material is SS304 with thickness 1.2mm, side plate material is SS430 with thickness 1.0mm
- Cooking mode: Cooking, Steaming, roasting, baking, Mechanical control with boiler.



6 Trays
Code: 0300300201



10 Trays
Code: 0300300204

Code	Dimension(mm)	Oven Chamber Size	Capacity	Power	Volatage	Temperature	Height(per layer)
0300300201	910x820x950	460x645x650mm	6xGN 1/1x1"	12.5kw	380 V/ 50 Hz	50-250°C	70mm
0300300204	910x820x1080	460x645x790mm	10xGN 1/1x1"	18.5kw	380V/50HZ	50-250°C	60mm

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

- Digital control with boiler
- Fully made of stainless steel
- The chamber adopts curved corner to avoid deposit of dirt to achieve easy cleaning and higer hygiene
- High-efficiency heating tubes, fast warming speed
- 4 common modes could be easily switched
- The core probe mode enables measuring and controlling of the food temperature
- Up to 100 common recipes could be saved, applied, and at any time, edited
- The moisture removing function ensures better baked food

Electric Combi Steamer-6 Trays



Code: 0300300202

Electric Combi Steamer-10 Trays



Code: 0300300206

Code	Dimension(mm)	Oven Chamber Size	Capacity	Power	Volatage	Temperature	Height(per layer)
0300300202	910x820x900	440x645x580mm	6xGN1/1x1"	12.5kw	380V/50HZ	50-250°C	67mm
0300300206	910x820x1080	440x645x770mm	10xGN1/1x1"	18.5kw	380V/50HZ	50-250°C	67mm

Electric Combi Steamer-20 Trays



Code: 0300300209

Electric Combi Steamer-20 Trays 40 Pans



Code: 0300300210

Code	Dimension(mm)	Oven Chamber Size	Capacity	Power(kW)	Volatage	Height(per layer)
0300300209	910x820x1880	440x645x1515mm	20xGN 1/1-1"	37	380V	60mm
0300300210	1170x1000x1880	700x815x1515mm	40xGN 1/1-1"	53	380V	60mm

Cooking Mode	Std. Accessories
Computer controlled and can make program, with boiler	1pc x trolly 5 pcs x 536x330mm wiring grid 5 pcs x aluminium grill net

- Four common modes, achieving various cookings (e.g. steaming, roasting, braising, baking and frying etc.) in Chinese cuisine comprehensively
- Fully computer-controlled touch screen, with visible control, making the steps clear at a glance
- 360C hot-air convection, uniform in heating, ensuring the food color and luster
- Equipped with integrated boiler, which can produce powerful steam, easy to cook
- Shelf mode, controlling the cook time of every rack independently, can cook various dishes simultaneously without being contaminated by other odor
- Appointed cook: can perform time cooking, convenient and free
- Multi-power selection (1, 2/3,1/3), energy saving
- Automatic cleaning and delime function of boiler, with periodical reminder, can prevent incrustation efficiently and extend the service life of the device
- A variety of automatic cleaning solution, convenient and simple, save manpower
- Advanced door-opening, preventing injuries caused by sudden gush of steam
- Chamber material is SS304 with thickness 1.2mm, side plate material is SS430 with thickness 1.0mm

Electric Touch-Screen Combi Steamer-6 Trays



Code: 0300300203

Electric Touch-Screen Combi Steamer-10 Trays



Code: 0300300208

Code	Dimension(mm)	Oven Chamber Size	Capacity	Power(kW)	Volatage	Temperature	Height(per layer)
0300300203	910x820x900	440x645x580mm	6xGN1/1-1"	12.5	380V/50HZ	50-250°C	67mm
0300300208	910x820x1080	440x645x770mm	10xGN 1/1-1"	18.5	380V/50HZ	50-250°C	67mm



NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

- Low temp. cooking – Benefit from less weight loss, better taste
- Touch panel – Fast controls covered by high protective foil
- Continuous cooking time option
- Automatic start – The ability to schedule a delayed start
- Active Cleaning – Low-cost automatic cleaning
- Tripple glazed door glass– Advanced energy savings and external glass that does not burn you
- Auto-reversing fan – Excellent evenness to deliver high product color and texture uniformity
- AISI 304 stainless steel – Exceptional quality with a special coating for a extended life time
- WSS – Special drain system & in-built heat exchanger to save water
- USB plug-in – Transfer data easily to and from the combi oven
- Direct steam generation system
- SDS – Easy unit check up and trouble shooting



Gas Combi Oven -20 Trays

Code: 0300300332



Gas Combi Oven -6 Trays

Code: 0300300326



Gas Combi Oven -10 Trays

Code: 0300300329

Code	Dimensions (mm)	Steam generator	Capacity	Capacity of meals	Voltage
0300300326	933x786x818	Injection	7 trays GN1/1	51 – 150	1N~/230V/50–60Hz
0300300329	933x1080x818	Injection	11 trays GN1/1	151 – 250	1N~/230V/50–60Hz
0300300332	948x1824x827	Injection	20 trays GN1/1	400 -600	3N~/400V/50–60Hz

Heat power	Fuse	Total power	Weight	Water/Drain connection	Spacing
13kW	16A	0.74kW	127Kg	G 3/4" / 50mm	65mm
22.5kW	10A	0.74kW	149kg	G 3/4" / 50mm	65mm
45kW	10A	1.28kW	257kg	G 3/4" / 50mm	63mm

Noise level	Temperature	Hot Air	Combination	Steaming	Bio Steaming
max. 70 dBA	30 – 300°C	30 – 300°C	30 – 300°C	30 – 130°C	30 – 98°C

Electric Combi Oven - 6 Trays



Code:0300300353

Electric Combi Oven - 7 Trays



Code:0300300354

Electric Combi Oven With Boiler- 6 Trays



Code: 0300300325

Code	Dimensions (mm)	Steam generator	Capacity	Capacity of meals
0300300353	683x575x586	Injection	6 trays GN2/3	30 – 50
0300300354	933x786x818	Injection	7 trays GN1/1	51 – 150
0300300325	933x786x818	Boiler	7 trays GN1/1	51 – 150

Heat power	Total power	Weight	Boiler power	Water/Drain connection
4.8kW	5kW	62kg		G 3/4" / 40mm
10.3kW	10.9kW	116kg		G 3/4" / 50mm
10.3kW	10.9kW	112kg	9kW	G 3/4" / 50mm

Energy	Fuse	Noise level	Voltage	Temperature	Hot Air	Spacing	Combination	Steaming	Bio Steaming
electricity	16A	max. 70 dBA	3N~/400V/50–60Hz	30 – 300°C	30 – 300°C	65mm	30 – 300°C	30 – 130°C	30 – 98°C



Electric Combi Oven-10 Trays

Code: 0300300327



Electric Combi Oven With Boiler - 10 Trays

Code: 0300300328

Electric Combi Oven -20 Trays



Code: 0300300330

Electric Combi Oven With Boiler- 20 Trays



Code: 0300300331

Code	Dimensions (wxhxd)	Energy	Steam generator	Capacity	Capacity of meals	Voltage
0300300327	933x1080x818mm	electricity	Injection	10 trays GN1/1	151 – 250	3N~/400V/50–60Hz
0300300328	933x1080x818mm	electricity	Boiler	10 trays GN1/1	151 – 250	3N~/400V/50–60Hz
0300300330	948x1824x827mm	electricity	Injection	20 trays GN1/1	400 -600	3N~/400V/50–60Hz
0300300331	948x1824x827mm	electricity	Boiler	20 trays GN1/1	400 -600	3N~/400V/50–60Hz

Heat power	Fuse	Total power	Weight	Boiler power	Water/Drain connection	Spacing
18kW	32A	18.6kW	138kg		G 3/4" / 50mm	65mm
18kW	32A	18.6kW	144kg	18kW	G 3/4" / 50mm	65mm
36kW	63A	37.1kW	235kg		G 3/4" / 50mm	63mm
36kW	63A	37.1kW	245kg	33kW	G 3/4" / 50mm	63mm

Noise level	Temperature	Hot Air	Combination	Steaming	Bio Steaming
max. 70 dBA	30 – 300°C	30 – 300°C	30 – 300°C	30 – 130°C	30 – 98°C

Gas Combi Oven -6 Trays



Code: 0300300336

Gas Combi Oven - 10 Trays



Code: 0300300339



Gas Combi Oven - 20 Trays

Code: 0300300342

Code	Steam generator	Capacity	Capacity of meals	Dimensions (wxhxd)	Voltage
0300300336	Injection	7 trays GN1/1	51 – 150	933x786x818mm	1N~/230V/50–60Hz
0300300339	Injection	11 trays GN1/1	151 – 250	933x1080x818mm	1N~/230V/50–60Hz
0300300342	Injection	20 trays GN1/1	400 -600	948x1824x827mm	3N~/400V/50–60Hz

Energy	Heat power	Fuse	Total power	Weight	Water/Drain connection	Gas connection	Spacing
gas	13kW	10A	0.74kW	127Kg	G 3/4" / 50mm		
gas	22.5kW	10A	0.74kW	149kg	G 3/4" / 50mm	G 3/4"	65mm
gas	45kW	10A	1.28kW	257kg	G 3/4" / 50mm	G 3/4"	63mm

Noise level	Temperature	Hot Air	Combination	Steaming	Bio Steaming
max. 70 dBA	30 – 300°C	30 – 300°C	30 – 300°C	30 – 130°C	30 – 98°C

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Electric Combi Oven -6 Trays



Code: 0300300333

Electric Combi Oven -7 Trays



Code: 0300300334

Electric Combi Oven With Boiler- 7 Trays



Code: 0300300335

Electric Combi Oven -11 Trays



Code: 0300300337

With Boiler
Code: 0300300338

Electric Combi Oven -20 Trays



Code: 0300300340

With Boiler
Code: 0300300341

Code	Energy	Steam generator	Capacity	Capacity of meals	Dimensions (w*h* d)	Voltage
0300300333	electricity	Injection	6 trays GN2/3	30 – 50	683x575x586mm	3N~/400V/50–60Hz
0300300334	electricity	Injection	7 trays GN1/1	51 – 150	933x786x818mm	3N~/400V/50–60Hz
0300300335	electricity	Boiler	7 trays GN1/1	51 – 150	933x786x818mm	3N~/400V/50–60Hz
0300300337	electricity	Injection	11 trays GN1/1	151 – 250	933x1080x818mm	3N~/400V/50–60Hz
0300300338	electricity	Boiler	11 trays GN1/1	151 – 250	933x1080x818mm	3N~/400V/50–60Hz
0300300340	electricity	Injection	20 trays GN1/1	400 – 600	948x1824x827mm	3N~/400V/50–60Hz
0300300341	electricity	Boiler	20 trays GN1/1	400 – 600	948x1824x827mm	1N~/230V/50–60Hz

Heat power	Fuse	Total power	Weight	Spacing	Steam generation power	Water/Drain connection
4.8kW	16A	5kW	62kg	65mm		G 3/4" / 50mm
10,3kW	16A	10,9kW	116kg	65mm		G 3/4" / 50mm
10,3kW	16A	10,9kW	112kg	65mm	9kW	G 3/4" / 50mm
18kW	32A	18,6kW	138kg	65mm		G 3/4" / 50mm
18kW	32A	18,6kW	144kg	65mm	18kW	G 3/4" / 50mm
36kW	63A	37,1kW	235kg	63mm		G 3/4" / 50mm
36kW	63A	37,1kW	245kg	63mm	33kW	G 3/4" / 50mm

Noise level	Temperature	Hot Air	Combination	Steaming	Bio Steaming
max. 70 dBA	30 – 300°C	30 – 300°C	30 – 300°C	30 – 130°C	30 – 98°C

FAST FOOD & SNACK
EQUIPMENT



Speed Oven

- Digital control, easy to operate
- Programmable
- With upper and lower microwave, microwave cover chamber evenly
- With S/S internal chamber for easy cleaning
- When opening door, first stop and fully open
- Special handle design saves door opening force and looks beautiful
- Typical cooking timing
- 5 Unique heating & cooking Technique

1) Vertical hot air impingement and convection, food is heated rapidly and evenly, food is crisp, tasty and with attractive color
2) Combination of microwave and hot air impingement, it is able to cook food in more ways
3) Top padian heater, food surface can be browned in crisp with attractive color
4) Microwave heats food inside-out rapidly
5) Microwave unfreeze and reaheat food toavoid dry food and keep original taste



Code: 0300102324

Dimension(mm)	Chamber(mm)	Power	Voltage	Capacity	Colour	Packing size	GW
668x780x602	325x380x205	6.2kw	220-240V	25.3L	Stainless Steel	960x805x742mm	118kg

Speed Oven

- 5-Inch Touch Screen CTL or digital CTL for option
- Single magnetron low power consumption
- With catalytic converters/or S/S air filter to eliminate odd smell and less exhaust and pollution
- One-piece flat bottom makes cleaning much easier
- With pre-set menu and manual setting modes, friendly operation
- Hot air impingement from top make food surface crispy
- Convection at bottom to make color of food more attractive
- Low, medium and high, 3 modes of blower speed available(for model 0300102501) or adjustable blower speed from 10% to 100% in 10 % increment (for NT-ProSiT)



Digital CTL
Code: 0300102501



Touch Screen CTL
Code: 0300102502

Code	Dimension(mm)	Chamber(mm)	Capacity	Power	Colour	Voltage	Packing size	GW
0300102501	460x675x635	305x240x140	10L	3.5kw	Black/Stainless Steel	220-240V	804x570x724	75kg
0300102502	460x675x635	305x240x140	10L	3.5kw	Black/Stainless Steel	220-240V	804x570x724	75kg

Speed Oven

- 5-Inch Touch Screen CTL or digital CTL for option
- Dual magnetrons
- With catalytic converters or S/S lampback filter to eliminate odd smell and less exhaust and pollution
- Removable food support and rack, easy cleaning
- With pre-set menu and manual setting modes, friendly operation
- Hot air impingement make food surface crispy
- Low, medium and high, 3 modes of blower speed available (for model 0300102326) or adjustable blower speed from 10% to 100% in 10% increment (for 0300102503)
- USB Port



Touch Screen CTL
Code: 0300102503



Digital CTL
Code: 0300102326

Code	Dimension(mm)	Chamber(mm)	Capacity	Power	Voltage	Packing size	GW
0300102503	460x725x690	305x230x185	13L	5.2kw	220~240, 50/60HZ	890x560x850	156kg
0300102326	460x725x690	305x230x185	13L	5.2kw	220~240, 50/60HZ	890x560x850	156kg

Commercial Microwave Oven

- Intelligent design,
- With preset menu memory function, common menu can be pressed.
- Only swich between electric energy, electromagnetic energy and heat energy. It is safe to use without open flame.

Code: 0300102445



Dimension(mm)	Capacity	Power	Voltage	NW	Cooking Mode
575x368x527	34 L	1800w	220V- 50Hz	34.3kg	Microwave

Microwave Oven

- Material: Stainless Steel
- Knobs control

Code: 0300500404



Chamber Size(mm)	Tray diameter	Capacity	Power	Voltage	NW	Std. Accessories
320x320x200	270	23 L	900-1400w	230V	13.6kg	Rotary glass tray

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Commercial Microwave Oven

- "Inverter" Melt/Soften
- "Inverter" Turbo Defrost
- Colour Metallic Silver
- Auto menu: 6 menu

Code: 0300102638



Dimension(mm)	Interior Dimension(mm)	Power	Voltage	Capacity	NW	Turntable Size(mm)
525x310x388	251x355x365	1000W	220V/ 50Hz	32L	11.5 kg	340

Gas Pizza Oven



- Stainless steel structure
- Thermostat (120 F - 650 F) controlled
- Good insulation outside chamber
- Baking stone can contact food directly, perfect for pizza
- Two decks
- Spring door system
- Ceramic coating door interior and bottom plate
- V shape baffle for best heat distribution
- 3/4" NPT rear gas connection

Code: 0300300361 Code: 0300300362 Code: 0300300363

Code	Dimension(mm)	Input(BTU/HR)	NW	GW
0300300361	610x670x720	25000	95kg	105kg
0300300362	813x670x720	30000	105kg	118kg
0300300363	914x670x720	30000	120KG	130kg

Pizza Oven

- Stainless steel structure
- Stainless steel heating elements
- Top & bottom heating elements

Code: 0300102451



Code	Dimension(mm)	Chamber Size(mm)	Power	Voltage	Timer
0300102451	460x380x170	335x325x57	1.35kW	220-240V	15 minutes

Electric Pizza Oven

- Stainless steel structure
- High heat aluminized steel baking chamber
- 360 °C EGO thermostat controlled, durable and robust
- Durable stainless steel heating element on top and bottom
- 15-minute timer as a reminder
- Stainless steel handle
- Hearthstone inside to make sure temperature is even
- Stainless steel adjustable legs
- Available in 2 different sizes



Code: 0300300197



Code: 0300102330

Code	Dimension(mm)	Chamber Size	Compartment	Power	Voltage	Temperature	NW
0300100197	584x635x530	489x476x241mm	2	2850w	230V	30-360°C	55kg
0300102330	660x711x530	565x552x241mm	2	3600w	230V	30-360°C	79kg

Electric Deck Pizza Oven

- Structure with high temperature black painting
- 500 °C EGO thermostat controlled, durable and robust
- 600 °C temperature display
- Durable Alloy heating element on top and bottom
- On/off switch for illuminator
- Aluminum painting panel to resist high temperature
- Power indicator
- Visual glass on the door
- Cool to touch Bakelite handle
- Hearthstone inside to make sure temperature distributed more evenly
- Available in 4 different models





1 Layer
Code: 0300102333

1 Layer
Code: 0300101859

2 Layers
Code: 0300102332

2 Layers
Code: 0300101858

Code	Dimension(mm)	Chamber Size	Capacity	Power	Voltage	Temperature	NW
0300102332	890x1125x750	610x910x140mm	6+6	14.4kw	380V	30-500°C	154kg
0300102333	890x1125x430	610x910x140mm	6	7.20kw	380V	30-500°C	108kg
0300101858	890x845x750	610x610x140mm	4+4	8.4kw	380V	30-500°C	118kg
0300101859	890x845x430	610x610x140mm	4	4.2kw	380V	30-500°C	68kg

Electric Conveyor Pizza Oven

- Stainless steel structure
- Stainless steel conveyor belt
- Top and bottom heating is controlled separately
- Durable stainless steel heating element on top and bottom
- Cooling fan in the front for cooling down the electrical components
- Conveyor speed can be adjusted
- Locking plate on both ends to be adjusted easily
- Crumb tray on both ends for easy cleaning
- Stainless steel adjustable legs
- Good for pizza, bread, meat
- Available in 2 different sizes



Code: 0300101861

Code: 0300102334

Code	Dimension(mm)	Working Area(mm)	Pizza size	Power	Voltage	Temperature	NW
0300101861	1380x555xH420	560x385mm	12"	6.7kw	380V	30-360°C	47kg
0300102334	1940x740xH1130	800x540mm	18"	10.3kw	380V	30-360°C	86kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Conveyor Pizza Oven

- Stainless steel heating elements
- Top and bottom heating elements can be adjusted separately
- Digital control for time and temperature
- Conveyor speed can be adjusted
- Stainless steel structure
- Stainless steel legs

Code: 0300300233





Code: 0300102452

Code: 0300102453

Code	Dimension(mm)	Belt dimension(mm)	Power	NW	GW
0300102452	1380x555x420	560x385	6.7kw	46kg	62kg
0300102453	1940x740x1130	800x540	10.3kw	116kg	128kg
0300300233	1400x804x512		6.1kw	82kg	

Electric Fryer With Drain Value

- Stainless steel structure with drain tap
- Thermostat 50-190°C
- 230 °C Hi-limiter ensures safety operation
- Stainless steel tank with oil level
- Micro-switch for safety of operators
- Heater would stop automatically once heater is lifted up
- Stainless steel night cover with Bakelite handle, cool to touch
- Stainless steel tray to collect fried crumbs from food and protect heater
- Power and heating indicators
- Nickel coating basket
- Heavy duty anti slippery foot
- Heating elements can be lifted for easy cleaning
- V shape cold zone to prevent food debris scorching

8L
Code: 0300101772

8Lx2
Code: 0300102033



Code	Dimension(mm)	Capacity	Power(W)	Voltagee	Temperature Range	NW
0300101772	330x480x345	8L	3250	220-240V	up to 230°C	10.5kg
0300102033	600x480x345	8L x2	3250x2	220-240V	up to 230°C	20kg

Electric Fryer With Drain Value

- Stainless steel structure with drain tap
- Thermostat 50-190℃
- 230 ℃ hi-limit ensures safety operation
- Stainless steel tank with oil level
- Micro-switch for safety of operators
- Heater would stop automatically once heater is lifted up
- Stainless steel night cover with Bakelite handle, cool to touch
- Wire mesh net to collect fried crumbs from food and protect heater
- Power and heating indictors
- Nickel coating basket
- Heavy duty anti slippery foot
- Electric box can be removed for easy cleaning
- Bottom cold zone to prevent food debris scorching



8L
Code: 0300101779



8Lx2
Code: 0300101780

Code	Dimension(mm)	Capacity	Power(W)	Voltagee	Temperature Range	NW
0300101779	290x550x410	8L	3250	220-240V	50-190°C	10kg
0300101780	580x550x410	8Lx2	3250x2	220-240V	50-190°C	17.5kg

- Compact design, available in 8 models
- Stainless steel structure
- Thermostat 50-190°C
- Stainless steel tank with oil level
- Micro-switch for safety of operators
- Heater would stop automatically once heater is lifted up
- Stainless steel night cover with Bakelite handle, cool to touch
- Wire mesh net to collect fried crumbs from food and protect heater
- Power and heating indicators
- Nickel coating basket
- Heavy duty anti slippery foot
- Electric box can be removed for easy cleaning
- 230 °C hi-limiter ensures safety operation

Single Tank Electric Fryer



Code: 0300101773

Code: 0300101648

Code: 0300101649

Code: 0300101774

Double Tanks Electric Fryer



Code: 0300101775

Code: 0300101776

Code: 0300101650

Code: 0300101777

Code	Dimension(mm)	Power(W)	Capacity	Voltage	Temperature Range	NW
0300101773	217x400x320	2000	4L	220-240V	50-190°C	6kg
0300101648	265x430x295	2500	6L	220-240V	50-190°C	7kg
0300101649	265x430x345	3250	8L	220-240V	50-190°C	8kg
0300101774	325x460x345	3500	11L	220-240V	50-190°C	9kg
0300101775	435x400x320	2000x2	4Lx2	220-240V	50-190°C	10kg
0300101776	550x430x295	2500x2	6Lx2	220-240V	50-190°C	11kg
0300101650	550x430x345	3250x2	8Lx2	220-240V	50-190°C	14kg
0300101777	670x460x345	3500x2	11Lx2	220-240V	50-190°C	17kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Electric Fryer

- Stainless steel structure
- Stainless steel heating elements
- 10 L capacity tank
- Bakelite handle
- Drain extension tube
- Night cover included



Code: 0300102454

Code: 0300102455

Code	Dimension(mm)	Capacity	Power	NW	GW
0300102454	360x473xH320	10L	8.1kW/380V	17kg	19kg
0300102455	360x473xH320	10L	6kW/380V	17kg	19kg

- All stainless steel structure
- Stainless steel heater with insulation outside
- 8 liters capacity per tank
- Thermostat control from 30-190 °C
- Power and heating indicators
- 230 °C hi limit for safety of oil
- Cool to touch fiberglass Nylon knobs
- Bakelite handle of frying basket
- Two separate cooking zones
- Micro switch
- Stainless steel legs

Double Tank Electric Fryer



Code: 0300101882

Double Tank Gas Fryer



Code: 0300101881

Code	Dimension(mm)	Capacity	Power	Voltage	Temperature	NW
0300101882	600x600xH430	8Lx2	3.25kWx2	230V	30°C- 190°C	22kg
0300101881	600x612xH470	8Lx2	11.2kW/ 38,400BTU		30°C- 190°C	32kg

Electric Doughnut Fryer

- 3000W powerful heater with 11 Liters oil capacity
- Stainless steel structure with drain tap
- Thermostat 30-200°C
- Water-proof on/off switch
- 230 °C hi-limiter ensures safety operation
- Stainless steel tank with oil level
- Micro-switch for safety of operators
- Heater would stop automatically once heater is lifted up
- Power and heating indicators
- Stainless steel night cover with Bakelite handle, cool to touch
- Wiring grid to collect fried crumbs from food and protect heater
- Nickel coating wire mesh trays
- Heavy duty anti slippery foot
- Heating elements can be lifted for easy cleaning
- Two functions lid: cover during night, draining tray while frying



Code: 0300101778

Dimension(mm)	Capacity	Power(W)	Voltage	Temperature Range	NW
545x460xH355	11L	3000	220-240V	50-190°C	179kg

- Cast aluminum burner
- Stainless steel structure with surrounded insulation
- 5.5 Liters capacity tank
- Stainless steel tank with oil level
- Stainless steel night cover with Bakelite handle, cool to touch
- Nickel coating basket
- Heavy duty anti slippery foot
- Observation hole in the front for visual of the burner fire
- Gas valve with sparking electrode
- Tank can be taken out for easy cleaning

Single Tank Gas Fryer



Code: 0300100746

Double Tank Gas Fryer



Code: 0300100747

Code	Dimension(mm)	Capacity	Power(kW/Btu)	NW
0300100746	290x520xH445	5.5L	5.27/18000	12kg
0300100747	580x520xH445	5.5Lx2	10.54/36000	22kg

- Round tube heat exchanger immersed in oil for best efficiency
- Stainless steel structure
- 8 Liters capacity per tank
- Stainless steel tank with oil level
- Thermostat range 160°C~220°C
- Steel drain cock
- Nickel coating basket
- Heavy duty anti slippery foot
- Observation hole in the front for visual of the burner fire
- Gas valve with sparking electrode
- Compact design, available in single tank and double tanks

Single Tank Gas Fryer



Code: 0300101783

Double Tank Gas Fryer



Code: 0300101784

Code	Dimension(mm)	Capacity	Power(kW/Btu)	NW
0300101783	610x610xH532	8L	3/10239	14kg
0300101784	1220x610xH532	8Lx2	6/20478	26kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Gas Pressure Fryer

- The computer digital control panel, elegant, easy to operate, accurately control time and temperature
- Built -in automatic oil filter system, easy to use and energy efficient
- The machine has a total of 10 storage keys 1-0 for 10 categories of food frying
- Panel: computer panel with five sections of heating
- 1.2 mm of 304 stainless steel with automatic oil filter system



Code: 0300102335

Dimension(mm)	Capacity	Productivity	Voltage	Temperature Range	Gas consumption	NW
460x960x1230	25L	4~6 chickens/each time	220V/50hz	Up to 200°C	0.48kg/h	135kg

Gas Pressure Fryer

- Built -in automatic oil filter system, easy to use and energy efficient
- The LCD control panel, elegant, easy to operate, accurately control time and temperature, more accurate and more beautiful
- The machine has a total of 10 storage keys 1-0 Panel LCD panel
- Panel: LCD panel with five sections of heating
- 1.2 mm of 304 stainless steel with automatic oil filter system



Code: 0300102336

Dimension(mm)	Capacity	Productivity	Voltage	Temperature Range	Gas consumption	NW
460x960x1230	25L	4~6 chickens/each time	220V/50hz	Up to 200°C	0.48kg/h	135kg

Gas Pressure Fryer

- The computer control panel, elegant, easy to operate, accurately control time and temperature
- Built -in automatic oil filter system, easy to use and energy efficient
- The machine has a total of 10 storage keys 1-0 for 10categories of food frying use
- Panel: computer panel
- 1.2 mm of 304 stainless steel with automatic oil filter system



Code: 0300102337

Dimension(mm)	Capacity	Productivity	Voltage	Temperature Range	Gas consumption	NW
460x960x1230	25L	4~6 chickens/each time	220V/50hz	Up to 200°C	0.48kg/h	135kg

Electric Pressure Fryer

- The computer digital control panel, elegant, easy to operate, accurately control time and temperature
- Built -in automatic oil filter system, easy to use and efficient
- The machine has a total of 10 storage keys 1-0 for 10 categories of food frying
- Panel: computer panel with five sections of heating
- 1.2 mm of 304 stainless steel with automatic oil filter system



Code: 0300102555

Dimension(mm)	Capacity	Voltage	Power	Temp Range	NW
460x960x1230	24L	380V/50hz	13.5kW	Up to 200°C	135kg

Electric Pressure Fryer

- Built -in automatic oil filter system, easy to use and energy efficient
- The LCD control panel , elegant, easy to operate, accurately control time and temperature, more accurate and more beautiful
- The machine has a total of 10 storage keys 1-0 Panel LCD panel
- Panel: LCD panel with five sections of heating
- 1.2 mm of 304 stainless steel with automatic oil filter system



Code: 0300102556

Dimension(mm)	Capacity	Voltage	Power	Temp Range	NW
460x960x1230	24L	380V/50hz	13.5kW	Up to 200°C	135kg

Electric Pressure Fryer

- The computer control panel, elegant, easy to operate, accurately control time and temperature
- Built -in automatic oil filter system, easy to use and energy efficient.
- The machine has a total of 10 storage keys 1-0 for 10 categories of food frying use
- Panel: computer panel
- 1.2 mm of 304 stainless steel with automatic oil filter system



Code: 0300102557

Dimension(mm)	Capacity	Voltage	Power	Temp Range	NW
460x960x1230	24L	380V/50hz	13.5kW	Up to 200°C	135kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Electric Fryer

- 18KW powerful heater with 28Litres oil capacity each
- Thermostat 50-190°C
- 230 °C hi-limiter ensures safety operation
- Stainless steel tank with oil level
- Stainless steel night cover with Bakelite handle, cool to touch
- Wire mesh net to collect fried crumbs from food and protect heater
- Robust structure with drain tap
- Heater lifting mechanism to make cleaning easy and comfortable
- Power and heating indicators
- Nickel coating basket
- Heavy duty steel foot
- Timing relay with buzzer for reminder
- Bottom cold zone to prevent food debris scorching



Code: 0300101785



Code: 0300101786

Code	Dimension(mm)	Capacity	Power(kW)	Voltage	Temperature Range	NW
0300101785	400x800x1100	28L	18	380V	50-190°C	56kg
0300101786	800x800x1100	28Lx2	18x2	380V	50-190°C	101kg

Electric Fryer

- 18KW powerful heater with 28Litres oil capacity each
- PCB control with programming function
- Preset melting function at 82 °C
- Robust structure with drain tap
- Temperature range is 50-190°C
- Precise timing setting
- 230 °C hi-limit ensures safety operation
- Stainless steel tank with oil level
- Power and heating indicators
- Nickel coating basket
- Heavy duty steel foot
- Bottom cold zone to prevent food debris scorching
- Stainless steel night cover with Bakelite handle, cool to touch
- Wire mesh net to collect fried crumbs from food and protect heater
- Heater lifting mechanism to make cleaning easy and comfortable



Code: 0300101787

Code: 0300101788

Code	Dimension(mm)	Capacity	Power(KW)	Voltage	Temperature Range	NW
0300101787	400x800x1100	28L	18	380V	50-190°C	56kg
0300101788	800x800x1100	28Lx2	18x2	380V	50-190°C	101kg

Electric Fryer

- 6KW powerful heater with 10Litres oil capacity each
- Split tank with separate control system
- Robust structure with drain tap
- Thermostat 50-190°C
- 230 °C hi-limiter ensures safety operation
- Stainless steel tank with oil indicator
- Stainless steel night cover with Bakelite handle, cool to touch
- Wire mesh net to collect fried crumbs from food and protect heater
- Heater lifting mechanism to make cleaning easy and comfortable
- Power and heating indicators
- Nickel coating basket
- Heavy duty steel foot
- Bottom cold zone to prevent food debris scorching



Code: 0300101789

Dimension(mm)	Capacity	Power(KW)	Voltage	Temperature Range	NW
400x800x1100	10Lx2	6+6	380 V	50-190°C	56kg

- Energy saving, high efficiency and compact footprint
- All stainless steel structure with bead blast finished surface, and food grade steel frypot
- Numerous size of frypot for options to match different product frying applications
- Swing-up heating element, cleaning is much more easier
- The state-of-the-art computer with up to 18 programmable menu items
- Durable and snap-action probe with high grade accuracy
- Frying temperature range from 90~200 °C
- 1-1/2" drain valve
- Equipped with hi-limit switch and position switches
- Wide frypot(s) with cool zone design, helping collect food debris and prevent it carbonized
- Furnished with 9" heavy duty legs in front and bearing wheel castors with brakes in rear
- Toolless removable hanger mounted on the backsplash for baskets
- Twin size baskets or one full size basket are available for option

Electric Fryer With Built in Filter



Code: 0300102340

Code: 0300102341

Electric Fryer



Code: 0300102342



Code: 0300102343

Code	Dimension(mm)	Tank Size(mm)	Tank capacity	Power	Voltage	Temperature Range	Controller
0300102340	507x947x1156/930	453x456x85	33 L	17kw	380~415V, 50/60Hz	90~200°C	Digital computer
0300102341	507x888x1156/930	453x396x85	30 L	17kw	380~415V, 50/60Hz	90~200°C	Digital computer
0300102342	434x888x1156/930	380x396x85	27 L	14kw	380~415V, 50/60Hz	90~200°C	Digital computer
0300102343	434x888x1156/930	177x396x85	13.5 Lx2	7kwx2	380~415V, 50/60Hz	90~200°C	Digital computer

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Auto Lift Eletric Noodle Boiler

- Stainless steel structure
- Stainless steel heating elements
- Auto lifting mechanism
- Split tank
- Timing function to cook food
- PCB control panel, easy to operate
- Steel foot

Code: 0300102456



Dimension(mm)	Power	NW	GW
570x770x880	18kW/ 380V	75kg	100kg

Auto Lift Gas Noodle Boiler

- Gas operated cooker with standby pilot, piezo ignition and flame failure safety device, provide outstanding boiling power, perfect for heavy usage.
- Multi-setting gas valve as standard for greater regulation of flame setting
- Quick water temperature recovery time for continuous operation
- Hold up to 6 noodle baskets simultaneously, covering the maximun capacity that one operator can serve
- 304 Stainless steel tank. Hygiene, food safety and resistance to corrosion and oxidation
- Casters at the back and adjustable bullet feet in front for easy relocation
- 1. Noodle baskets as standard accessories.
  2. Pasta basket as options



Code: 0300102688



Code: 0300102689

Code	Dimension(mm)	Water capacity(L)	Power(kw)	Voltage
0300102688	550x800x915+230	25	16.7	220V/1ph/50Hz
0300102689	300x800x915+230	13	8.4	220V/1ph/50Hz

Gas Noodle Boiler

- 24L capacity tank, SUS316
- Flame failure safety control valve
- Two powerful burners
- Electrode sparker
- Foam drainage in the front
- Stainless steel basket with Bakelite handle
- Stainless steel adjustable leg

Code: 0300102457



Dimension(mm)	Power	NW
403x773x1070	9.6kw	60kg

Electric Griddle

- Polished mild steel plate, 10mm in thickness
- Splash guard to prevent food spillage
- Stainless steel structure
- Large stainless steel oil collector with handle
- Bakelite knob, cool to touch
- Large opening of front grease through
- Stainless steel heating element
- Anti slippery rubber foot
- Heating and power indicator



Code: 0300101790



Code: 0300101791



Code: 0300101792

Code	Dimension(mm)	Plate type	Griddle plate size(mm)	Power	Voltage	Temperature	NW
0300101790	550x450x230	Flat	548x350x10	3kw	220-240V	50-300°C	23kg
0300101791	730x500x230	Flat	728x400x10	4.4kw	220-240V	50-300°C	34kg
0300101792	730x500x230	1/2Flat+ 1/2 grooved	728x400x10	4.4kw	220-240V	50-300°C	34kg

Electric Griddle

- Polished mild steel plate, 12mm in thickness
- Splash guard 2.0mm to prevent food spillage
- Large stainless steel oil collector with handle
- Bakelite knob, cool to touch
- Large opening of front grease through
- Stainless steel heating element
- Anti slippery rubber foot
- Heating and power indicator



Code: 0300101793



Code: 0300101794



Code: 0300101795



Code: 0300101796



Code: 0300101797

Code	Dimension(mm)	Plate type	Griddle plate size	Power	Voltage	Temperature	NW
0300101793	260x420x270	Flat	256x330x12mm	1.5kw	220-240V	50-300°C	16.5kg
0300101794	400x500x270	Flat	400x396x12mm	3kw	220-240V	50-300°C	27.5kg
0300101795	550x450x270	Flat	546x348x12mm	3kw	220-240V	50-300°C	31kg
0300101796	610x500x270	Flat	606x400x12mm	6kw	220-240V	50-300°C	40kg
0300101797	760x500x270	Flat	756x400x12mm	9kw	380V	50-300°C	48kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Gas Griddle

- Polished mild steel plate, 10mm in thickness
- Splash guard to prevent food spillage
- Stainless steel structure
- Stainless steel chimney
- Manual controlled valve with sparkling electrode
- Large stainless steel oil collector with handle
- Bakelite knob, cool to touch
- Large opening of front grease through
- H shape burner for better distribution of heat
- Anti slippery rubber foot
- Observation hole for flame status



Code: 0300101798



Code: 0300101799

Code	Dimension(mm)	Plate type	Griddle plate size	Power(Btu/kW)	NW
0300101798	550x530x550	Flat	548x350x10mm	36520/10.7	30kg
0300101799	730x580x550	Flat	548x350x10mm	39932/11.7	43kg

Electric Griddle

- Polished mild steel plate, 20mm in thickness
- Splash guard 2.0mm to prevent food spillage
- Stainless steel structure
- Large stainless steel oil collector
- Bakelite knob, cool to touch
- Protecting grid to protect thermostat knob
- Large opening of front grease through
- Stainless steel heating element
- Stainless steel legs
- Heating and power indicator
- Available in 24", 36" and 48"



Code: 0300101800

Code: 0300102344

Code: 0300102345

Code	Dimension(mm)	Plate type	Griddle plate size	Power	Voltage	Temperature range	NW
0300101800	609x616xH406	Flat	605x490x20mm	8kw	380V, 3N	50-320°C	72kg
0300102344	914x616xH406	Flat	910x490x20mm	12kw	380V, 3N	50-320°C	105kg
0300102345	1216x616xH406	Flat	1212x490x20mm	16kw	380V, 3N	50-320°C	138kg

Electric Griddle

- All stainless steel structure
- Stainless steel heater with insulation outside
- 16mm thickness griddle plate(536x330mm)
- Thermostat control from 30～300 °C
- Power and heating indicators
- Cool to touch fiberglass Nylon knobs
- Stainless steel splash guards at 3 sides
- Two separate cooking zones
- Oil to be collected through channels in the front
- Stainless steel legs



Code: 0300101884

Dimension(mm)	Plate type	Griddle plate size	Power(W)	Voltage	Temperature	NW
600x600xH350	Flat	536x330mm	5000	230V	30-300°C	43kg

Gas Griddle

- All stainless steel structure
- Cast iron flat burner
- 16mm thickness griddle plate(590*434mm)
- Two separate cooking zones
- Standby pilot for instant start of main burner
- Gas control valve with solenoid inside for safety operation
- Cool to touch fiberglass Nylon knobs
- Stainless steel splash guards at 3 sides
- Easy conversion between different types of gases
- Piezo ignition for easy start of flame
- Observation holes for the main flame status
- Stainless steel legs



Code: 0300101883

Dimension(mm)	Plate type	Griddle plate size	Power(kW/Btu)	NW
600x612xH470	Flat	590x434mm	8/27400	50kg

High Temp Smokeless Electric BBQ

- Maximum cooking temperature above 900 °C
- Smokeless, Fumeless, and Flameless
- Endurable Solid Coil, 3 sets of coils can work independently
- Coil voltage below 30V
- Removable water tank, easy to clean
- 3 levels of power control
- High temperature and smokeless BBQ design
- Five level knob switch
- CE standard certification



Code: 0300102085



Code: 0300102090

Code	Dimension(mm)	Power	Voltage	Independent knob switch	Heating pipe
0300102085	800x520x470	12kw	380V	3	3 parts
0300102090	1200x520x470	14kw	380V	4	4 parts

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Electric Bain Marie

- Stainless steel heater at the bottom of the pan to be cleaned easily
- Stainless steel structure
- Thermostat controlled, durable and robust
- 165/205mm depth GN1/1 stainless steel inner pan
- Can accommodate all GN size food pans up to 10cm depth
- Foods to be served at temperature of 60~63℃
- Drain tap(two models)for easy removal of water
- Hi limit to prevent dry heating
- Anti slippery rubber foot
- Heating and power indicators
- Available in different sizes
- GN pan is not included



Code: 0300101801



Code: 0300101802



Code: 0300102346

Code	Dimension(mm)	Well depth	Drain Tap	Power(W)	Voltage	NW
0300101801	355x555x255	165mm	Nil	1200	220-240V	8kg
0300101802	355x555x255	165mm	Yes	1200	220-240V	8kg
0300102346	355x555x295	205mm	Yes	1200	220-240V	8.5kg

Electric Bain Marie

- Immersed heater in water to improve heating efficiency
- Stainless steel structure
- Thermostat controlled, durable and robust
- Temperature range is 30-85℃
- Anti slippery rubber foot
- Heating and power indicators
- Available in different sizes
- GN pan is included



Code: 0300101803

Code: 0300101655



Code: 0300102052



Code: 0300102051



Code: 0300102347

Code	Dimension(mm)	Capacity	Power(W)	Voltage	NW
0300102347	590x385x230	2x GN 1/2x10mm	1500	220-240V	9.5kg
0300102051	605x385x280	3x GN 1/3x15mm	1500	220-240V	12kg
0300101803	695x610x280	4x GN 1/2x15mm	1500	220-240V	18kg
0300101655	700x590x230	4x GN 1/2x10mm	1500	220-240V	16kg
0300102052	695x635x280	6x GN 1/2x15mm	1500	220-240V	19kg

Electric Bain Marie

- Stainless steel heater immersed in water to improve efficiency
- Stainless steel structure
- Thermostat control, durable and robust
- Float switch to prevent dry heating
- 150mm depth GN1/1 stainless steel inner pan
- Comes with S/S GN pan cover
- Temperature range: 60～63 ℃
- Drain tap (two models) for easy removal of water
- EGO 85 ℃ thermostat
- Dismantled stand to save shipping volume
- Sliding rails on both sides can be folded
- Stainless steel bottom shelf for easy storage
- Heating and power indicators
- Available in 4 and 6 pans



Code: 0300102348

Code: 0300102349

Code	Dimension(mm)	Capacity	Well depth(mm)	Drain Tap	Power	Volatage
0300102348	1430x1182x800	4 GN pans	150	Yes	2kw	220-240V
0300102349	2100x1182x800	6 GN pans	150	Yes	2kw	220-240V

Electric Bain Marie

- Mica heater at the well bottom to improve efficiency
- Stainless steel structure
- Thermostat control, durable and robust
- Circuit breaker to protect electrical components
- Wet Bain Marie structure for better heat transfer
- Temperature range: 60～63 ℃
- Cool to touch Bakelite handle on top cover
- Inner well capacity is available in 3.5 and 7.5 liters
- Anti slippery rubber foot
- Power indicator
- Available in different size



Code: 0300101804



Code: 0300102053

Code: 0300102351



Code: 0300101805



Code: 0300102054



Code: 0300102350

Code	Dimension(mm)	Capacity	Power(W)	Voltage	NW
0300101804	210x210x320	1x3.5L pan	150	220-240V	3.5kg
0300101805	255x280x320	1x6.5L pan	200	220-240V	4.5kg
0300102053	415x210x320	2x3.5L pan	300	220-240V	6.5kg
0300102351	505x280x320	2x6.5L pan	400	220-240V	7.9kg
0300102054	610x210x320	3x3.5L pan	450	220-240V	8.8kg
0300102350	415x415x320	4x3.5L pan	600	220-240V	10.7kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Electric Bain Marie

- All stainless steel structure
- Stainless steel heater immersed in water for better efficiency
- Power and heating indicators
- Drain cock for each tank
- Cool to touch fiberglass Nylon knobs
- Different sizes of insert pans
- Stainless steel legs

Code: 0300101888







Dimension(mm)	Capacity	Power(kW)	Voltage(V)	Temperature	NW(kg)
700x600x350	15L	1.5	230	30-100°C	35

Gas Salamander

- Cast iron infrared burner
- Gas valve with automatic electrode
- Adjustable wiring grid to achieve different temperature
- Stainless steel structure
- Wiring grid to put food on
- Stainless steel crumb collector at the bottom
- Four burners and six burners are available
- Anti slippery rubber foot

Code: 0300101808

Code: 0300100795





Code	Dimension(mm)	Grid size (mm)	Power(kW/Btu)	NW
0300101808	620x440x610	411x366	7 / 23,891	32kg
0300100795	880x440x620	671x366	10.3 / 135,154	47kg

Electric Salamander

- Durable stainless steel heater
- Infinite switch with continuous function
- 15 minutes timer with bell
- Stainless steel structure
- Control to be on the right side to keep away from heat zone
- Cool to touch Bakelite handle on the grid
- Anti slippery rubber foot
- Accessories: Wiring grid to put food on
  Stainless steel crumb collector at the bottom





Code: 0300102352

Code: 0300101806

Code: 0300102353

Code	Dimension(mm)	Grid size(mm)	Power(W)	Voltage	Timer	NW
0300102352	570x340xH260	445x250	2000	220-240V	15 min	17kg
0300101806	570x390xH390	417x335	2200	220-240V	Nil	18kg
0300102353	800x450xH470	638x295	4000	220-240V	Nil	28kg

Electric Salamander

- Durable alloy heater
- Infinite switch with continuous function
- Stainless steel structure
- Lifting suspension system to stay any position you want
- Wiring grid in the bottom to put food on
- Stainless steel crumb collector with handle
- Recessed control in the front panel to prevent heat radiant
- Cool to touch Bakelite handle on the top
- Anti slippery rubber foot



Code: 0300102354

Code: 0300101807

Code: 0300102355



Code	Dimension(mm)	Grid size(mm)	Height distance	Power(W)	Voltage	NW
0300102354	450x450xH500	440x320	140mm	2800	220-240V	39kg
0300101807	600x450xH500	590x320	140mm	4000	220-240V	49kg
0300102355	800x450xH500	790x320	140mm	5600	220-240V	63kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Electric Drop in Plate Warmer

- All stainless steel structure
- On/off power switch
- Adjustable plate guiding rail to suite different sizes of plates
- Double walled construction reduces heat loss
- Stainless steel heating element
- Drop-in design
- Adjustable spring tension for loading different quantity



Code: 0300101816

Dimension(mm)	Plate size (mm)	Capacity	Power(W)	Voltage	Temperature range	NW
Dia 405xH725	Max dia 300	40 plates	400	220-240V	30-85°C	19kg

Electric Drop in Plate Warmer

- All stainless steel structure
- Thermostat controlled, durable and robust
- On/off power switch
- Adjustable plate guiding rail to suite different sizes of plate
- Double walled construction reduces heat loss
- Stainless steel heating element
- Cool-to-touch Bakelite handle
- Adjustable spring tension for loading different quantity
- Four swivel castors with brake
- Optional black cover



Code: 0300101817



Code: 0300101818



Code: 0300101819



Code: 0300101820

Code	Dimension(mm)	Plate size (mm)	Capacity	Power(W)	Voltage	Temperature range	NW
0300101817	450x485x770	Max dia 300	40 plates	400	220-240V	30-85°C	31kg
0300101818	450x910x770	Max dia 300	40x2 plates	800	220-240V	30-85°C	48kg
0300101819	435x520x1025	Max dia 300	40 plates	1000	220-240V	30-85°C	28kg
0300101820	435x815x1025	Max dia 300	40x2 plates	2000	220-240V	30-85°C	43.5kg

Electric Cup Warmer

- All stainless steel structure
- Stainless steel heating elements
- On/off power switch with illuminator
- Top storage area with steel rails around to prevent cups falling
- Perfect for warming cups, plates
- Special shape heating element for even heat distribution
- Two separate storage levels



Code: 0300101815

Dimension(mm)	Chamber size(mm)	Capacity	Temperature	Voltage	Power(W)	NW
485x445x610	280x295x170	72 cups	30-60°C	220-240V	2000	11.5kg

Electric Hot Cupboard

- All stainless steel structure
- Thermostat controlled, durable and robust
- On/off power switch with illuminator
- Temperature range 30-85 °C
- Adjustable plate holder
- Heavy duty door hinge
- Special shape heating element for even heat distribution
- Cool-to-touch Bakelite handle
- Available in 3 different sizes



Code: 0300101809

Code: 0300102356



Code: 0300900255

Code	Dimension(mm)	Chamber size(mm)	Plate size (mm)	Capacity(L)	Power(W)	Voltage
0300101809	650x405x545	360x360x420	Max dia 320	30	400	220-240V
0300102356	450x450x850	410x340x660	Max dia 320	60	750	220-240V
0300900255	750x450x850	710x340x660	Max dia 320	120	1200	220-240V

Hot Banquet Cart

- Stainless steel structure
- Good insulation to improve holding efficiency
- 110 °C EGO thermostat controlled, durable and robust
- Temperature display on top to read holding temperature
- Water-proof on/off switch
- Double durable stainless steel round heating element
- Forced air circulation with special baffle plate
- Stainless steel lock
- Layer distance: 115mm
- Four swivel heavy duty 6" castors with brake
- Bumpers all around to provide better protection while transportation
- Recessed hand-grasping handle on both sides
- Rubber seal on the doors
- Bottom water tray to keep food humidity when needed
- GN2/1 wire grid optional
- Available in 3 different sizes



Code: 0300101813



Code: 0300101811



Code: 0300101812

Code	Dimension(mm)	Capacity	Power(W)	Volatage	Temperature	NW
0300101813	780x960x1355	10 x GN 1/1	2570	230V	30-110°C	145kg
0300101811	780x960x1755	22 x GN 1/1	2570	230V	30-110°C	182kg
0300101812	1540x960x1755	44 x GN 1/1	2570	230V	30-110°C	318kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Pass Through Mobile Holding Cabinet

- Stainless steel structre, four doors design
- Stainless steel heating elements
- Two blowers on the top for better hot air circulation.
- Digital thermostat
- Self locking latch
- Water reservoir on top to add humidity
- Layer distance: 100mm



Code: 0300102458

Size(mm)	Power	Capacity	Pan size(mm)	Temperature range	GW	NW
636x786x2000	2kw/ 220-240V	14xGN Pan	400x600	30-110°C	150kg	120kg

Electrical Food Warmer

- Stainless steel structure
- Stainless steel sheathed heating elements on top
- Heating elements for even heat distribution compared with lamps
- Mirror polished radiant plate against heater to improve efficiency
- Easy access from 3 sides for food
- Can be used to keep French fries or any food warm
- Separate on/off switches for lamp and heater
- Raised base to keep heat away from table base
- 2.5" depth GN1/1 food pan at the bottom
- Optional wire grid for drainage of Fries grease
- Anti-slippery rubber foot



Code: 0300101814

Dimension(mm)	Depth of pan(mm)	Power(W)	Lamp power(W)	Voltage	NW
330x560x500	60	940	40	230V	7 kg

Electric Warming Station

- Stainless steel structure
- Twin infrared Philip lamps on top
- Glass heater underneath
- EGO thermostat adjustable between 30~85 °C
- Glass size 526x324mm, heating power 250W
- On/off switch for heating lamp
- Protective cover
- Anti-slippery rubber foot



Code: 0300900183

Dimension(mm)	Glass size(mm)	Power(W)	Lamp power(W)	Voltage	NW
730x580x550	526x324	1000	150	230V	14kg

Electric Warming Plate

- Stainless steel structure
- Glass heater underneath
- Anti-slippery rubber foot
- Optional with handle
- Available in two sizes
- EGO thermostat adjustable between 30~85 °C
- Glass size 526x324mm, heating power@250W



Code: 0300102358



Code: 0300102359

Code	Dimension(mm)	Plate size (mm)	Heating zone	Power(W)	Voltage	NW
0300102358	540x380x85	526x324	1	250	230V	5kg
0300102359	680x580x85	526x324	2	500	230V	10kg

Electrical Hob

- Stainless steel structure
- Energy regulator to set power output as you want
- EGO Infrared hotplate
- Ceramic glass on top
- Glass size 275x275mm
- No need for pre-heating
- Glow up time is reduced to 6～10 seconds
- Anti-slippery rubber foot



Code: 0300102357



Code: 0300101810

Code	Dimension(mm)	Glass size (mm)	Heating zone	Power(W)	Voltage	NW
0300102357	350x420x110	275x275	Dia 200	1800	230V	4.8kg
0300101810	666x420x110	500x275	Dia 200	3600	230V	8kg

Burger Station

- Stainless steel structure
- Four stainless steel cup dispenser
- Beverage machines can be installed on top
- Underneath cabinet for storage of stuff
- Ice storage space in the right part
- Heated display counter can be placed on top
- Dimension: 1500x760x800mm
- NW : 69kg

Code: 0300101821



NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Electrical Marinator

- Stainless steel structure
- Stainless steel tank with leak proof gasket
- 4 swivel castors for mobility
- Timer control inside
- Buzzer alarms when marinating cycle is finished
- Two plastic containers (one perforated pan)
- Deeper flavor profile can be infused inside proteins
- Marinate on demand to avoid waste



Code: 0300101823



Code: 0300102068

Code	Dimension(mm)	Capacity	Timer	Power	Voltage	Vacuum pump	NW
0300101823	950x500x940	36kg	10min	250w	230V	With	78kg
0300102068	950x500x940	36kg	10min	250w	230V	without	62kg

Filter Cart

- Stainless steel structure
- Heavy duty filtering pump
- 4 swivel castors for mobility
- Fuse breaker to prevent overloading
- Holding capacity is 20L
- Compact design + low profile for easy movement
- Can prolong the life cycle of shortening
- Steel handle for easy movement
- Filter paper and filter powder are not included
- Oil temperature must be over 120 °C when working



Code: 0300100755

Dimension(mm)	Capacity	Timer	Power(W)	Voltage	NW
450x330x350	5L/min	10min	550	230V	42kg

Gas Rotisserie

- All stainless steel structure
- Digital temperature control up to 300 ℃
- Gas infrared burner
- Automatic solenoid valve to ensure gas safety
- On/off switch for chamber lights
- On/off switch for rotating motor
- Heavy duty 80W motor for rotation
- Front and back toughened glass
- Rubber seal for air tightness to keep heat inside chamber
- Double handles on glass door
- Oil collector at the bottom
- Four baskets to put chicken pieces inside
- Optional spit to choose
- Swivel castors for easy movement



Code: 0300101826

Dimension(mm)	Capacity	Power	Temperature	NW
1010x810x800	16 chickens	32341Btu/9.5kW	30-300°C	91kg

Electric Rotisserie

- Thermostat control up to 300 ℃
- On/off switch for chamber lights
- On/off switch for rotating motor
- Heavy duty 80W motor for rotation
- Front and back toughened glass
- Rubber seal for air tightness to keep heat inside chamber
- Double handles on glass door
- Oil collector at the bottom
- Four baskets to put chicken pieces inside
- Optional spit to choose
- Swivel castors for easy movement



Code: 0300101825

Code: 0300102360

Code	Dimension(mm)	Capacity	Power(W)	Voltage	Temperature	NW
0300101825	810x630x610	12 chickens	4500	230V	30-300℃	66kg
0300102360	1010x630x800	16 chickens	6000	230V	30-300℃	90.5kg

Slow Cooker

- Stainless steel structure
- Flexible heating foils outside the chamber
- 130℃ maximum to cook food slowly
- Probe function to detect core temperature of food
- Timing function to cook food
- PCB control panel, easy to operate
- Rubber foot



Code: 0300102459

Dimension(mm)	Power	GW	NW
495x690x420	1.25kW/ 220-240V	27kg	26kg



NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Gas Kebab Machine (Adjustable)

- High efficiency infrared burners
- Flame failure safety control value
- Four burner to be controlled separately
- Gear box motor to be rotated
- Large oil collector
- Distance can be adjusted to have different temperature
- Anti slippery rubber foot
- V shape cold zone to prevent food debris scorching



Code: 0300100989

Electric Kebab Machine (Adjustable)

- High efficiency heating elements
- EGO energy regular
- Four switches to be controlled separately
- Gear box motor to be rotated
- Large oil collector
- Distance can be adjusted to have different temperature
- Anti slippery rubber foot



Code: 0300100988

Code	Dimension(mm)	Power(kW)	Voltage	Motor Rotation speed	NW
0300100989	534x607x950	16		2.5R.P.M	31kg
0300100988	534x607x950	9.9	380V/50Hz	2.5R.P.M	34kg

Electric Wire Kebab Slicer



Code: 0300102368



Dimension(mm)	Knife Size	Cutting depth	Power	Voltage	Rotation	Std. accessories	NW
56x47.5x28.3	100mm	0-8mm	80w	220V/50Hz	2600RPM	Extra blade x 1 pc	1.2kg

Electric Panini Grill/Contact Grill

- Cast iron plate with ceramic coating to improve efficiency
- Stainless steel structure
- EGO thermostat, durable and robust
- Temperature range 50-320°C
- Hi-limiter ensures safety operation
- Easy access to reset pole
- Rotating shaft suspension system
- Stainless steel oil collector
- Bakelite handle, cool to touch
- Steel wire pipe to last longer
- Easy access to back rotating shaft, easy to adjust tightness
- Anti slippery rubber foot
- Rock on/off switch with illuminator
- Different plate type available



Code: 0300102370



Code: 0300102371



Code: 0300102372



Code: 0300101829



Code: 0300102373



Code: 0300102374

Code	Dimension(mm)	Plate type	Plate size(mm)	Power(W)	Voltage	NW
0300102370	290x305x210	Top grooved + bottom grooved	214x214	1800	220/240V	14kg
0300102371	290x305x210	Top flat + bottom flat	214x214	1800	220/240V	14kg
0300102372	290x305x210	Top grooved + bottom flat	214x214	1800	220/240V	14kg
0300101829	410x305x210	Top grooved + bottom grooved	338x220	2200	220/240V	19kg
0300102373	410x305x210	Top flat + bottom flat	338x220	2200	220/240V	19kg
0300102374	410x305x210	Top grooved + bottom flat	338x220	2200	220/240V	19kg

Electric Panini Grill/Contact Grill

- Mild steel plate with hard chrome coating to improve efficiency
- Stainless steel structure
- Temperature range 50-300°C
- Rotating shaft suspension system
- Stainless steel oil collector
- Bakelite handle, cool to touch
- Steel wire pipe to last longer
- Easy access to back rotating shaft, easy to adjust tightness
- Anti slippery rubber foot
- Heating and power indicator
- Splash guard on the bottom plate to prevent food spillage



Code: 0300101830

Dimension(mm)	Plate type	Plate size(mm)	Power(W)	Voltage	NW
450x370x220	Top grooved + bottom flat	410x300	2500	220-240V	20kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Electric Panini Grill/Contact Grill

- Cast iron plate with ceramic coating to improve efficiency
- Stainless steel structure
- EGO thermostat, durable and robust
- Temperature range 50-320°C
- Hi-limiter ensures safety operation
- Easy access to Reset pole
- Rotating shaft suspension system
- Stainless steel oil collector
- Bakelite handle, cool to touch
- Steel wire pipe to last longer
- Easy access to back rotating shaft, easy to adjust tightness
- Anti slippery rubber foot
- Rock on/off switch with illuminator
- Different plate type available



Code: 0300101831



Code: 0300102375



Code: 0300101832



Code: 0300102376



Code: 0300102377



Code: 0300102378

Code	Dimension(mm)	Plate type	Plate size(mm)	Power(W)	Voltage	NW
0300101831	570x305x210	Top grooved + bottom grooved	475x230	1800x2	220/240V	28kg
0300102375	570x305x210	Top flat + bottom flat	475x230	1800x2	220/240V	28kg
0300101832	570x305x210	Top grooved + bottom flat	475x230	1800x2	220/240V	28kg
0300102376	840x305x210	Top grooved + bottom grooved	338x220x2pcs	2200x2	220/240V	33kg
0300102377	840x305x210	Top flat + bottom flat	338x220x2pcs	2200x2	220/240V	33kg
0300102378	840x305x210	Top grooved + bottom flat	338x220x2pcs	2200x2	220/240V	33kg

Electric Egg Waffle Baker

- Electric egg pellet grill machine with timer
- Stainless steel construction with cast iron heating plate
- It is popular with the advantages of cleaning , sanitation, easy to operation and power saving and etc



Code: 0300102379

Dimension(mm)	Plate type	Voltage
440x265x270	Round	220V

Electric Waffle Baker

- Cast aluminum plate with Teflon coating
- An output of 20 Belgian waffle in one hour
- Stainless steel structure
- Temperature range 124-230°C
- Waffle thickness can be 1.25" (3cm)
- 18cm diameter plate
- Rotating plate for better batter distribution
- Stainless steel heating element on both sides
- Rock on/off switch with illuminator
- PCB control with precise temperature and time setting
- Buzzer would beep after time is up
- Anti slippery rubber foot
- Stainless steel crumb collector
- Bakelite handle, cool to touch



Code: 0300101833

Dimension(mm)	Plate type	Plate size(mm)	Power(W)	Voltage	NW
255x440x320	Round	Dia 180	1000	220-240V	11kg

Electric Waffle Baker

- Cast aluminum plate with Teflon coating
- An output of 20 Belgian waffle in one hour
- Stainless steel structure
- Temperature range 50-270°C
- Waffle thickness can be 2.3cm
- 17cm diameter plate
- Stainless steel heating element on both sides
- Rock on/off switch
- Power indicator
- 5-minute mechanical timer with bell
- Anti slippery rubberfoot
- Steel grid handle



Code: 0300101839



Code: 0300101838

Code	Dimension(mm)	Plate type	Plate size(mm)	Power(W)	Voltage	NW
0300101838	250x380x300	Round	Dia 270	1000	220-240V	7kg
0300101839	500x380x300	Round	Dia 270	1000x2	220-240V	17kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Electric Waffle Baker

- Cast aluminum plate with Teflon coating
- Inner plate can be changed with a screw driver
- An output of 20 Belgian waffle in one hour
- Stainless steel structure
- Temperature range 124-230°C
- Waffle thickness can be 2.54cm
- 18cm diameter plate
- Rotating plate for better batter distribution
- Stainless steel heating element on both sides
- Rock on/off switch with illuminator
- PCB control with precise temperature and time setting
- Buzzer would beep after time is up
- Anti slippery rubber foot
- Stainless steel crumb collector
- Bakelite handle on both sides, cool to touch



Code: 0300101834



Code: 0300101835

Code	Dimension(mm)	Plate type	Plate size(mm)	Power(W)	Voltage	NW
0300101834	255x600x305	Round	Dia 180	1400	220-240V	11kg
0300101835	280x600x300	Round	Dia 180	1400	220-240V	9kg

Electric Waffle Baker

- Cast iron plate with ceramic coating
- Designed to produce five pieces of heart shaped pattern waffles
- An output of 30 Belgian waffle in one hour
- Stainless steel structure
- Temperature range 50-320°C
- Waffle thickness can be 2.3cm
- Top plate opens up to 90°
- EGO thermostat
- Stainless steel heating element on both sides
- Cast iron plate to hold heat longer
- A golden waffle can be done in just 2 minutes
- Anti slippery rubber foot
- Wire brush for easy cleaning
- Bakelite handle for frame , cool to touch



Code: 0300101837



Code: 0300102380

Code	Dimension(mm)	Plate type	Plate size(mm)	Power(W)	Voltage	NW
0300101837	285x360x220	Heart shape	Dia 210	2200	220-240V	11kg
0300102380	600x360x220	Heart shape	Dia 210	2200x2	220-240V	30kg

Electric Waffle Baker

- Cast iron plate with ceramic coating
- Designed to produce two pieces of 3x5 inch square pattern waffles
- An output of 30 Belgian waffle in one hour
- Stainless steel structure
- Temperature range 50-320°C
- Waffle thickness can be 2.3cm
- Top plate opens up to 90°C
- EGO thermostat
- Stainless steel heating element on both sides
- Cast iron plate to hold heat longer
- A golden waffle can be done in just 2 minutes
- Anti slippery rubber foot
- Wire brush for easy cleaning
- Bakelite handle for frame, cool to touch



Code: 0300101836



Code: 0301500162

Code	Dimension(mm)	Plate type	Plate size(mm)	Power(W)	Voltage	NW
0300101836	285x360x220	Rectangular	165x105	2200	220-240V	16kg
0301500162	600x360x220	Rectangular	165x105	2200x2	220-240V	30kg

Electric Waffle Baker

- Cast iron plate with ceramic coating
- Designed to produce two pieces of 4x6 square pattern waffles
- An output of 30 Belgian waffle in one hour
- Stainless steel structure
- Temperature range 50-320°C
- Waffle thickness can be 2.54cm
- Top plate opens up to 90°
- EGO thermostat
- Stainless steel heating element on both sides
- Hi limiter for safety of electrical components
- Cast iron plate to hold heat longer
- A golden waffle can be done in just 2 minutes
- Anti slippery rubber foot
- Removable stainless steel crumb collector
- Waffle fork for easy handling of the cooked waffles
- Bakelite handle for frame, cool to touch



Code: 0300101840

Dimension(mm)	Plate type	Plate size(mm)	Power(W)	Voltage	NW
470x320x225	Rectangular	100x160	1500	220-240V	17kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Cone Baker

- Stainless steel body with aluminum heating plate
- The round plate is teflon coating so it is easy to clean
- One temperature controller and timer



2-plate
Code: 0300102382



Code: 0300102381

Code	Dimension(mm)	Plate size(mm)	Power(kW)	Voltage	NW
0300102381	250x380x300	dia 210	1	220-240 V	6kg
0300102382	500x380x300	dia 210	2	220-240 V	12kg

Electric Toaster (Push -up)

- 7 pcs heating element, for 6-Slice toaster
- 5 pcs heating element, for 4-Slice toaster
- Shell plate SS430 with thickness 0.7mm



6-Slice
Code: 0301500120



4-Slice
Code: 0301500121

Code	Dimension(mm)	Capacity	Power(kW)	Voltage	NW
0301500120	460x210x225	6 slices	3.24	220-240 V	6kg
0301500121	370x210x225	4 slices	2.24	220-240 V	5kg

Electric Slice Toaster

- Professional slotted toaster
- Stainless steel construction
- High power for highest efficiency
- With adjustable timer
- Fit toast 120 x 120 x 20mm
- Manual lift lever
- Operation indication lamp
- With crumb tray
- Non-sliding rubber feet
- Easy to clean



6-Slice
Code: 0301500164



4-Slice
Code: 0301500163

Code	Size(mm)	Capacity	Power	NW	GW
0301500164	480x234x222	6 slices	2.86kW/ 220-240V	7.2kg	8.1kg
0301500163	380x234x222	4 slices	1.98kW/ 220-240V	5.8kg	6.6kg

Electric Toaster

- Infrared quartz tube for prompt heating
- Temperature can reach maximum within 30 seconds
- Infrared heating efficiency is much better than regular heating
- Mirror polished stainless steel structure
- Selective switch for different heating groups
- Wiring grid protection to protect quartz tube
- 15 minutes mechanical timer with bell
- Insulation on three sides (Top, Left, Right)
- Stainless steel crumb collector with handle
- Cooling down in seconds after switch is turned off
- Anti slippery rubber foot
- Removable stainless steel crumb collector
- Optional tongs



Code: 0300101841



Code: 0300101842



Code: 0300102383



Code: 0300101843

Code	Dimension(mm)	Layer	Power(kw)	Voltage	NW
0300101841	440x300x400	Double	3000	220-240V	10.2kg
0300101842	440x300x290	Single	1700	220-240V	7.8kg
0300102383	470x280x360	Double	3000	220-240V	10.2kg
0300101843	470x280x250	Single	1700	220-240V	7.8kg

Electric Toaster

- Durable alloy heater
- EGO selective switch for different heating group
- Standby function to save energy at 30% power
- Conveyor belt speed can be adjusted to have different browning
- Geared motor with cooling fan for belt drive
- Specially designed cooling system to cool down top
- Steel guiding net for easy toast
- Slotted cool-to-touch handle for crumb tray
- Insulation on three sides (Top, Left, Right)
- Stainless steel crumb collector with handle
- Front and back discharge can fit different locations
- Adjustable plastic leg
- Available in 3 sizes



Code: 0300102384

Code: 0300101844



Code: 0300101845

Code	Dimension(mm)	Output	Power(W)	Voltage	NW
0300102384	288x418x387	150pcs/ hr	1340	220-240V	14kg
0300101844	368x418x387	300pcs/ hr	2240	220-240V	16kg
0300101845	468x418x387	450pcs/ hr	2640	220-240V	20.5kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Gas Crepe Maker

- All stainless steel structure
- Manual gas valve with standby pilot and electrode sparker
- Star burner for better heat distribution
- Large diameter 8-spike burner provide even and constant heating
- Cast iron plate with Teflon coating
- Flame can be adjusted
- Anti-slippery rubber foot
- Wooden crepe spreader
- Available in 2 different sizes



One plate
Code: 0300101849

Two plates
Code: 0300102385

Code	Dimension(mm)	Baking Plate(mm)	Power(kW/Btu)	NW
0300101849	450x510x320	Φ400	5/17000	26kg
0300102385	870x510x320	Φ400	10/34000	42kg

Eletric Crepe Maker

- All stainless steel structure
- Thermostat controlled, durable and robust
- Cast iron plate with Teflon coating
- Special shape heating element for even heat distribution
- Two models come with warmer drawer
- Anti-slippery rubber foot
- Power indicator
- Wooden crepe spreader
- Available in 3 different sizes



Code: 0300101846



Code: 0300101847



Code: 0300101848

Code	Dimension(mm)	Baking Plate(mm)	Temperature	Power(W)	Voltage	NW
0300101846	450x510x240	Φ400	30-300°C	3000	220-240V	21.5kg
0300101847	870x510x240	Φ400	30-300°C	6000	220-240V	40kg
0300101848	Φ400x200	Φ400	30-300°C	3000	220-240V	20kg

Sausage Warmer

- Material : SS201
- Thickness:0.8mm
- 6mm baked curved glass, side tempered glass.
- Including advertising area



Code: 0300102558

Dimension(mm)	Voltage	Power(W)
600x440x450	220-240V	650

Electric Hotdog Grill

- Stainless steel structure
- Stainless steel rollers
- Energy regulator controlled, durable and robust
- On/off switch for rotating of rollers
- Stainless steel heating elements
- Teflon grease stopper on roller ends
- Heavy duty geared-box motor with cooling fan
- Bottom grease collector
- Wire grid support inside collector pan to keep hotdog warm
- Anti-slippery rubber foot
- Available in 4 different sizes
- Optional cover for model 0300101850, 0300101851, 0300101852



Code: 0300101850



Code: 0300101851



Code: 0300101852

Code: 0300102034

Code	Dimension(mm)	No. of Roller	Optional cover	Power(W)	Voltage	NW
0300101850	590x225x255	5	Yes	400	230V	10kg
0300101851	590x330x255	7	Yes	560	230V	13kg
0300101852	590x405x255	9	Yes	720	230V	15kg
0300102034	590x480x255	11	Nil	880	230V	17kg

Electric Hotdog & Bun Warmer

- Stainless steel structure
- Top loading design
- Front and back visual glass
- On/off switch for power
- Stainless steel heating elements
- Holding capacity is up to 100 hotdogs+48 buns
- Water reservoir capacity 6.6 Liters
- Bakelite handle for top cover
- Steaming volume can be adjusted by rotating a cover plate
- Anti-slippery rubber foot
- Front drain tap is easily accessible
- Adjustable temperature 30～80 °C
- Grid support in both compartments



Code: 0300101853

Dimension(mm)	Capacity	Power(W)	Voltage	NW
475x375x370	100 sausages & 48 buns	1000	230V	13kg

Hot Dog Warmer

- Sheet metal: SS201
- Thickness:0.8mm
- 6mm baked curved glass, side tempered glass.
- Including advertising area



Code: 0300101690

Size(mm)	Voltage	Power(W)
650x450x733	220-240V	600

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Electric Hotdog Steamer

- Stainless steel structure
- On/off switch for power
- Cast iron heating plate for sausage
- Ceramic heater for heating spikes
- Cylinder size 200x240mm
- 130 °C hi limit for electrical safety of components
- Steel wrie rack to separate sausages from both sides
- Stainless steel water pan
- Stainless steel spikes
- Anti-slippery rubber foot



Code: 0300101855



Code: 0300101856



Code: 0300101857

Code	Dimension(mm)	Cylinder size(mm)	Heating spike	Power(W)	Voltage	NW
0300101855	240x300x385	Φ300x240	Nil	450	230V	6.3kg
0300101856	240x300x360	Nil	3	240	230V	2.6kg
0300101857	467x300x385	Φ200x240	3	700	230V	9.2kg

Hot Dog Display Cabinet

- All-in-one machine, which the lower heating hot dog sausage part is the use of water vapor heating principle, heating and heat preservation of two grades
- PTC heating principle, which can be completed by heating the bread on the heating rod for 2-3 minutes

Code: 0300102552



Dimension(mm)	Voltage	Power(W)	NW
460x460x726	220-240V	600	11kg

Electric Bun Warmer

- Stainless steel structure
- 93 °C thermostat
- On/off switch for power
- Stainless steel heating elements
- 100mm depth GN1/1 tray
- Water reservoir capacity 6.6 Liters
- 130 °C hi limit for electrical safety of components
- Steel wire rack to separate buns from water
- Anti-slippery rubber foot
- Drawer design with sliding channel



Code: 0300101854

Dimension(mm)	Bun capacity	Temperature	Power(W)	Voltage	NW
604x549x239	32	30-93°C	450	230V	20kg

Drawer Warmer

- Stainless steel structure
- Stainless steel heating elements
- Separate heater and control for each drawer
- Moisture control slides
- Analog thermometer
- GN1/1, 6" depth pan

Code: 0300102463

Code: 0300102462



Code	Dimension(mm)	Drawers	Power(kw)	Voltage	NW	GW
0300102462	740x590x630	2	1kW	230V	47kg	55kg
0300102463	740x590x885	3	1.5kW	230V	70kg	84kg

Electrical French Fries Bagging Station

- Stainless steel structure
- Infrared ceramic heaters on top
- Heating bulbs on top
- Mirror polished radiant plate against heater to improve efficiency
- Can be used to keep French fries or any food warm
- Dumping pan partition to separate different food
- Dumping pan and wire rack can be interchanged
- Cabinet underneath for storage of stuff
- Perforated pan for drainage of Fries grease
- Stainless steel adjustable legs
- Front stainless steel box and GN pans

Code: 0300101822



Dimension(mm)	Pan heater	Lamp	Power(W)	Voltage	NW
1010x720x1500	60W	40W	1100	230V	85kg

Electric Oden Food Cooker & Warmer

- All stainless steel body with attractive design and easy to clean
- This product is energy-saving and efficient and ensures safety and convenience
- Water can be easily poured in and drained
- Infinite switch controlled, durable and robust
- Heating indicator
- Free temperature setting is available to achieve excellent thermal insulation
- Temperature range: 30-110°C



Code: 0300100796



Code: 0300102386



Code: 0300102387

Code	Dimension(mm)	Capacity	Power(kW)	Voltage	NW	GW
0300100796	265x425x280	6L	2.3	220-240 V	5kg	6kg
0300102386	400x340x280	6L	4	220-240 V	7kg	9kg
0300102387	500x340x265	6+6L	4	220-240 V	12kg	13kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Popcorn Machine

- Popcorn kettle is easy to install, dismantle and clean
- All sides glass can show the popcorn productive progress comprehensively
- Efficiency heating and warming system make the working process convenient and fast
- Mirror front board

8 Oz Popcorn Machine & Warming Showcase



Code: 0300102001

16 Oz Popcorn Machine & Warming Showcase



Code: 0300102008

16 Oz Popcorn Machine



Code: 0300102016

Code	Dimension(mm)	Popcorn chamber size	S.S kettle size	Power	Temperature	Motor
0300102001	920x420x740	450x350x130mm	Φ215x64mm	1.9kw	30-245°C	220V 50Hz 20W 22rpm
0300102008	1290x600x1100	650x450x220mm	Φ250x108mm	3.5kw	30-245°C	220V 50Hz 40W 22rpm
0300102016	800x600x1100	650x450x220mm	Φ250x108mm	2.3kw	30-245°C	220V 50Hz 40W 22rpm

Popcorn Machine

- Popcorn kettle is easy to install, dismantle and clean
- All sides glass can show the popcorn productive progress comprehensively
- Efficiency heating and warming system make the working process convenient and fast

8 Oz Popcorn Machine



Code: 0300102018



Code: 0300102019

Cart For 8 Oz Popcorn Machine

- Four wheels for easy moving
- Big size container to store the things
- Can be used for different kind of Popcorn machine



Cart only
Code: 0300102002

Code	Dimension(mm)	Popcorn chamber size	S.S kettle size	Power	Temperature	Motor
0300102018	500x360x680	490x350x120mm	Φ215x64mm	1.3kw	30-245°C	220V 50Hz 20W 22rpm
0300102019	560x420x740	490x350x120mm	Φ215x64mm	1.3kw	30-245°C	220V 50Hz 20W 22rpm
0300102002	500x360x680					

Popcorn Machine

- Popcorn kettle is easy to install, dismantle and clean
- All sides glass can show the popcorn productive progress comprehensively
- Efficiency heating and warming system make the working process convenient and fast

8 Oz Popcorn Machine



Code: 0301500143



Code: 0301500142

8 OZ Popcorn Machine Cart

- Four wheels for easy moving
- Big size container to store the things
- Suitable for many kinds of popcorn machine



Code: 0300102003

Code	Dimension(mm)	Popcorn chamber size	S.S kettle size	Power	Temperature	Motor
0301500143	560x420x680	490x350x120mm	Φ215X64mm	1.3kw	30-245°C	220V 50Hz 20W 22rpm
0301500142	500x360x620	490x350x120mm	Φ215X64mm	1.3kw	30-245°C	220V 50Hz 20W 22rpm
0300300203	500x360x680					

- Suitable for home or utdoor using, power supply can be used 12V storage battery
- Tray Size: Φ500x200
- Heater is made of cast aluminium, high efficiency heating and save power
- Electronic Pulse Type Ignitor, convenience and safety
- Turnplate is equiped with cover , keep operatation safety
- ultra-quiet motor , lower noise, High rotation speed 2800～3500rpm
- Fix with sugar box and locking device inside, in case of movement of box

Gas Cotton Candy Machine

(1) With 15 kind of different Music and volume Controller
(2) With speed controller
(3) With storage battery
(4) With battery charging funtion
(5) With current indication



Code: 0300102559

Simple Type Gas Cotton Candy Machine

(1) No Music or Volume Controller
(2) No speed controller
(3) No storage battery
(4) No battery charging function
(5) No current indication
(6) Have sugar box



Code: 0300102560

Code	Dimension(mm)	Voltage	Power(Kw/ BTU)
0300102559	500x500x530	220V	2/6,635
0300102560	500x500x530	220V	2/6,635

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

- Tray Size: Φ500x200
- Material: Stainless steel, attractive in appearance, compact structure
- Turnplate is equiped with cover , keep operatation safety
- Used imported EGO energy regulator to control the heating, which suitable for different area to use
- ultra-quiet motor , lower noise, High rotation speed 2800～3500rpm
- Heater is made of cast aluminium, high efficiency heating and save power
- Copper slip ring with completed dual-carbon brush can keep the equilibrate of rotary
- Fix with locking device inside, in case of movement of box

Electric Cotton Candy Machine

(1) With 15 kind of different Music and volume Controller
(2) With speed controller



Code: 0300102561

Simple Type Electric Cotton Candy Machine

(1) No Music or Volume Controller
(2) No speed controller
(3) Have sugar box
(4) Keep heating control function



Code: 0300102562

Code	Dimension(mm)	Voltage	Power(kW)	Heater
0300102561	500x500x530	220V 50Hz	1.05	220V 1.0KW/Pcs
0300102562	500x500x530	220V 50Hz	1.05	220V 1.0KW/Pcs

Cart For Cotton Candy Machine

- Dimension: 710x540x1060mm



Code: 0300102563



Gyoza Cooker

- Chrome plated flat griddle vat(s)
- Built-in-spring cylinder support make lid(s) lift up easily
- Programmable controller, wide board of application of food like flat dumpling, meat dumpling, bun and fried dumping etc
- Automatically water feeding to steam the food
- High efficient heating element, only takes 11 minutes from ambient temperature 30°C to 210°C
- Buzzer alarms when cook cycle done and flashes "DONE"



Code: 0300102389



Code: 0300102388

Code	Dimension(mm)	Power(kW)	Voltage	Grill Vat
0300102388	285x624x437	3	220V	No. 1
0300102389	570x624x437	6	220V	No. 2

Gas/Electric Takoyaki Grill

- Stainless steel construction with cast iron heating plate
- It is popular with the advantages of cleaning, sanitation, easy to operation and power saving and etc
- EGO thermostat
- Switch controlled temperature, durable and robust



Gas
Code: 0300102390



Gas
Code: 0300102391



Electric
Code: 0300102393



Gas
Code: 0300102392



Electric
Code: 0300102394

Code	Dimension(mm)	No. of hole	Power	Temperature	NW	GW
0300102390	340x315x170	35pcs	13600Btu/Hr		6kg	7kg
0300102391	465x530x270	56 pcs	13600Btu/Hr		14kg	16kg
0300102392	670x530x270	84 pcs	20400Btu/Hr		23kg	26kg
0300102393	450x450x240	56 pcs	4 kw	50-300°C	13kg	15kg
0300102394	605x450x240	84 pcs	6 kw	50-300°C	21kg	24kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

CHINESE
COOKING RANGE



- Equipped with individual valve flame failure device and pilot burner to ensure easy and safe operation
- Main flame will cut off in less than 30 seconds if pilot light goes off or when pilot light encounters burning failure
- Synchronized gas valve and air blower with accruate ratio to ensure optiomal combustion efficiency
- Individual air blower for power flame
- Low CO2 emission (<,0.01%) for safe cooperation
- Insulated table top for saving water sonsumption
- Water inlet: 1/2" (DN15) Gas inlet: 3/4" (DN20) Drain pipe: 2" (DN50)
- With blower
- Material: Front S/S304, side and back S/S 201

Traditional Gas Chinese Wok Range Single Burner With Single Rear Pot



Code: 0300101641

Traditional Gas Chinese Wok Range Double Burner With Double Rear Pot



Code: 0300101307

Code	Dimension(mm)	Rated Power	Power(kW/ BTU)	Voltage	Gas rated pressure
0300101641	1100x1200x800+450	0.25 KW / blower	48 / 163,782	220V/1ph/50Hz	2800pa
0300101307	2150x1200x800+450	0.25 KW / blower	2x48 / 327,565	220V/1ph/50Hz	2800pa

- Low noise stainless steel burner (Below 70dB)
- Saving up to 30% energy than normal burner
- Knob turning design for flame failure device, blower and ignition (one-step)
- Innovative flame failure system (gas cutoff <3s)
- Additional back-up system when safety feature is down (ensure normal operation)
- With blower
- Material: Front 304SS, side and back 201SS

Environmental Gas Chinese Wok Range Single Burner With Single Rear Pot



Code: 0300102427

Environmental Gas Chinese Wok Range Double Burner With Double Rear Pot



Code: 0300102428

Code	Dimension(mm)	Rated Power	Power(kW/ BTU)	Voltage	Gas rated pressure
0300102427	1100x1200x800+450	0.25 KW / blower	40 / 136,486	220V/1ph/50Hz	2800pa
0300102428	2150x1200x800+450	0.25 KW / blower	2x40 / 272,971	220V/1ph/50Hz	2800pa

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Gas Chinese Wok Range

- Material: Front SS#201 Thickness:1.2mm
- Side:SS#201 Thickness 0.8mm
- Iron frame thickness: 2.0mm
- With blower, with faucet, with safety valve

Single Burner With Single Rear Pot



Code: 0300100852

Double Burner With Double Rear Pot



Code: 0300100851

Code	Dimension(mm)	Power (kW/ Btu)	Blower	Gas Pressure	NW
0300100852	1200x1150x800+450	48 / 163,782	370W/220V/50Hz	LPG/2800pa	260kg
0300100851	2150x1150x800+450	104 / 354,862	2x550W/220V/50Hz	LPG/2800pa	500kg

Gas Chinese Wok Range

- Material: Front SS#201 Thickness:0.8mm
- Side:SS#201 Thickness 0.8mm
- Iron frame thickness: 1.0mm
- With blower, with Safety Valve
- Gas Pressure: LPG/2800pa

Single Burner



Code: 0300102046



Code: 0300100853

Double Burner



Code: 0300101165



Code: 0300101912

Code	Dimension(mm)	Power (kW/ Btu)	Blower	NW	Description
0300102046	700x750x800+300	48 / 163,782	250W/220V/50Hz	110kg	1wok no rear pot with blower
0300100853	1050x950x800+350	48 / 163,482	250W/220V/50Hz	200kg	1wok 1rear pot with blower
0300101165	1900x950x800+350	96 / 327,565	2x250W/220V/50Hz	320kg	2 woks 1rear pot with 2 blowers
0300101912	2000x950x800+350	96 / 327,565	2x250W/220V/50Hz	350kg	2 woks 2rear pot with 2 blowers

Asian Wok

- IAMPO WaterMark & GasMark Certificate
- Front gutter design
- Without blower
- All materia is 304SS
- Even high heat output
- Stainless steel exterior
- Removable spillage tray
- Condiment shelf on splash back
- Flame failure & pilot standard for all models
- Extra high splash back with swivel faucet
- Flat front panel for valve control by hand turn or knee push
- Standard duckbil burner, chimeny burner for optional

Single Burner



Code: 0300101999

Triple Burners



Code: 0300102062

Double Burners



Code: 0300102061

Four Burners



Code: 0300102062



Standard Duckbill Burner



Code: 0300102429

ner for Optional

Code	Dimension(mm)	Power(kW/Btu)	Size of ring
0300101999	600x845x740+520	30 / 102,364	14" cast iron
0300102061	1200x845x740+520	2x30 / 204,728	14" cast iron
0300102062	1800x845x740+520	3x30 / 307,092	14" cast iron
0300102429	2800x845x740+520	4x30 / 409,456	14" cast iron

Asian Wok Burner

- Material:stainless steel 201
- Top panel thickness :0.8mm
- Side panel thickness:0.6mm
- Iron frame thickness:1.2mm
- Without Blower



Single

Code: 0300100854



Double

Code: 0300100855

Code	Dimension(mm)	Power(kW/Btu)	Blower Power
0300100854	900x800x800+170	40 / 136,486	250W/220V/50HZ
0300100855	1400x800x800+170	2x40 / 272,971	2x250W/220V/50HZ

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Gas Single Stock Pot Stove without Safety Valve

- Even high heat output
- Stainless steel exterior
- Height adjustable feet
- Removable spillage tray
- Material: Front 304SS, side and back 201SS
- Without Safety Valve



Code: 0300102430

Dimension(mm)	Power(kW/Btu)	Gas source
600x600x520	51/ 18,215	LPG/NG

Stock Pot Stove

- IAMPO WaterMark& GasMark Certificate
- Even high heat output
- Stainless steel exterior
- Removable spillage tray
- Powerful Standard duckbill burner
- Condiment shelf on splash back
- Material: Front 304SS, side and back 201SS



Code: 0300102431



Code: 0300102433



Code: 0300102432

Code	Dimension(mm)	Size of Ring	Power(kW/Btu)	Accessories	NW
0300102431	600x845x540	14"	37.5 / 127,955	Gutter Strainer	65kg
0300102433	700x845x540	17"	45.8 / 156,276	Gutter Strainer	74kg
0300102432	1200x845x540	14"x2	37.5x2 / 255.910	Gutter Strainer	130kg



Gas Stock Pot

- Material: Front SS#201 Thickness:1.2mm Side:SS#201 Thickness 0.8mm Iron frame thickness: 2.75mm
- The blower position is adjustable and should be determined prior to order
- With safety value



1 Head with 1 Blower
Code: 0300100860

2 Heads with 2 Blowers
Code: 0300100859

3 Heads with 2 Blowers
Code: 0300102045

Code	Dimension(mm)	Power(kW/Btu)	Blower Power	Gas pressure	NW	Blower
0300100860	700 x 700 x500+450	52/177,431	370W/220V/50Hz	LPG/2800pa	75kg	1
0300100859	1400 x 700 x 500+450	2x52/ 354,862	2x250W/220V/50Hz	LPG/2800pa	135kg	2
0300102045	1900 x 700 x500+450	3x52/ 532,294	250W+370W/220V/50Hz	LPG/2800pa	210kg	2

Gas Stock Pot

- Material: Front SS#201 Thickness:1.2mm Side: SS#201 Thickness 0.8mm Iron frame thickness: 2.75mm
- Without Blower, With safety valve



1 Head
Code: 0300102035



2 Heads
Code: 0300102036



3 Heads
Code: 0300102037

Code	Dimension(mm)	Power(kW/Btu)	Gas pressure	NW
0300102035	700x700x500+450	22/ 75,067	LPG/2800pa	70kg
0300102036	1400x700x500+450	22x2/150,134	LPG/2800pa	130kg
0300102037	2100x700x500+450	3x22/ 225,201	LPG/2800pa	200kg

Gas Stock Pot

- 1Head Without Blower Without Rear Plate With Safety Valve

- Material:

Front SS#201 Thickness:0.8mm
Side:SS#201 Thickness 0.6mm
Iron frame thickness: 1.2mm
Without Blower
With Safety Valve
Without Rear Plate

Code: 0300102038



Dimension(mm)	Power(kW/Btu)	Gas pressure	NW
460x620x500	22 / 75,067	LPG/2800PA	46kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

- Equipped with individual flame failure device and pilot burner to ensure easy and safe operation
- Main flame will cut off in less than 30 seconds if pilot light goes off or when pilot light encounters burning failure
- Synchronized gas valve and air blower with accruate ratio to ensure optiomal combustion efficiency
- Equipped with steam on/off valve to control steam flow
- Cover corner for hygienic concern
- Plug in door gasket for easy replacement
- Equipped with water condtioner to eliminate formation of limescale
- Insulated design for efficiency
- Low CO2 emission (<0.05%) for safety
- Drainage valve for water drainage to prevent limescale

Water inlet: 1/2"" (DN15)
Gas inlet: 3/4"" (DN20)
Drain pipe: 1"" (DN25)
Material:304SS

Gas Three Deck Steam Cabinet (Gold Series)



Code: 0300101725

Gas Three Deck Steam Cabinet (Diamond Series)



Code: 0300101911

Code	Dimension(mm)	Power(kW/Btu)	Voltage	Std accessories
0300101725	900x950x1900	40 / 136,486	220V/1ph/50Hz	6 x S/S shelving
0300101911	900x950x1900	40 / 136,486	220V/1ph/50Hz	6 x S/S shelving

Chinese Steaming Cabinet

- Material: SS#201
- Material: Steam cabinate 0.6mm, Base thickness: 0.8mm, Door thickness: 1.0mm
- No. of Tray: bottom deck two tray. Middle deck one tray and top deck one tray
- Equipped with safety valve (and boiler with steam generator)



Code: 0300100861

Code: 0300102039

Code	Dimension(mm)	Shelf size(mm)	Blower Power	Gas pressure	NW
0300100861	900x800x1850	670x620	370W/220V/50Hz	LPG/2800pa	230kg
0300102039	1000x800x1850	770x620	370W/220V/50Hz	LPG/2800pa	260kg

Gas Chinese Single Dim Sum Steamer (Pot Type)

- Equipped with individual flame failure device and pilot burner to ensure easy and safe operation
- Main flame will cut off in less than 30 seconds if pilot light goes off or when pilot light encounters burning failure
- Equipped with water level detection & overheat protection
- Seamless Top
- Equipped with water conditioner to eliminate the formation of lime scale
- Low CO2 emission (<,0.01%) for safety
- Reduce emission of CO and NOx during operation
- Drainage valve equipped
- All material is 304SS

Code: 0300101642

Code: 0300102580



Code	Dimension(mm)	Power(kW/Btu)	Voltage	Gas pressure	NW
0300101642	1000x1200x800+450	40/136,486	220V/50Hz	LPG/2800pa	230kg
0300102580	1800x1200x800+450	60/204728	220V/50Hz	LPG/2800pa	260kg

Steamer (Pot Type)

- Material: Front SS#201, Thickness:0.8mm
- Side:SS#201, Thickness 0.8mm
- Iron frame thickness: 1.2mm
- With blower, with safety valve

1Head
Code: 0300100862

2 Heads
Code: 0300102042



Code	Dimension(mm)	Power(kW/Btu)	Blower Power	Gas pressure	NW
0300100862	900x950x800+350	48/163182	250W/220V/50Hz	LPG/2800pa	230kg
0300102042	1700x950x800+350	48x2/327,565	550W/220V/50Hz	LPG/2800pa	440kg

Gas Chinese Steamer (Steam Generator Type)

- Material:Front SS#201 Thickness:1.2mm
- Side:SS#201 Thickness 0.8mm
- Iron frame thickness: 2.75mm
- with safty valve

1 Head
Code: 0300102048

2 Heads
Code: 0300102047



Code	Dimension(mm)	Power(kW/Btu)	Blower Power	Gas pressure	NW
0300102048	1000x1150x800+450	48/163,782	370W/220V/50Hz	LPG/2800pa	270kg
0300102047	1800x1150x800+450	2x52/354,862	550W/220V/50Hz	LPG/2800pa	510kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

- Equipped with individual valve flame failure device and pilot burner to ensure easy and safe operation
- Main flame will cut off in less than 30 seconds if pilot light goes off or when pilot light encounters burning failure
- Equipped with water level detection & overheat protection
- Equipped with water conditioner to eliminate the formation of lime scale
- Low CO2 emission (<,0.01%)
- Reduce emission of CO and NOx during operation
- Drainage valve equipped
- Seamless Top
- All material is 304SS

Gas Chinese Single Dim Sum Steamer (Steam Generator Type)



Code: 0300101910

Gas Chinese Double Dim Sum Steamer (Steam Generator Type)



Code: 0300102155

Code	Dimension(mm)	Power(kW/Btu)	Gas pressure	Accessories
0300101910	1000x1200x800+450	40/136,486	2800pa	7 hole plate
0300102155	1800x1200x800+450	60/204728	2800pa	7 hole plate

Gas Rice Roll Steamer

- Equipped with individual valve flame failure device and pilot burner to ensure easy and safe operation
- Main flame will cut off in less than 30 seconds if pilot light goes off or when pilot light encounters burning failure
- Equipped with water level detection & overheat protection
- Seamless Top
- Equipped with water conditioner to eliminate the formation of lime scale
- Low CO2 emission (<,0.01%) for safety
- Reduce emission of CO and NOx during operation
- Drainage valve equipped



Code: 0300102434

Dimension(mm)	Power(kW/Btu)	Gas pressure	Accessories	Blower power
1200x1200x800+450	40/136,486	LPG/2800pa	Rice roll tray + Lid	380W/220V/50Hz

Gas Chinese Rice-Roll Steamer

- All stainless steel body with attractive design and easy to clean
- Energy-saving, efficient, safe, and convenient to use



Code: 0300102435

Code: 0300102436

Code	Dimension(mm)	Blower power	Gas	NW
0300102435	1200x1000x800+450	370W, 220V, 50HZ	LPG/2800pa	235kg
0300102436	1200x1150x800+450	370W, 220V, 50HZ	LPG/2800pa	250kg

Gas Duck Roaster

- Low noise stainless steel burner (Below 70dB)
- Saving up to 30% energy than normal burner
- Knob turning design for flame failure device, blower and ignition (one-step)
- Innovative flame failure system (gas cutoff <3s)
- Additional back-up system when safety feature is down (ensure normal operation)
- Material: 304 S.S
- Single Layer

Code: 0300102438



Dimension(mm)	Power(kW)	Capacity(pcs)	Gas pressure
Φ915x1475	12	8-9	LPG/2800pa

Gas Duck Roaster-1 insulation layer

- Grade 201 stainless steel (base 2.0mm, middle part 1.0mm, upper angle part 1.5mm, cover 1.0mm)
- Equipped with electronic ignition, pulse ignition, flame failure system
- 8 inch powerful burner, highest temperature is up to 350°C
- oven is made of double-layer stainless steel board and 1 layer high temperature resistant fiber as insulation between them
- This could be applied for roasting leg of lamb, roasted crispy pork,char siu, poultry
- 1 insulation layer: oven is made of double-layer stainless steel board and 1 layer high temperature resistant fiber as insulation between them
- Gas power:LPG 21kw/ 2800pa





Code: 0300102727

Size: Φ840x1450mm

Code: 0300102728

Size: Φ940x1500mm

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Gas Space Roaster-Manual Rotary

- Perfect in high quality product, with Grade 304 stainless steel in 1.5mm thickness,
- Double layer stainless board for better heat insulation.
- Front door open design
- Equipped with impulsive ignition, flame failure system, it is safe and reliable ,
- This could be applied for roasting middle sized pig, roasted crispy pork, whole lamb, char siu, poultry
- Split structure design, convenient for limited space
- Dimensions: ø1100x2050mm
- Gas power: LPG 21kw/ 2800pa

Code: 0300102729



Gas Space Roaster-Manual Rotary

- The main material is #304 stainless steel in 1.2mm thickness with 8 inch burner, lava rock, rock hold, Safety valve, fire robe.
- Double layer stainless board for better heat insulation.
- Front door open design
- This could be applied for roasting leg of lamb, roasted crispy pork, char siu, poultry
- Optional: Automatic rotary, lighting function, a visual window
- Dimensions: Ø950× (1500+150)mm
- Gas power: LPG 21kw/ 2800pa

Code: 0300102730



Electric Duck Roaster

- Equipped with micro-computer control box and lighting, easy for operation
- Safety and environmental protection.
- This could be applied for roasting leg of lamb, roasted crispy pork, char siu, poultry
- #201 stainless steel: base 2.0mm(single), middle part 1.0mm(double), upper angle part 1.5mm(double), cover 1.0mm(single)
- This could be applied for roasting leg of lamb, roasted crispy pork, char siu, poultry
- Dimensions: Ø940x1500 mm
- Power: 9KW
- Voltage: 380v

Code: 0300102731



Gas Pig Roaster

- Equipped with safety valve
- Equipped with pilot light
- Refractory balls supplied as standard.
- Equipped with 11" burner
- Material: 304 S.S



Code: 0300102437

Dimension(mm)	Power(kW)	Gas source
650x1100x600	36	LPG/ 2800 pa

Gas Pig Roaster

- Material: 201 Stainless steel
- Thickness:1.0mm
- Equipped with Safety Valve



Code: 0300100858

Dimension(mm)	Power(kW)	Gas pressure	NW
620x1000x520	30	LPG/ 2800 pa	190kg



NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Gas Double Door Rice Steamer (Gold Series)

- Equipped with individual flame failure device and pilot burner to ensure easy and safe operation
- Main flame will cut off in less than 30 seconds if pilot light goes off or when pilot light encounters burning failure
- Equipped with water level dection, overheat protection
- Rotatry Lock
- Multi-shelving for mass producton
- Equipped with steam on/off valve to control steam flow
- Cover corner for hygienic concern
- Plug in door gasket for easy replacement
- Equipped with water condtioner to eliminate forming of limescale
- Insulated design for efficiency
- Low CO2 emission (<0.05%) for safety
- Drainage valve for water drainage to prevent limescale
- Material:304SS

Code: 0300102440



Dimension(mm)	Power(kW)	Gas source	Std accessories
1100x1000x1900	40	LPG/NG	10 pcs of trays

Heavy Duty Gas Rice Cooker

- Integral foaming, thermal insulation, energy saving, and environment-friendly;
- Safety Valve optional for Gas model
- High-efficiency and durable door lock
- Made with high stainless steel
- High heat efficiency of the machine, raising up the temperature quickly, auto-feed water control
- Tray size: 595x395x48mm
- Optional tray for buns or soup pot: 595x395x20mm with holes



8 Trays
Code: 0300102043



12 Trays
Code: 0300101727



24 Trays
Code: 0300102044

Code	Dimension(mm)	Productivity	Power	Gas	NW	Gas consumption	Std. Accessories
0300102043	690x700x1300	3.5kg/tray/cycle	13kw	LPG/2800PA	89kg	1.1Kgs/per hour	8 pcs of rice tray
0300101727	690x700x1640	3.5kg/tray/cycle	15kw	LPG/2800PA	115kg	1.1Kgs/per hour	12 pcs of rice tray
0300102044	1400x700x1640	3.5kg/tray/cycle	2x15kw	LPG/2800PA	230kg	2.2Kgs/per hour	24 pcs of rice tray

Heavy Duty Electric Rice Cooker

- Integral foaming, thermal insulation, energy saving, and environment-friendly;
- High-efficiency and durable door lock
- High heat efficiency of the machine, raising up the temperature quickly
- Made with high quality stainless steel
- Auto-feed water control
- Tray size: 595x395x48mm
- Optional tray for buns or soup pot: 595x395x20mm with holes



6 Trays
Code: 0300100848



8 Trays
Code: 0300100849



10 Trays
Code: 0300100850



12 Trays
Code: 0300101136



24 Trays
Code: 0300102746

Code	Dimension(mm)	Productivity	Power	Voltage	NW	Std. Accessories
0300100848	700x710xH950	3.5kg/tray/cycle	9kw	380V/50Hz	65kg	6 pcs of rice tray
0300100849	700x710xH1170	3.5kg/tray/cycle	9kw	380V/50Hz	75kg	8 pcs of rice tray
0300100850	700x710xH1340	3.5kg/tray/cycle	12kw	380V/50Hz	85kg	10 pcs of rice tray
0300101136	700x710xH1480	3.5kg/tray/cycle	12kw	380V/50Hz	95kg	12 pcs of rice tray
0300102746	1400x710xH1480	3.5kg/tray/cycle	24kw	380V/50Hz	180kg	24 pcs of rice tray

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Deck Rice Cooker

- Three layers are independent for cooking rice, independent, convenient and flexible;
- Double safety valve is strong, frame failure protection, motherboard timeout, probe overtemperature protection;
- Temperature regulating function, using the circular radial heater, energy efficient, rice heated evenly to produce optimum result.
- The whole working process is automated, using computer program control.
- High quality 304 stainless steel production, beautiful appearance, exquisite structure. Independent design of slag plate, easy to clean



Code: 0300102067

Dimension(mm)	Capacity	Electrical Power	Gas Power(kW)	Gas consumption
744x720x1450	3x7.5kg/cycle	45w/220V/50Hz	27	29000Kcal/h

Automatic Rice Cooking Line

- Rice storage * 1 pcs
- Rice washing machine * 1 pcs
- Soaking and filling machine * 1 pcs
- Rice cooking machine * 1 pcs
- Conveyor for stewing rice * 1 pcs
- Heat-recycling system * 1 pcs
- Rice loosing machine * 1 pcs
- Rice pot * 60 pcs
- Pot cart * 3 pcs
- Pot lid cart * 2 pcs
- Pot-washing machine * 1 pcs
- Conveyor for Pot-washing machine * 1 pcs

Code:0300102441



Dimension(mm)	Capacity	Power(V/kW)	Gas consumption
18000x3600x3535	450kg/h	380/9.3	220000Kcal/h

Table Top Rice Cooker

- Heater with anti-drying protection system
- Accurate temperature controller
- One-piece stretched super strong pot body



Code: 0300102102
Code: 0300102103
Code: 0300102105
Code: 0300102104
Code: 0300102106
Code: 0300102107
Code: 0300102108
Code: 0300102109

Code	Capacity	Power(W)	Voltage	NW
0300102102	8L	1250	220 V	For 18-22 persons/cycle
0300102103	10L	1600	220 V	For 20-25persons/cycle
0300102104	13L	1950	220 V	For 25-35persons/cycle
0300102105	18L	2650	220 V	For 35-45 persons/cycle
0300102106	20L	2950	220 V	For 45-50 persons/cycle
0300102107	23L	3500	220 V	For 50-60 persons/cycle
0300102108	26L	3650	220 V	For 60-70 persons/cycle
0300102109	30L	3950	220 V	For 70-75 persons/cycle



INDUCTION COOKING **SOLUTION**

- Patent: Exclusive coil weaving and tray (PPS material) design.
- Heat dissipation: Full enclosed with horn duct design to protect against water splash,grease and insect.
- Furnace panel material: 1.5mm thickness SS 304
- Front/ side/ back panel material: 1mm thickness SS 201
- Waterproof Rate: IPX4
- Ceramic board thickness: 4.0mm

Induction 2-Burner Range



Code: 0300102079

Induction 4-Burner Range



Code: 0300102080

Induction 6-Burner Range



Code: 0300102081

Code	Dimension(mm)	Ceramic board thickness	Power	Power level	Voltage	NW
0300102079	450x900x(810+120)	4.0mm	2x3.5kw	5 levels	380V/50-60Hz	55kg
0300102080	800x900x(810+120)	4.0mm	4x3.5kw	5 levels	380V/50-60Hz	110kg
0300102081	1200x900x(810+120)	4.0mm	6x3.5kw	5 levels	380V/50-60Hz	140kg

Electric Griddle (Not Induction)

- Temperature control (50-300 degree)
- Two doors cabinet.
- No-stick panel and easy clean.
- Furnace panel material: 1.5mm thickness SS 304
- Front/ side/ back panel material: 1mm thickness SS 201
- Waterproof Rate: IPX4

Code: 0300102083



Dimension(mm)	Power	Power level	Voltage	NW
800x900x(810+120)	12kw	5 levels	380V/50-60Hz	115 kg

Induction Deep Fryer

- Oil filter car: Equipped with high temperature (200℃) oil filter function
- Furnace panel material: 1.5mm thickness SUS 304
- Front/ side/ back panel material: 1mm thickness SUS 201
- Waterproof Rate: IPX4
- Power level: Bottom control

Code: 0300102564



Dimension(mm)	Power	Capacity	Voltage	NW
800x900x(810+120)	15kw	20L	380V/50-60Hz	120 kg

Induction Dual Noodle Cooker With Single Pot

- Patent 1: Real Flame Simulation Technology
- Patent 2: Exclusive coil weaving and tray (PPS material) design
- Double heating efficiency than normal products
- Faucet water inlet
- Larget cooking capacity
- Front panel material: Stainless steel 304 with 2 mm thickness
- Side plate material: High quality food grade stainless steel with 1 mm thickness
- Waterproof Rate: IPX4

Code: 0300102087



Dimension(mm)	Rated power(kw)	Power level	Voltage	NW
1800x900x(810+120)	15x2	5 levels	380V/50-60Hz	200 kg

Induction Noodle Cooker

- Patent: Exclusive coil weaving and tray (PPS material) design
- Double heating efficiency than normal products
- Faucet water inlet
- Furnace panel material: 1.5mm thickness SUS 304
- Front/ side/ back panel material: 1mm thickness SUS 201
- Power level: 5 levels Bottom control
- Waterproof Rate: IPX4

Code: 0300102703



Dimension(mm)	Rated power(kw)	Voltage	Basket qty	NW
800x900x(810+120)	8x2	380V/50-60Hz	12 pcs	110 kg

Auto-Lift Electric-Heating Pasta Cooker (Not Induction)

- Control panel
- Automatic heating and warming
- Auto-lift and can timer control
- Front panel material: Stainless steel 304 with 2 mm thickness
- Side plate material: High quality food grade stainless steel with 1 mm thickness
- Power level: 5 levels Bottom control
- Waterproof Rate: IPX4

Code: 0300102082



Dimension(mm)	Basket qty	Rated power(kw)	Voltage
600x900x(810+120)	6 pcs	15	380V/50-60Hz

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Electric Bain Marie

- 6 baskets capacity
- Easy cleaning
- Faucet water inlet
- Front panel material: Stainless steel 304 with 2 mm thickness
- Side plate material: High quality food grade stainless steel with 1 mm thickness
- Waterproof Rate: IPX4

Code: 0300102089



Dimension(mm)	Power	Level of knob switch	Voltage	NW
800x900x(810+120)	6kw	5 levels	380V/50-60Hz	105 kg

Induction Bun Grill

- Patent: Exclusive coil weaving and tray (PPS material) design.
- Heat dissipation: Full enclosed with horn duct design to protect against water splash,grease and insect.
- Furnace panel material: 1.5mm thickness SUS 304
- Front/ side/ back panel material: 1mm thickness SUS 201
- Waterproof Rate: IPX4

Code: 0300102592



Dimension(mm)	Power	Level of knob switch	Voltage	NW
800x900x(810+120)	8kw	5 levels	380V/50-60Hz	105 kg

200L Induction Tilting Soup Stove

- Patent: Exclusive coil weaving and tray (PPS material) design. 1. Panel control
- Spherical bottom helps soup to circulate in the kettle and be heating evenly;
- 0-90 angle tilting, spheroidal bottom design for better heating.
- Furnace panel and body material: 1.5mm thickness SUS 304
- Front/ side/ back panel material: 1mm thickness SUS 201"
- Waterproof Rate: IPX4
- Power level: 5 levels Bottom control

Code: 0300102076



Dimension(mm)	Capacity	Power	Voltage	NW
1300x980x1090	200L	25kw	380V/50-60Hz	115 kg

Induction Stock Pot

- Patent: Exclusive coil weaving and tray (PPS material) design.
- Dynamic LED display
- Heat dissipation: Full enclosed with horn duct design to protect against water splash, grease and insect.3. Preventing ceramic board broken design.
- Water faucet: Safe and leakage-proof 304 stainless steel 180 degrees swivel activated faucet;
- Furnace panel material: 1.5mm thickness SUS 304
- Front/ side/ back panel material: 1mm thickness SUS 304
- Waterproof Rate: IPX4
- Power level: 5 levels Bottom control

Code: 0300102075



Dimension(mm)	Ceramic board dia	Power	Power level	Voltage	NW
700x850x(530+720)	450mm	15kw	5 levels	380V/50-60Hz	75kg

Electric BBQ Grill

- Maximum cooking temperature above 900℃
- Smokeless, Fumeless, and Flameless
- Endurable Solid Coil, 3 sets of coils can work independently
- Coil voltage below 30V
- Removable water tank, easy to clean
- 3 levels of power control
- High temperature and smokeless BBQ design
- Five level knob switch
- CE standard certification

Code: 0300102593



Dimension(mm)	Power	Voltage	NW
800x900x(810+120)	3x4kw	380V/50-60Hz	110 kg

Induction Chinese Cooking Wok

- Patent 1: Real Flame Simulation Technology, can achieve Stir-Frying
- Patent 2: Exclusive coil weaving and tray (PPS material) design
- Double heating efficiency than normal products
- Triple heating area than normal products
- More even heating
- Boiling 2KG water in 75 seconds
- Front panel material: Stainless steel 304 with 1.5 mm thickness
- Side plate material: High quality food grade stainless steel with 1 mm thickness
- Waterproof Rate: IPX6



Code: 0300102070



Code: 0300102071



Code: 0300102700

Induction Single Burner Wok



Code: 0300102073



Code: 0300102074

Code	Dimension(mm)	Wok dia	Power	Power level	Voltage	NW	
0300102070	1100x1100x(810+440)	400mm	15kw	5 levels	380V/50-60Hz	130 kg	One wok one rear pot
0300102071	800x900x(810+120)	400mm	15kw	5 levels	380V/50-60Hz	110 kg	One wok no rear pot
0300102700	1800x1100x(810+440)	400+400mm	15+15kw	5 levels	380V/50-60Hz	180kg	Two woks one rear pot
0300102073	2200x1100x(810+440)	400+400mm	15+15kw	5 levels	380V/50-60Hz	220kg	Two woks two rear pot
0300102074	1100x1100x(810+440)	800mm	20kw	5 levels	380V/50-60Hz	135kg	One wok no rear pot

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

3 Layer Induction Seafood Steamer

- 3-layer Induction seafood Steamer
- Patent: Exclusive coil weaving and tray (PPS material) design
- Control panel. Can set timing and temperature seperately for different layer
- Create steam in 3 mins, fill with steam in 5mins
- Each layer is independent steam system
- 4cm Warming layer, reducing heat dissipation, increasing heating efficiency
- Integral molded body, containing the steam more securely Higher heating efficiency and faster cooking speed
- Easy installation and control
- U shape channel to outlet frosted water drops automatically
- 3mm thick water tank, without welding points Stainless and sanitary
- Low water level and dry-fire protection
- Safety lock to avoid miss-operation
- Front panel material: Stainless steel 304 with 1.5mm thickness
- Side plate material: High quality food grade stainless steel with 1 mm thickness
- Power level: Bottom control
- Waterproof Rate: IPX4



Code: 0300102077



Code: 0300102701

Code	Dimension(mm)	Power	Voltage	Chamber size(mm)	Bottom(mm)
0300102077	1300x900x1750	30kw	380V, 50-60Hz	850x600x200	850x600x330
0300102701	900x900x1860	30kw	380V, 50-60Hz	650x600x210	650x600x380

4 Layer Induction Seafood Steamer

- Patent 1: Real Flame Simulation Technology.
- Patent 2: Exclusive coil weaving and tray (PPS material) design.
- Double heating efficiency than normal products.
- Floating ball control water level.
- Water level sensor.
- Double water level control.
- Front panel material: Stainless steel 304 with 1.5 mm thickness
- Side plate material: High quality food grade stainless steel with 1 mm thickness
- Power level: Bottom control
- Waterproof Rate: IPX4
- Control panel,can set timing and control temperature separately
- Induction heating, create steam in 3 minutes;
- Each layer is independent steam system;
- 4cm Warming layer, reduce heat dissipation, increase heating efficiency
- Double heating system, heating pipe system as spare system

Code: 0300102702



Dimension(mm)	Power	Voltage
850x800x1630	18kw	380V, 50-60Hz

Induction Rice Steamer (12 Trays)

- Patent: Exclusive coil weaving and tray (PPS material) design
- Control panel, can set timing and temperature
- Create steam in 3 mins, 40 minutes complete full load cooking
- Can control temperature from 50 to 120 degree, 75 degree keeping warm function
- 4cm Warming layer, reducing heat dissipation, increasing heating efficiency
- Integral molded body, containing the steam more securely. Higher heating efficiency and faster cooking speed
- U shape channel to outlet frosted water drops automatically
- Easy installation and control
- 3mm thick water tank, without welding points. Stainless and sanitary
- Low water level and dry-fire protection
- Safety lock to avoid miss-operation
- Front panel material: Stainless steel 304 with 1.5 mm thickness
- Side plate material: High quality food grade stainless steel with 1 mm thickness
- Waterproof Rate: IPX4

Code: 0300102078



Dimension(mm)	Capacity	Power(kW)	Voltage	NW
820x900x1750	12 trays(400x600x65mm)	15	380V/50-60Hz	150kg

Induction Dim-Sum Steamer

- Patent 1: Real Flame Simulation Technology
- Patent 2: Exclusive coil weaving and tray (PPS material) design
- Double heating efficiency than normal products
- Floating ball control water level
- Water level sensor
- Double water level control
- Front panel material: Stainless steel 304 with 1.5 mm thickness
- Side plate material: High quality food grade stainless steel with 1 mm thickness
- Waterproof Rate: IPX4

Code: 0300102086



Dimension(mm)	Power(kW)	Power level	Voltage	NW
800x900x(810+120)	18	5 levels	380V/50-60Hz	75kg



NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Table Top Induction Hob

Switch knob (5 level of power)

- All stainless steel shell.
- 5 levels of power control.
- Self-diagnosis and fault alert system.
- Water-proof level IPX3.



Code: 0300102091

Dimension(mm)	Power(kW)	Voltage	NW
350x440x113	3.5	220V	6.6kg

Table Top Induction Hob

- Power light
- Heat resisting PPS material for coil
- Exclusive coil design with patent
- Waterproof shell, no joint gap
- All stainless steel shell.
- 5 levels of power control.
- Self-diagnosis and fault alert system.
- Water-proof level IPX3.



Code: 0300102092

Dimension(mm)	Power(kW)	Voltage	NW
380x420x130	5	220V	6.6kg

Table Top Induction Wok (Wok Dia. 300mm)

- Power light
- Real Flame Simulation Technology", our product can do Chinese Cooking Style: Stir-Frying
- Heat resisting PPS material for coil
- Exclusive coil design with patent
- Waterproof shell, no joint gap
- All stainless steel shell.
- 5 levels of power control.
- Infineon IGBT, both hardware and software overheating protection.
- Self-diagnosis and fault alert system.
- Water-proof level IPX3



Code:0300102093

Code:0300102094

Code	Dimension(mm)	Power(kW)	Voltage	NW
0300102093	380x420x130	3.5	220V	8.2kg
0300102094	380x420x130	5	220V	8.2kg

Drop-in induction Hob/ Wok

- Switch knob (5 level of power)
- Power light
- Heat resisting PPS material for coil
- Exclusive coil design with patent
- Dry burning-resistant protection



Code: 0300102095



Code: 0300102096

Code	Dimension(mm)	Power(kW)
0300102095	340x340x132	3.3kw 220V
0300102096	380x380x175	3.3kw 220V

Table Top Induction Hob

- The principle of electromagnetic induction is used to heat the iron cooker, which heats up quickly and the thermal efficiency is up to 90%
- The heated wire plate adopts double ring design, which makes it more powerful
- The independent plastic shell inside the body protects the movement with double protection, effectively preventing water leakage



Code: 0300101190

Code: 0300101192

Code	Dimension(mm)	Power(kW)	Voltage	Temperature range
0300101190	420x330x100	3.5	220V	60-220°C
0300101192	400x500x190	5	220V	60-220°C



NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com






nts
MART






NTS MART

NTS MART CHINA

No.28 Daganwei Road, South of Gongye Dadao,
Haizhu Dist., Guangzhou, Guangdong, China
Tel: +86-20-89301818/28/38
Email: nts@ntsmart.com
Website: www.ntsmart.com

NTS MART THAILAND

161/735-740 Soi Charansanitwong 27 Lane
22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi,
Bangkok 10700 Thailand
Tel: +66-2-8667474 (auto)
Email: sales@ntsmart.co.th
Website: www.ntsmart.co.th

NTS MART MYANMAR (Yangon)

No.(2), Shwe Gone Daing (2) Road, West Shwe
Gone Daing Quarter, Bahan Township, Yangon Myanmar
Tel: +95-1-7534400
Email: nts@ntsmyanmar.com.mm
Website: www.ntsmyanmar.com.mm

NTS MART MYANMAR (Mandalay)

Buliding (5),62th street, Between 38/39th,
Maha Aung Myay Township, Mandalay Myanmar
Tel: +95-9-775 966645
Email: nts@ntsmyanmar.com.mm
Website: www.ntsmyanmar.com.mm

NTS MART TANZANIA

Plots No. 66 Block'D', Msasani Village, Kinondoni
District, Dar es salaam, Tanzania
Tel: +255-22-2700674/75
Email: ntstz@ntsmart.com
Website: www.ntsmart.com

2021-2025
WWW.NTSMART.COM