nts MART

GLOBAL ONE-STOP FOODSERVICE & HOSPITALITY SOLUTIONS PROVIDER

EXPERIENCE 11 YEARS EXPERIENCE

- DESIGN
- EQUIPMENT
- SUPPLIES
- INSTALL
- SERVICE

FOODSERVICE SOLUTIONS













PUBLIC AREA SOLUTIONS







GUEST ROOM SOLUTIONS





KITCHEN SOLUTIONS



2021-2025
WWW.NTSMART.COM

OVER 30,000 FOODSERVICE AND HOSPITALITY PRODUCTS

©2010-2021 NTSmart Corporation. All rights reserved.

NTS MART OVERVIEW









NTS MART CHINA

No.28 Daganwei Road, South of Gongye Dadao,
Haizhu Dist., Guangzhou, Guangdong, China
Tel: +86-20-89301818/28/38
Email: nts@ntsmart.com
Website: www.ntsmart.com





NTS MART MYANMAR (Yangon)

No.(2), Shwe Gone Daing (2) Road, West Shwe
Gone Daing Quarter, Bahan Township, Yangon Myanmar
Tel: +95-1-7534400 Email: nts@ntsmyanmar.com.mm
Website: www.ntsmyanmar.com.mm





NTS MART MYANMAR (Mandalay)

Buliding (5),62th street, Between 38/39th,
Maha Aung Myay Township, Mandalay Myanmar
Tel: +95-9-775 966645 Email: nts@ntsmyanmar.com.mm
Website: www.ntsmyanmar.com.mm



NTS MART THAILAND

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri,
Bangkoknoi, Bangkok 10700 Thailand
Tel: +66-2-8667474 (auto) Email: sales@ntsmart.co.th
Website: www.ntsmart.co.th











NTS MART TANZANIA

Plots No. 66 Block'D', Msasani Village, Kinondoni District, Dar es salaam, Tanzania
Tel: +255-22-2700674/75
Email: ntstz@ntsmart.com
Website: www.ntsmart.com








ABOUT NTS MART

NTS MART is a professional product supplier and project solution provider for restaurants and hotels, located in Guangzhou, China since 1998. We offer a bundle of value-added services including project consultant, drawing design, customization, product supply, logistic, equipment installation, maintenance and comprehensive after sale service to our customers.

We have 5000 square meter production workshop and 2000 square meter showroom in Guangzhou. Our product ranges are: kitchen equipment and utensils, bakery equipment, food processing equipment, refrigeration equipment, bar supplies, tableware. **NTS MART** has been providing products and services to more than 1,000 customers including restaurants, hotels, healthcare facilities, schools, hospitals, airlines, office buildings, and industrial facilities from all over the world.

Until now **NTS MART** has set up branches and showrooms in Thailand, Myanmar and Tanzania to fulfill the increasing demand for product diversification of global buyer and created a more convenient, more economical, more professional purchasing environment for our customers.

NTS MART Around The World



PROJECT DESIGN



SUPERIOR HOTEL AND CATERING SUPPLIES SOLUTIONS FROM START TO SERVICE

NTS MART has been providing hotel and catering supplies solutions and efficient services to customers for more than 10 years. By constantly enriching product categories and offering excellent service, **NTS MART** has provided an effective personalized hotel and catering supplies solutions to our various hotels and catering enterprises around the world.

NTS MART always takes ahead planning and service innovation as the core value of our enterprise. Relying on overseas branches and showrooms, E-commerce platform, we recommend a high quality hotel and catering supplies solutions to our clients. In the future, **NTS MART** will bring in more advanced after-sales market philosophy, industrial technology, products, design and services into our system, in order to let customers have more diversified, personalized service experience.


1 Project Research


2 Draft Design


3 Confirm Design


4 Examination & Approval


5 Final Drawing


6 Drawing Embedded


7 Production & Procurement


8 Transport & Installation


9 Test Run


10 Acceptance Check


11 Official Operation


12 After-sales Service



NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

SUCCESSFUL CASES

MYANMAR





THAILAND





TANZANIA





OVERSEA

CONTENTS

01 KITCHEN EQUIPMENT

Western Cooking Equipment

900 Modular Western Cooking Range

Burner	KE 001-002
Hot Plate Cooker	KE 003
Griddle	KE 003
Grill (Lava Rock/Radiant)	KE 004
Fryer	KE 004
Noodle Boiler	KE 005
Pasta Cooker	KE 005
French Top Hot Plate	KE 005
Bain Marie	KE 006
Tilting Pan	KE 006
Soup Kettle	KE 007
Wok Range	KE 007
Working Table	KE 007

800 Modular Western Cooking Range

Burner	KE 008
Griddle	KE 008
Grill (Lava Rock/Radiant)	KE 009
Fryer	KE 009
Noodle Boiler	KE 009

700 Modular Western Cooking Range

Burner	KE 010-011
Hot Plate Cooker / Ceramic Hob	KE 012
Griddle	KE 013
Grill (Lava Rock/Radiant)	KE 013
Fryer	KE 014
Noodle Boiler	KE 015
Pasta Cooker	KE 015
French Top Hot Plate	KE 015
Bain Marie	KE 016
Tilting Pan	KE 016
Soup Kettle	KE 017
Wok range	KE 017
Working Table	KE 017

600 Modular Western Cooking Range

Burner	KE 018
Hot Plate Cooker	KE 018
Griddle	KE 019
Grill	KE 019
Fryer	KE 020
Noodle Boiler	KE 020
Bain Marie	KE 021

400 Modular Western Cooking Range

Burner	KE 021
Hot Plate Cooker	KE 021
Griddle	KE 022
Grill	KE 022
Fryer	KE 023
Noodle Boiler	KE 024
Bain Marie	KE 024

Economy Cooking Range

Burner	KE 025
Burner with Griddle and Oven	KE 026
Fryer	KE 027
Counter Top Burner	KE 028
Counter Top Griddle	KE 029
Counter Top Radiant Broiler	KE 030
Stock Pot	KE 031
Salamander	KE 032
Floor Type Convection Oven	KE 032

Combi Oven

Electric/Gas Range Combi Oven	KE 033-039

Fast Food & Snack Equipment

Fast Food Equipment

Speed Oven	KE 040-041
Microwave Oven	KE 041-042
Pizza Oven	KE 042-044
Fryer	KE 044-047
Pressure Fryer	KE 048-049
Computerize Open Fryer	KE 050-051
Auto Lift Noddle Boiler	KE 052
Gas Noddle Boiler	KE 052

01 KITCHEN EQUIPMENT

Fast Food & Snack Equipment

Fast Food Equipment

Griddle	KE 053-055
Electric BBQ Grill	KE 055
Bain Marie	KE 056-058
Salamander	KE 058-059
Plate Warmer	KE 060
Cup Warmer	KE 060
Hot Cupboard	KE 061
Banquet Cart	KE 061
Pass Through Mobile Holding Cabinet	KE 062
Food Warmer	KE 062
Warming Plate	KE 062-063
Electrical Hob	KE 063
Burger Station	KE 063
Marinator	KE 064
Filter Cart	KE 064
Rotisserie	KE 064-065
Slow Cooker	KE 065
Kebab Machine with Kebab Slicer	KE 066

Snack Food Equipment

Panini Grill/ Contact Grill	KE 067-068
Waffle Baker	KE 069-071
Egg Waffle Maker	KE 072
Toaster	KE 072-073
Crepe Maker	KE 074
Hotdog Equipment	KE 074-076
Bun Warmer	KE 076-077
French Fries Station	KE 077
Oden Food Cooker	KE 077
Popcorn Maker	KE 078-079
Cotton Candy Mechine	KE 079-080
Gyoza Hot Plate	KE 081
Takoyaki Grill	KE 081

Chinese Cooking Range

Gas Burner

Gas Wok Range	KE 082-083
Asian Wok Range	KE 084
Gas Stock Pot	KE 085-086

Steamer

Gas Three Deck Steam Cabine	KE 087
Gas Single/ Double Steamer(Pot Type)	KE 088
Gas Single/ Double Steamer(Steam Generator Type)	KE 088-089
Gas Rice Roll Steamer	KE 089-090

Roaster

Duck Roaster	KE 090-091
Pig Roaster	KE 092

Rice Cooker

Gas Doube Door Rice Cabinet	KE 093
Gas Rice Cooker	KE 093
Electric Rice Cooker	KE 094
Deck Rice Cooker	KE 095
Automatic Rice Cooking Line	KE 095
Table Top Round Rice Cooker	KE 095

Induction Cooking Solution

Western Cooking

Induction Burner	KE 096
Induction Griddle	KE 096
Induction Fryer	KE 096
Induction Noddle Boiler	KE 097
Induction Auto-lift Noddle Boiler	KE 097
Induction Bain Marie	KE 098
Induction Soup Stove	KE 098
Electric BBQ Grill	KE 099

Chinese Cooking

Induction Chinese Wok Range	KE 099
Induction Seafood Steamer	KE 100
Induction Rice Steamer	KE 101
Induction Dim-sum Steamer	KE 101

Table Top Induction Hob

Table Top Induction Hob	KE 102-103

CONTENTS

02 KITCHEN SUPPORTING

	Page No.
Food Processing	
Meat Slicer	KS 001-003
Meat Mincer/Grinder	KS 003-004
Fresh Meat Slicer	KS 005
Meat Tenderizer/Stripper	KS 006
Cheese Grater/Chopper	KS 006
Bone Saw	KS 007
Vacuum Package Machine	KS 008-009
Sous Vide Cooking	KS 009-010
Hand Mixer	KS 011-013
Food Cutter	KS 014-015
Vegetable Cutter	KS 015-021
Bowl Cutter	KS 021
Patato Peeler	KS 021-022
Potato Chip Machine	KS 022
Tomato Slicer	KS 022
Garlic Ginger Onion Processors	KS 023
Soybean Milk Machine	KS 023
Noodle Making Machine	KS 023
Fruit Juice Extractor	KS 024-025
Hamburger Patty Machine	KS 026
Sausage Stuffer	KS 026
Vegetable Washer	KS 027
Vegetable Spin Dryer	KS 028
Refrigeration Equipment	
Commercial Kitchen Refrigeration	
Upright Chiller	KS 033/045/048
Upright Freezer	KS 034/045/049
Upright Dual Temperature	KS 035/046
Counter Dual Temperature	KS 036
Counter Chiller	KS 037-038/046/050-052
Counter Freezer	KS 039/047/053
Glass Door Chill/ Freezer	KS 040-041/054-055
Salad Preparation Counter	KS 042-043/056
Pizza Preparation Counter	KS 044/056-057
Sandwiches Preparation Counter	KS 057
Blast Freezer	KS 057
Walk in Cold Room	KS 058-059
Refrigeration for Super market & Store	
Comtomized Merchandisers Chiller and Freezer	KS 060-064
Comtomized Fresh Meat Counter	KS 065-066
Island Display Freezer	KS 067-069
Chest Freezer	KS 068-069
Store Chiller & Freezer	KS 070-073
Other Refrigeration equipment	
Bar Refrigerator	KS 074-075
Steak Ager Fridge	KS 075
Wine Showcase	KS 076-077
Ice Making Machine	
Cube Ice Machine	KS 078/081-082
Crescent Ice Machine	KS 079
Flake Ice Machine	KS 080
Ice Storage Bin	KS 081
Dishwashing	
Conveyor Type Dishwasher	KS 082/084
Undercounter Type Dishwasher	KS 083/084/085
Hood Type Dishwasher	KS 083/085
Channel Type Dishwasher	KS 086
Stainless Steel Fabricate Equipment	
Sink Table	KS 087-089
Work Table	KS 089-097
Storage Rack	KS 098-099
Storage Cabinet	KS 099
Work Top Cabinet	KS 100-101
Wall Shelf	KS 102
Wall Cabinet	KS 102-103
Solied Dish Table	KS 104
Clean Dish Table	KS 104-105
Hand Sink	KS 106-108
Exhaust Hood	
Normal Type Exhaust Hood	KS 109
Built-in Static Exhaust Hood	KS 109

02 KITCHEN SUPPORTING

	Page No.
Stainless Steel Fabricate Equipment	
Exhaust Hood	
Filter Type Exhaust Hood	KS 110
Island Type Exhaust Hood	KS 111-112
Vent Wash Exhaust Hood	KS 112
Pan Rack Trolley	KS 113
GN Pan Trolley	KS 114-115
Flat Truck	KS 115
Accessories	
Commerical Faucet	KS 116-128
Waste Drain	KS 128
Hose Reel Series	KS 129
Sink	KS 130
Sink Drainer	KS 131
Steam Pressure Safety Valves	KS 131
Bullet feet	KS 131
Gravity Pin	KS 132
Grease Trap	KS 132
Grease Filter for Exhaust Hood	KS 132
Hood Lamp	KS 133
Insect Killer	KS 133
Showcase & Display Equipment	
Warming Showcase	KS 134-138
Cake Showcase	KS 138-139
Ice Cream Showcase	KS 139-140
Bread Showcase	KS 140
Sushi Showcase	KS 140
Water Boiler	
Buffet & Self Service Series	KS 141
QSR Series	KS 141-142
Commercial Kitchen Series	KS 143-144

03 KITCHEN UTENSILS

	Page No.
Pan & Pot	
Stock Pot	KU 001
Sauce Pot	KU 002
Sauce Pot with Handle	KU 003-004
Fryer Pan	KU 004-005
Roast Pan	KU 005
Pasta Pot	KU 005-006
Water Pot	KU 006
Chinese Wok	KU 006-007
Chinese Wok Holder	KU 007
Kitchen Container	
Gastronorm Food Pan & Lid	KU 008-010
Perforated Gastronorm Food Pan	KU 011
PC Gastronorm Food Pan	KU 012-015
Kitchen Bowl	KU 015
Sauce Bucket	KU 016
Filter Basket	KU 017
Sauce Pot	KU 017
Sauce Boat	KU 017
Sugar Pot	KU 018
Dredger	KU 018
Cylinder Flatware Holder	KU 018-019
Chopstick Holder	KU 019-020
Water Jug	KU 020
Tea Pot	KU 020
Oil Pot	KU 020
Moltipurpose Container	KU 020-022
Knives & Tools	
Knives	KU 023-029
Knife Accessories	KU 029
Knives Holder / Case	KU 029-030
Knife Sterilizing Cabinet	KU 030
Kitchen Tools	KU 031
Spatula & Turner	KU 032-035
Ladle & Fryer Spatula	KU 035-037
Skimmer	KU 037
Funnel & Holder	KU 037

CONTENTS

03 KITCHEN UTENSILS

	Page No.
Knives & Tools	
Conical Strainer	KU 038-039
Noodle Basket	KU 039
Perforated Colander	KU 040
Vegetable Filter	KU 041
Whisk	KU 041
Gripper	KU 042
Lobster Cracker / Picker	KU 042
Grater	KU 043
Sauce Squeezer	KU 044
Mandoline	KU 044
Vegetable Cutter	KU 045
Can Opener	KU 045
Meat Tenderizer	KU 045
Shear	KU 046
Cheese Slicer	KU 046
Potato Cutter	KU 046
Fried Egg Mould	KU 046-047
Egg Slicer	KU 047
French Fries Sholve	KU 047
Tong	KU 047-048
Fishscale Scraper	KU 048
Pork Fork	KU 048
Meat Hook	KU 049
Bamboo Brush	KU 049
Sauce Syringe	KU 049
Measuing Cup	KU 050
Measuing Spoon	KU 050
Ice Scoop	KU 050
Ice Cream Scoop	KU 051
Flour Sieve	KU 051
Rolling Pin	KU 051-052
Thermometer	KU 052
Pepper Mill	KU 052-054
Oil Bottle	KU 054
Juice Presser	KU 055
Lemon Squeezer	KU 055
Potato Presser	KU 055
Glove	KU 055-056
Mesh Glove	KU 056
Order Pin	KU 056
Order Rack	KU 056
Chopping Board & Plane	KU 057-058
Chopping Board Rack	KU 058
Wooden Chopping Board Block	KU 058
Wooden Chopping Board	KU 058
Other Accessoriess	
Kitchen Counter Bell	KU 059
Condimen Dispenser	KU 059-060
Dish Cover	KU 060
French Fries Basket	KU 061
Steamer & Lid	KU 062
Roast Pig Holder	KU 063
Steamer Rack	KU 063
Steamer Piece	KU 063
Weighing Scale	KU 063-064
Meat Saw	KU 064
Dirty Dish Collecting Trolley	KU 064
Plate Rack	KU 065
Dish Caddy	KU 066
Bamboo Steamer & Lid	KU 066-067
Bamboo Steamer Silicon Mat	KU 068
Bamboo Sushi Mat	KU 068
Bamboo Sushi Boat	KU 068
Bamboo Filter	KU 068

04 BAKERY EQUIPMENT & UTENSILS

	Page No.
Bakery Equipment	
Spiral Mixer	BE 001
Planetary Mixer	BE 001
Cake Mixer	BE 002
Water Chiller	BE 002
Dough Divider & Rounder	BE 002
Dough Sheeter	BE 003

04 BAKERY EQUIPMENT & UTENSILS

	Page No.
Bakery Equipment	
Proofer	BE 004-006
Combination Oven	BE 006-007
Rotary Oven	BE 008
Deck Oven	BE 009-012
Convection Oven	BE 013-014
Bread Slicer	BE 015
Dough Rolling Pizza Machine	BE 015
Moulder (Toast & French Roll)	BE 015
Mini Proofer	BE 016
Mini Oven	BE 016
Hand Mixer	BE 016
Pan Rack Trolley	BE 016
Bakery Utensil	
Tray & Pan	
Baking Pan (Stick + Non-Stick)	BE 017-020
Baking Tray	BE 021-022
Cooling Rack	BE 023
Loaf Pan (Stick + Non-Stick)	BE 023-027
Pie Pan & Pizza Pan	BE 028-030
Baking Pan Trolley	BE 030
Ferment Basket	BE 031
Mould	
Multi-Link Mould	BE 031-032
Cake Mould	BE 033-037
Small Cake Mould	BE 037-041
Cannoli	BE 041
Silicone Mould	BE 041-042
Chocolate Mould	BE 043-045
Ice Mould	BE 045
Mousse Ring	BE 045-050
Knives & Tools	
Tong	BE 050-051
Dough Wheel	BE 052
Pizza Wheel	BE 052
Cutting Wheel	BE 053
Can Opener	BE 053
Wool Brush	BE 053-054
Dough Scraper	BE 054-055
Spatula	BE 055
Carving Knives	BE 055
Cake Slicer	BE 056
Egg Separater	BE 056
Egg Knock	BE 056
Melon Baller	BE 056-057
Chocolate Scraper	BE 057-058
Lemon Zester	BE 058
Shear	BE 058
Flour Scoop	BE 058
Rolling Pin	BE 059
Flour Stirrer	BE 060
Funnel & Stand	BE 061
Silicone Mat	BE 061
Cutter	BE 061
Flour Container	BE 062
Whisk	BE 062-063
Mixing Bowl	BE 063
Measuring Cup	BE 063-064
Measuring Spoon	BE 064
Thermometer	BE 064-065
Saccharometer	BE 065
Oven Mitt	BE 065
Pastry Tip	BE 066-067
Pastry Bag	BE 068
Pastry Bag Rack	BE 068
Pizza Board	BE 068-069
Pastry Display	
Tag Holder	BE 069-070
Plastic Tray	BE 070
Bread Basket	BE 071-072
Cake Stand	BE 073
Cake Display Tray	BE 073-074

CONTENTS

05 COFFEE & BAR SUPPLIES — Page No.

Coffee & Bar Equipment

Coffee Machine	CB 001-004
Coffee Grinder	CB 004-005
Coffee Boiler & Warmer	CB 005-006
America Coffee Machine	CB 006
Blender	CB 007-010
Hot Drink Dispenser	CB 010
Ice Crusher	CB 011
Juice Dispenser Mixing	CB 011-012
Slush Machine	CB 013
Ice Cream Machine	CB 014-016
Pearl Cooker	CB 017
Tea Warmer	CB 017
Milk Shaker	CB 017-018
Water Treatment	CB 019
Cup Sealing Machine	CB 019
Fructose Dispensing Machine	CB 020

Coffee & Bar Utensils

Jigger	CB 020
Milk Frother	CB 020
Coffee Pot	CB 020
Milk Jug	CB 021
Coffee Knock Box	CB 021
Coffee Tamper	CB 022
Coffee Scale	CB 022
Table Can Opener	CB 022
Ice Bucket	CB 022-024
Tong	CB 024
Champagne Bucket With Stand	CB 024
Cocktail Sharker	CB 025
Plastic Sharker	CB 025
Ice Strainer	CB 025
Ice Tong	CB 025
Bar Spoon	CB 026
Bottle & Wine Opener	CB 026
PC Scoop	CB 026
Compartment Holder	CB 026-027
Bar Muddler	CB 027
Whiskey Pourer	CB 027
Measure Pourer	CB 028
Store & Pourer	CB 028
Squeeze Dispenser	CB 028
Flair Bottle	CB 028
PC Jug	CB 029
Glass Rack & Cutlery Rack	CB 029-032
Storage Contianer	CB 032-033
Cup Brush	CB 033

Bar Serving Accessories

Non Slip Serving Tray	CB 033
Non Slip Serving Tray Rack	CB 034
Stianless Steel Serving Tray	CB 034-035
Plastic Serving Tray	CB 035
Bar Mat	CB 036
PC Cup	CB 036-042
PC Tong	CB 043
Glass Rimmer	CB 043
Bar Caddy	CB 043
PC Dish Cover	CB 044
Drink Server	CB 045
Food Warmer Cart	CB 046-047
Ice Caddy	CB 047

06 RESTAURANT TABLEWARE & BUFFET — Page No.

Ceramic Tableware

Bone China	RT 001-014
High Temperature Ceramic	RT 015-019

Melamine Tableware

Fast Food Restaurant Melamine	RT 020-028
Japanese Restaurant Melamine	RT 028-036

Glassware

Libbey Brand Glassware	RT 037-059
Chinese Brand Glassware	RT 059-075

06 RESTAURANT TABLEWARE & BUFFET — Page No.

Flatware

Stainless Steel 304	RT 076-078
Stainless Steel 201	RT 078-083
Stainless Steel 430	RT 084-089

Buffet Tableware

Heat Lamp Station	RT 090-091
Toaster	RT 092
Conveyor Toaster	RT 092
Bain Marie	RT 093
Chafing Dish	RT 094-099
Optional Accessories for Chafing Dish	RT 099-100
Soup Warmer	RT 101
Juice Dispenser/ Milk Urn / Coffee Urn	RT 101-103
Cereal Dispenser	RT 104
Chocolate Fountain	RT 104
Water Boiler	RT 105-106
Induction Cooker	RT 106-107
Beer Dispenser	RT 107
Plate Warmer	RT 107-108
Cup Warmer	RT 108
Buffet Display	RT 108-113
Pot (Vacuum Pot & Cold drink Jug)	RT 113-114
Sugar Bowl	RT 114-115
Tong	RT 115-116
Tong Holder	RT 117
Dish Cover	RT 117
Egg Cup	RT 118
Pepper Mill	RT 118-119
Oil Pot	RT 119
Tag Holder	RT 119-120
Reservation Sign	RT 121
Kitchen Counter Bell	RT 121
Table Lamp	RT 121
Placemat	RT 122
Flatware Holder	RT 122
Chopstick	RT 123
Chopstick Holder	RT 123-124
Wine Rack	RT 124
Straw Dispenser	RT 125
Napkin Holder	RT 125
Napkin Ring	RT 125
Baby Chair	RT 125

07 CLEANING PRODUCTS — Page No.

Cleaning Solution

Office Building Cleaning Solution	CL 001-003
Public Toilet Cleaning Solution	CL 004-006
Hospital Cleaning Solution	CL 007-010
Airport & Railway Station Cleaning Solution	CL 011-014

Cleaning Equipment

Scrubber	CL 015-018
Back Pack Vacuum Cleaner	CL 018
Sofa Maintainer	CL 019
Dry Only Vacuum Cleaner	CL 020
Wet & Dry Vacuum Cleaner	CL 020-021
Brushing Machine	CL 021-023
Blower	CL 023

Cleaning Tools

Mop Bucket Trolley	CL 023
Mop	CL 024-025
Squeegee	CL 025-026
Floor Brush	CL 026
Telescope Pole	CL 026
Window Squeegee	CL 027
Cotton Window Wiper	CL 027
Broom	CL 027
Plastic Rubbish Shovel	CL 028
Glass Scrape	CL 028
Duster	CL 028
Sign Board	CL 028
Microfiber Cloth	CL 029
Floor Pad	CL 029
Pick Up Tools	CL 029

CONTENTS

07 CLEANING PRODUCTS — Page No.

Cleaning Tools

Tool Bucket	CL 029-030
Foot Pedal	CL 030
3 Layer Cart	CL 030
Plastic Trolley	CL 030
Collector Cart	CL 030
Linen Trolley	CL 031
Guest Room Service Cart	CL 031
Dust Bin	CL 031-034

Entrance Mat System

Debris Trap Plus	CL 037
Z-Grid Plus	CL 038
Heavy Traffic Loop Mat	CL 038-039
Aqua Crystal	CL 039
Fish Bone	CL 040
Scrape Rib	CL 040
Cut Pile	CL 041
Aqua Crystal Logo Mat	CL 042
Loop Logo Mat	CL 042-043

Wet Area Mat

V-Deck	CL 043
Kitchen Guard	CL 044
Wet Star	CL 044

08 HOTEL LOBBY & GUEST ROOM SUPPLIES — Page No.

Guestroom Supplies

Safe Box	HL 001-002
Mini Bar	HL 003
Torch	HL 004
Telephone	HL 004
Hair Dryer	HL 005
Kettle	HL 006
Leather Set	HL 007-010
Acrylic Set	HL 011-012
Hanger	HL 013-014
Shoe Horn	HL 014
Bluetooth Alarm Clock	HL 014
Iron & Iron Holder	HL 015
Guestroom Dust Bin	HL 015
Scale	HL 016
Umbrella	HL 016
Hang Tag	HL 016
Luggage Rack	HL 016
Extra Bed	HL 017
Mattress	HL 018-022

Bathroom Supplies

Amenities Tray	HL 023
Shaving Mirror	HL 023
Clothes Line	HL 024
Paper Holder	HL 024
Bathroom Hardware	HL 025-031
Bathroom Dust Bin	HL 031-032
Paper Towel Dispenser	HL 032
Bath Mat	HL 032
Soap Dispenser	HL 033
Hand Dryer	HL 033
Wall Mounted Skin Dryer	HL 034
Laundry Basket	HL 034

Linen

Bed Sheet	HL 034
Quilt Cover	HL 035
Quilt	HL 035
Pillow	HL 035
Pillow Case	HL 036
Mattress Protector	HL 036
Face Towel	HL 036
Bath Mat	HL 036
Bath Towel	HL 036
Hand Towel	HL 036
Bathrope	HL 037
Slipper	HL 037

08 HOTEL LOBBY & GUEST ROOM SUPPLIES — Page No.

Linen

Linen Maintenance	HL 038
Linen Producing Process	HL 039

Room Amenities

Room Amenities	HL 040-044

Lobby Supplies

Luggage Cart	HL 045-046
Railing Stand	HL 047
Railing Rope	HL 047
Lobby Rubbish Bin	HL 048
Sign Board	HL 049
Outdoor Dust Bin	HL 050
Newspaper Rack	HL 051
Umbrella Rack	HL 051
Shoe Polish Machine	HL 051

09 LAUNDRY EQUIPMENT — Page No.

Industrial Washer

Fully Automatic Tilting Type Intelligent Washer Extractor	LE 001
Fully Automatic Industrial Washer Extractor	LE 002
Fully Automatic Isolated Washer Extractor	LE 003
Horizontal Semi Automatic Industrial Washing Machine	LE 003

Industrial Dryer

Fully Automatic Tumble Dryer	LE 004
Hydro Extractor	LE 005

Industrial Dry Cleaning Machine

Industrial Dry Cleaning Machine	LE 006

Folding Machine

Folding Machine	LE 006

Industrial Ironing Machine

Flatwork Ironer	LE 007-008

Auxiliary Machine

Stain Removal Table	LE 009
Ironing Table	LE 009-010
Steam Presser	LE 010-011
Collar & Sleeve Steam Presser	LE 011
Form Finisher	LE 012
Clothes Disinfection Cabinet	LE 012
Clothes Packing Machine	LE 012
Steam Generator	LE 013
Clothes Conveyor Machine	LE 013
Steam Ironer	LE 014
Air Compressor	LE 014

10 FURNITURE — Page No.

Guestroom Customize Furniture

Successful Case	FU 001-011

Dining Room Furniture

Banquet Table	FU 012-016
Multifunction Chair	FU 016-018
Coffee & Bar Table & Chair	FU 019
Mobile Stage	FU 019-020
Trolley	FU 020
Lazy Susan	FU 020

Outdoor Furniture

Rattan Furniture	FU 021
Plastic Wood Furniture	FU 021
Sectional Sofa	FU 022
Lounge Chair & Table	FU 022
Cradle	FU 023
Outdoor Umbrella	FU 023-025
Gazebo	FU 025

STANDARD ICON DIRECTORY

It certifies that the electrical and electronic equipment do not contain levels of lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyls (PBB) and polybrominated diphenylethers (PBDEs) above the legally permitted limit

ISO9001: certification of the management system

All the machine components in contact with water and steam undergo the Ruveco Teck coating process which drastically reduces the risk of release of metals in the delivered beverages

The CSQ-CERT certification body offers complex services in the field of Environmental Management System according to the ISO14001

The CSQ-CERT certification body offers complex services in the field of Quality Management System according to the IS09001

Listed by the National Sanitary. Foundation. NSF, an independent testing organization, lists products which meet their criteria for sanitation and cleanability Certification of products and materials intended for contact with food and drinking water on the U.S. market

The Canadian Standards Association(CSA) is a nonprofit association serving business, industry, government and consumers in Canada and the global marketplace.

Conformance European With the CE mark, which is obligatory in the European Union member countries, the manufacturer states that the individual product is compliance with the general safety regulations in the CE-marking directives.

Underwriters Laboratories The UL Listing Mark attests that products have been tested and evaluated according to the US safety standards

The cUL Listing Mark attests that products have been tested and evaluated according to the Canedian safety standards

The C UL US Listing Mark attests that products have Canadian safety standards

The UL EPH mark appear on products that have been evaluated to Environmental and Public Health Standards. The "Classified" version is used for products complying with ANSI/NSF Standards and other food equipment hygiene codes and requirements. Examples include Food Service and Meat and Poultry Plant Equipment and Drinking Water Additives. The "Listed" version is typically used for products complying with UL's own published EPH Standards for Safety.

ETL Testing Laboratories

The Eco-design Directive for Energy-using Products (2005/32/EC) was adopted in 2005 and came Into force in August 2007. It establishes a framework under which manufacturers of energy-using products (EuP) will, at the design stage,be obliged to reduce the energy consumption and other negative environmental impacts that occur during the product's life cycle. This is an article 95 directive which means adoption will be aligned in all member states.

Registration, Evaluation, Authorization and Restriction of Chemicals

Restriction of Hazardous Substances, RoHS is the standard used to make sure certain substances are not used in electronic products. The legislation limits use of lead, polybrominated diphenyl ethers, mercury, hexavalent chromium, cadmium and polybrominated biphenyls.

The International "emc-Mark" appears on products meeting the electromagnetic compatibility requirements of Europe, the United States, Japan, Australia, or any combination of the four.In the United States, some types of products can't be sold without proof of compliance to U.S. electromagnetic compatibility requirements. The types of products that are subject to EMC testing include medical and dental equipment, computers, microwave ovens, televisions, radios, transmitters, and radio-controlled equipment

Products have been designed and manufactured to comply with any ad all specifications set out by the Australian Communications Authority(ACA) in regards to Electromagnetic Compatibility. As testament to such compliance these units bear the C-Tick symbol

Norway - NEMKO
(Norwegian Board for Testing and Approval of Electrical Equipment) The recognized association for Norwegian standards is the Norwegian Electrotechnical Committe (NEK). NEK starndards are identical to IEC and CENELEC.
The NEMKO mark molded into a plug or connector indicates that a product has been tested and approved by NEMKO.

ISO 9001:2008 certification has been in place for over a decade now and is used by both customers and companies as a method of controlling their quality. The Standard provides a framework to manage your business and ensure a philosophy of continual improvement in all aspects of your business.

The China Compulsory Certificate (CCC), which is obligatory, attests that products are complying with Chinese standards

Every operation serving or selling food needs to have a food safety system in place that is designed specifically to guarantee the food being served is safe to eat.This specific food safety system is called HACCP for hazard analysis and critical control point.



WEIGHT & MEASURES

(American and British English usage, with approximate metric equivalents)

Linear Measurement

1 centimeter (cm)	10 millimeters (mm)
1 meter (m)	100 centimeters (cm)
1 kilometer (km)	1000 meters (m)
1 foot (ft)	12 inches (in)
1 yard (yd)	3 feet (ft)
1 yard (yd)	36 inches (in)
1 mile (mi)	1760 (yd)
1 millimeters (mm)	0.03937 inches (in)
1 centimeters (cm)	0.39370 inches (in)
1 meter (m)	39.37008 inches (in)
1 meter (m)	3.28084 feet (ft)
1 meter (m)	1.09361 yards (yd)
1 kilometer (km)	1093.6133 yards (yd)
1 kilometer (km)	0.62137 miles (mi)
1 inch (in)	2.54 centimeters (cm)
1 foot (ft)	30.48 centimeters (cm)
1 yard (yd)	91.44 centimeters (cm)
1 yard (yd)	0.9144 meters (m)
1 mile (mi)	1609.344 meters (m)
1 mile (mi)	1.609344 kilometers

Square Measurement

1 sq centimeters (cm^2)	100 sq millimeters (sq mm)
1 sq meter (m^2)	10000 sq centimeters (cm^2)
1 hectare (ha)	10000 sq meters (m^2)
1 sq kilometer (km^2)	100 hectare (ha)
1 sq kilometer (km^2)	1 million sq meters (m^2)
1 sq foot (ft^2)	144 sq inches (in^2)
1 sq yard (yd^2)	9 sq feet (ft^2)
1 acre	4840 sq yards (yd^2)
1 acre	43560 sq feet (ft^2)
1 sq mile (mi^2)	640 acres
1 sq centimeters (cm^2)	0.15500 sq inches (in^2)
1 sq meter (m^2)	10.76391 sq feet (ft^2)
1 sq meter (m^2)	1.19599 sq yards (yd^2)
1 hectare (ha)	2.47105 acres
1 sq kilometer (km^2)	0.386102 sq miles (mi^2)
1 sq inch (in^2)	6.4516 sq centimeters (cm^2)
1 sq foot (ft^2)	929.0304 sq centimeters (cm^2)
1 sq foot (ft^2)	0.09290 sq meters (m^2)
1 sq yard (yd^2)	0.83613 sq meters (m^2)
1 acre	0.40469 hectares (ha)
1 sq mile (mi^2)	258.99881 hectares (ha)
1 sq mile (mi^2)	2.589988 sq kilometers (km^2)

Comparison table of the tube size and tube diameter

1/4 in	0.635 cm
3/8 in	0.950 cm
1/2 in	1.270 cm
3/4 in	1.900 cm
1 in	2.540 cm
1 1/4 in	3.180 cm
1 1/2 in	3.810 cm
2 in	5.080 cm
3 in	7.620 cm
3 1/2 in	8.910 cm
4 in	0.20 cm
4 1/2 in	1.40 cm
6 in	15.20 cm
8 in	20.30 cm

Cubic Measure(Volumes)

1 cubic centimeter (cm^3)	1000 cubic millimeters (cu mm)
1 cubic meter (m^3)	1 million cubic centimeters (cm^3)
1 cubic foot (ft^3)	1728 cubic inches (in^3)
1 cubic yard (yd^3)	46656 cubic inches (in^3)
1 cubic yard (yd^3)	27 cubic feet (ft^3)
1 cubic centimeter (cm^3)	0.60102 cubic inches (in^3)
1 cubic meter (m^3)	35.31467 cubic feet (ft^3)
1 cubic meter (m^3)	1.30795 cubic yards (yd^3)
1 cubic inch (in^3)	16.38706 cubic centimeters (cm^3)
1 cubic foot (ft^3)	0.02832 cubic meters (m^3)
1 cubic yard (yd^3)	0.76455 cubic meters (m^3)

Mass (Weight)

1 milligram (mg)	0.015 grain
1 centigram	10 milligram/0.154 grain
1 decigram	100 milligram/1.543 grain
1 gram (g)	1000 milligrams
1 kilogram (kg)	1000 grams (g)
1 tonne (1 megagram)	1000 kilograms (kg)
1 grain	0.065 grams (g)
1 dram (dr)	1.772 grams (g)
1 ounce (oz)	16 drams (dr)
1 pound (id)	16 ounces (oz)
1 stone	6.35 kilograms /14 pounds
1 hundred weight (cwt)	100 pounds (ib)
1 ton (short)	20 hundred weight (cwt)
1 ton (short)	200 pound (ib)
1 gram (g)	0.035274 ounce (oz)
1 kilogram (kg)	2.20462 pound (ib)
1 kilogram (kg)	35.27396 ounce (oz)
1 tonne	1.10231 ton,short
1 ounce (oz)	28.34952 grams (g)
1 pound (ib)	453.59237 grams (g)
1 pound (ib)	0.45359 grams (g)
1 hundred weight (cwt)	50.8023 kilograms (kg)
1 ton (short)	0.90718 tonnes

Liquid Volume

1 tablespoon (tbsp)	3 tablespoons (tsp)
1 fluid ounce (fl oz)	2 tablespoons (tbsp)
1 fluid ounce (fl oz)	8 drams (dr)
1 cup (c)	8 fluid ounce
1 quart (qt)	2 pints
1 gallon (gal)	4 quart (qt)

Capacity measurement

1 pint	20 fluid ounces
	34.68 in^3
	0.568 litre
1 gallon	4 quart
	4.546 litre
1 peck	2 gallon
	9.092 litre
1 bushel	4 peck
	36.4 litre
1 quarter	8 bushel
	2.91 litre

VOLTAGE & PLUG

Voltage Reference

Voltage	Countries & Places
100V	JAPAN, KOREA
110~130V	TAIWAN CHINA, USA, CANADA, MEXICO, PANAMA, CUBA, LEBANON
200V	HONGKONG
220~230V	CHINA, UK, DEUTSCHLAND, FRANCE, ITALY, AUSTRALIA, INDIA, SINGAPORE, THAILAND, NETHERLAND, SPAIN, GREECE, AUSTRIA, PHILIPPINE, NORWAY, TANZANIA

Plug Reference



Plug Types In Different Places

American Plug Types



Chinese Plug Types



European Plug Types




U.K. & Hongkong Plug Types



NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

TEMPERATURES FOR FOOD SAFENESS



COOPERATIVE BRANDS



nts MART

GLOBAL ONE-STOP
FOODSERVICE & HOSPITALITY
SOLUTIONS PROVIDER

LAUNDRY EQUIPMENT



No. 09

www.ntsmart.com

©2010-2021 NTSmart Corporation. All rights reserved.



LAUNDRY EQUIPMENTS

Industrial Washer

Fully Automatic Tilting Type Intelligent Washer Extractor	001
Fully Automatic Industrial Washer Extractor	002
Fully Automatic Isolated Washer Extractor	003
Horizontal Semi Automatic Industrial Washing Machine	003

Industrial Dryer

Fully Automatic Tumble Dryer	004
Hydro Extractor	005

Industrial Dry Cleaning Machine

Industrial Dry Cleaning Machine	006

Folding Machine

Folding Machine	006

Industrial Ironing Machine

Flatwork Ironer	007-008

Auxiliary Machine

Stain Removal Table	009
Ironing Table	009-010
Steam Presser	010-011
Collar And Sleeve Steam Presser	011
Form Finisher	012
Clothes Disinfection Cabinet	012
Clothes Packing Machine	012
Steam Generator	013
Clothes Conveyor Machine	013
Steam Ironer	014
Air Compressor	014

Fully Automatic Tilting Type Intelligent Washer Extractor

· Functions:

This series of fully automatic tiltable style washing extractor is our latest development machine, it is with fabrics washing and dewatering functions, and it can make front and back tiltting to save the cost of manpower and labor intensity.

· Applications:

It is widely used in hotels,guesthouses,restaurants,dry cleaning shops,hospitals,factories,schools,and institutions for washing clothes and other linens.

· Features:

1.This series of washing extractor has front tiltable function , it can make the gate open and close automaticly. After the end of operation ,the fabrics will be poured by Jog control without pulling by manpower.

2.Meanwhile , the backward tiltting function is available . It can save labor force and make human operation convenient when fitting the linens.

3. With devices constantly monitor the functioning of the bearing running and vibration , relevant data is automatic detected in a timely manner to remind of user operation;

4. Open construction makes repair and maintenance conveniently .

5.Touch programmable computer-controlled, large-screen liquid crystal display, interactive interface, constantly reflect the running and functioning of the machine, when a fault occurs， it will be easily resolved according to the error code.

6.With large caliber of inner drum,the material uploading and unloading is more convenient.

7.Frequency Control, low energy consumption, the motor running steady;

8. The high-speed dewatering have six levels of speed, it can choose different washing speed depending on the fabrics.



Code: 0500600107

Code: 0500600108

Code: 0500600109

Code: 0500600110

Code: 0500600111

Code	0500600107	0500600108	0500600109	0500600110	0500600111
Capacity:	20kg	30kg	50kg	100kg	130kg
Drum size(mm):	Φ800x400	Φ900x475	Φ1080x550	Φ1300x760	Φ1300x980
Drum speed:	860rpm	830rpm	790rpm	720rpm	680rpm
Middle extract speed:	440rpm	430rpm	375rpm	350rpm	310rpm
High extract speed:	920rpm	830rpm	780rpm	720rpm	700rpm
Motor power:	2.2kW	4kW	5.5kW	7.5kW	11kW
Transformer power:	4kW	5.5kW	7.5kW	11kW	15kW
Angle of inclination:	21°α	21°α	21°α	21°α	21°α
Steam pressure:	0.4~0.6Mpa	0.4~0.6Mpa	0.4~0.6Mpa	0.4~0.6Mpa	0.4~0.6Mpa
Water consumption:	0.2m³	0.3m³	0.5m³	1.1m³	1.5m³
Steam consumption:	18kg/h	27kg/h	45kg/h	90kg/h	120kg/h
Dimension(mm):	1500x1250x1578	1790x1640x1840	1930x1640x1900	2110x1680x2163	2110x2090x2185
Weight:	1300kg	1500kg	2600kg	3500kg	4200kg

Fully Automatic Industrial Washer Extractor（Electric/Steam）

- This series of machines have the functions of washing and dewatering, Arbitrary choice of the wash cycle, the number of cleanings, dehydration time, etc. For a wide range of fabrics. The device uses a variable frequency drive, speed adjustment smooth, flexible, low noise; equipment used back drainage structure to solve the problem of clean laundry;
- Large-screen computer version control, strong function, flexible and professional. 40 sets of program memory. Manual controller , when the computer controller failure, you can switch to the emergency operating system, manual operation, complete the washing.
- Inner drum made of high quality 304 stainless steel welded strength, punching sided, double-sided polishing and reduce fabric wear.
- Mechanical equipment used under suspension spring shock structure, low noise, wash and high speed extract excessive smooth, no need the base.
- Floating Viton sealing, completely isolated from the water, and the pH of the material penetration and protect bearings, improve life.
- Large-diameter, stainless steel deep-style doors fitted clothes, effectively prevent the clamp pull linen, while reducing the labor intensity of the operation; narrow popular in Europe and America, the big door, to ensure reliable sealing of the door.
- In vitro using the automatic refueling device, ergonomically mechanics, reduce maintenance labor intensity, can delay life.Products are mainly suitable for hotels, restaurants, laundry, washing hospital linen.



	Code: 0500600006	Code: 0500600007	Code: 0500600112	Code: 0500600113
Code	0500600006	0500600007	0500600112	0500600113
Washing capacity:	15kg	20kg	25kg	30kg
Drum size:	Φ700x450mm	Φ800x450mm	Φ800x470mm	Φ900x480mm
Drum speed:	45rpm	45rpm	45rpm	36rpm
High speed:	850r/min	830r/min	800r/min	780r/min
Voltage:	220V/380V	220V/380V	220V/380V	
Motor power:	2.2kw	2.2kw	2.2kw	4kw
Steam consumption:	18kg/h	20kg/h	25kg/h	33kg/h
Water inlet:	25mm	25mm	25mm	40mm
Water outlet:	50mm	50mm	50mm	125mm
Dimension:	1120x1060x1560mm	1120x1060x1560mm	1200x1060x1630mm	1420x1480x1880mm
Weight:	400kg	560kg	625kg	1550kg

	Code: 0500600114	Code: 0500600115	Code: 0500600116	Code: 0500600117
Code	0500600114	0500600115	0500600116	0500600117
Washing capacity:	50kg	70kg	100kg	120kg
Drum size:	Φ1080x630mm	Φ1050x 810mm	Φ1200x870mm	Φ1300x 880mm
Drum speed:	36rpm	34rpm	34rpm	34rpm
High speed:	780r/min	710r/min	700r/min	680r/min
Voltage:	380V	380V	380V	380V
Motor power:	5.5kw	5.5kw	7.5kw	7.5kw
Steam consumption:	35kg/h	48kg/h	60kg/h	70kg/h
Water inlet:	40mm	40mm	40mm	40mm
Water outlet:	125mm	125mm	125mm	125mm
Dimension:	1620x1650x2100mm	1600x1820x2100mm	1750x2050x2250mm	1770x2080x2080mm
Weight:	2650kg	2950kg	3600kg	4000kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Fully Automatic Barrier Washer Extractor（Steam）

- Our newly series isolating type of washing and de-watering machines, which it is meet the requirement washing needs of gem-free, dust-free, anti-static.
- Through the isolating type of washing equipment and isolating wall, it divides the laundry room into two separate independent operating areas,"Clean"area and "Non-clean"area.Launderettes will be loaded into the washing machine throughthe door from the "Non-clean"room side .After washing， unloading will be from the " Non-clean"room polluting the"clean"room .Thus it prevents the clean launderette from being contaminated and get infected again.
- With touch screen computer controller, flexible and professional control system, comprehensive self-test function, a variety of common fault display, multiple programs.
- They are widely used by hospital,food and pharmaceutical factories, nuclear power plants etc where extreme dust and gem-free environmental requirement for laundry room are needed .it is the ideal laundry equipment for such situation.

Washing capacity:	100kg
Inner drum dimension:	Φ950x1450mm
Motor power:	7.5kW
steam consumption:	90kg/h
Water consumption:	≤14L/kg
Weight:	1800kg
Dimension:	2340x1480x2180mm

Code: 0500600133



Horizontal Semi Automatic Industrial Washing Machine（Steam）

- Horizontal industrial washing machine is a new generation of washing machines for washing all kinds of cotton, wool, hemp, chemical fiber blended fabrics such as clothing, for mining, schools, hotels, hostels, hospitals and so has a wide range of uses , is to reduce labor intensity and improve work efficiency, reduce energy consumption ideal equipment.
- The computers use the roller forward, stop, reverse, stop periodically reversing the fabric in the detergent and tumbling drum role played friction between the fabric and the fabric, fell throw in the drum, beat, under thump role, to remove dirt purposes. Using a large-caliber fast into the drainage system, greatly reducing the wash cycle, the equipment to play a greater efficiency and cost savings; using copper sleeve seal, no leakage, the new oil asbestos packing shaft seal may never need to ensure replace the seal of the original while demolition spindle.



Code: 0500600037

Code: 0500600038

Code: 0500600040



Code: 0500600035

Code: 0500600033

Code: 0500600034

Code: 0500600036

Code	Washing capacity	Drum size(mm)	Motor power	Dimension(mm)	Weight
0500600037	35kg	Φ720x930	1.1kw	1820x 950x1150	450kg
0500600038	50kg	Φ830x1000	1.5kw	1920x1030x1230	520kg
0500600040	100kg	Φ970x1400	3kw	2300x1500x1400	900kg
0500600033	150kg	Φ1080.5x1620	4kw	2560x1520x1720	1820kg
0500600034	200kg	Φ1080.5x2000	5.5kw	2990x1560x2210	2200kg
0500600035	250kg	Φ1200x2200	7.5kw	3200x1620x2500	3000kg
0500600036	300kg	Φ1320x2200	11kw	3200x1750x2600	3500kg

Fully Automatic Tumble Dryer（Electric/Steam）

• This drying machine's inner made of stainless steel, reduce friction for fabric. Its outstanding advantages are:

1. Optimized design of cooling and blower, large scale heater, fast heat exchange and high energy's utilization rate to make it has fast heating fuction.
2. High-density vents for roller to ensure heat through the linen, the cloth can be full dried in the shortest time.
3. Large diameter loading doors for easy loading and unloading clothes, door design is use overtake port to avoid pulling linen. Safety interlocks ensure fitted clothes door open state machine starts braking.
4. Computer control can be set the drying time and temperature dryer precisely . Computer controller with touchable design, flexible and reliable operation.
5. Large size of plush collection network, anti-dust mesh machine, this machine is drawer-type structure, pull it out can be clean. large area of hole rate to ensure the flow smoolthly. large-diameter fan duct, it is not easy to blocking plush.



	Code: 0500600118	Code: 0500600119	Code: 0500600120
Code	0500600118	0500600119	0500600120
Drying capacity:	15kg	25kg	30kg
Roller size:	Φ750x640mm	Φ970x660mm	Φ970x800mm
Drum Speed:	35	35	35
Motor power:	0.55kw	0.75kw	1.1kw
Fan power:	0.55kw	0.75kw	0.75kw
Steam consumption:	50	60	70
Steam pressure:	0.4-0.6	0.4-0.6	0.4-0.6
Dimension:	850x1050x1740mm	1090x1190x1960mm	1090x1330x1960mm
Weight:	320kg	400kg	750kg

	Code: 0500600121	Code: 0500600155	Code: 0500600122
Code	0500600121	0500600155	0500600122
Drying capacity:	50kg	70kg	100kg
Roller size:	Φ1200x880mm	Φ1200x1080mm	Φ1450x1100mm
Drum Speed:	34	32	30
Motor power:	1.5kw	1.5kw	2.2kw
Fan power:	1.1kw	1.5kw	1.1x2kw
Steam consumption:	80	100	120
Steam pressure:	0.4-0.6	0.4-0.6	0.4-0.6
Dimension:	1330x1380x2280mm	1330x1580x2280mm	1630x1875x2500mm
Weight:	850kg	950kg	1250kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Hydro Extractor（Electric）

- High-speed centrifugal principle, fast speed for dehydration with high dehydration, without any damage to the fabric.
- The product have brake system to rolling drum brake reliable.
- The product can be used for the dehydration of other small parts, meanwhile, it also can be used to separate particles and coarse particles in suspension.
- The roller is made of stainless steel with durable and long life.



Code: 0500600042 Code: 0500600043 Code: 0500600044

Code	0500600042	0500600043	0500600044
Dewatering capacity:	25Kg	35Kg	50Kg
Dehydration speed:	850r/min	830r/min	786r/min
Inner cylinder size:	Φ570x330mm	Φ640x330mm	Φ850x390mm
Motor power:	1.1kw	1.5kw	4kw
Rated Voltage:	3phase 380V/50Hz	3phase 380V/50Hz	3phase 380V/50Hz
Dimension:	1200x1000x650mm	1300x1100x700mm	1650x1300x850mm
Weight:	350Kg	400Kg	850Kg

Code: 0500600045 Code: 0500600046

Code	0500600045	0500600046
Dewatering capacity:	70Kg	100Kg
Dehydration speed:	780r/min	770r/min
Inner cylinder size:	Φ950x400mm	Φ1000x380mm
Motor power:	5.5kw	7.5kw
Rated Voltage:	3phase 380V/50Hz	3phase 380V/50Hz
Dimension:	1700x1400x900mm	1880x1550x1000mm
Weight:	1200Kg	1500Kg

Fully Automatic Dry Cleaning Machine（Electric/Steam）

- This product is environment friendly, full closed and automatic cleaning machines, with low outside excretion, it is an economical fuel-saving device.
- This product uses the frequency conversion technology, it is can be flexible select the washing and take off fluid velocity for all types of clothing to playing a good protection for clothing;
- The cylinder to control the temperature of the solvent by refrigeration technology, it will be more suitable for dry of fur fabric;
- With efficient refrigeration group and heat pump system, which have short time for drying and saving consumption.
- With large-screen computer controller and powerful operating functions.



Code: 0500600026 Code: 0500600027 Code: 0500600028 Code: 0500600029

Code	0500600026	0500600027	0500600028	0500600029
Washing capacity:	8kg	10kg	12kg	16kg
Drum capacity:	138L	160L	200L	320L
Washing speed:	34r/min	34r/min	34r/min	34r/min
Extracting speed:	370r/min	370r/min	370r/min	370r/min
Hydraulic pump power:	0.75kw	0.75kw	0.75kw	1.5kw
Drum motor (low speed):	0.4kw	0.4kw	0.4kw	0.75kw
Drum motor (high speed):	1.5kw	1.5kw	1.5kw	2.2kw
The filter motor:	0.55kw	0.55kw	0.55kw	0.55kw
Voltage:	3 phase, 380V, 50Hz	3 phase, 380V, 50Hz	3 phase, 380V, 50Hz	3 phase, 380V, 50Hz
Dimension:	1700x1150x1950mm	1700x1150x1950mm	1720x1180x1970mm	2060x1600x2360mm
Weight:	700kg	800kg	950kg	1200kg

Folding Machine（Electric）

- With the ability to identify the width of linen and folding highly accurate, the use of highly intelligent LCD touch screen operating system, has a good user interface.
- With MCU control and touch screen display, highly anti-interference performance. There are two independent drive motor, which have inverter control with folding speed 50m/min and can't adjustable features,it can be matched with various types of ironing machine.It has three fold ,five fold function.
- Improved diagnostic capabilities and security systems to easy for daily use and machine maintenancent ; Anti-static function to adding to the reliability and stability for the machine.



Code: 0500600131 Code: 0500600132

Code	0500600131	0500600132
Maximum folding width:	3000mm	3300mm
Biggest fold number:	5times	5times
Folding speed:	10-50m/min	10-50m/min
Compressed air pressure:	0.7MPA	0.7MPA
Rated power input:	2.25kw	25kw
Dimension:	4200x2800x1760mm	4500x2800x1760mm
Weight:	1600kg	1720kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Flatwork Ironer (Electric)

- This product biggest feature is combination design . Front and rear component structure is very close ,Through simple transformation to achieving randome combination. In user's premises can be upgraded from single roller to a double roller, double to three , four, five , six etc .
- The large drum is made of high quality 304 stainless steel. each presser shaft and shaft belt tensioning shafts are made of high-quality seamless steel with 5mm thickness , to ensure fabric smoothly, no clip edge and reducing ironing marks after ironing.
- With large drum diameter 800mm, and by optimized design of leveling machine to ensure ironed material contact area up to three-quarters of the drum area. it is have high efficient for ironing.
- Reasonable differential design for the feed roller , ironing room and a large drum roll to improving the screed data ; Directed heater design of roller to improving the energy utilization.
- With gears to make transmission smoothly. Frequency control Transmission speed adjustment smoothly , soft , non-impact , speed adjustment and flexible, low noise . with the anti- roll feed safety shutter , which can effectively prevent the accidents.
- Products widely is used in hotels, hospitals, schools , military , and other agencies and professional laundry washing companies, textile dyeing factory, is one of the important washing equipment.



Single Roller

	Code: 0500600123	Code: 0500600124	Code: 0500600125
Code	0500600123	0500600124	0500600125
Max.ironing width:	2500mm	2800mm	3000mm
Roller Quantity:	1	1	1
Ironing speed:	2~15meter	2~15meter	2~15meter
Voltage:	3 phase, 380V, 50Hz	3 phase, 380V, 50Hz	3 phase, 380V, 50Hz
Motor power :	0.75kg	0.75kg	0.75kg
Heating power :	24kw	28kw	30kw
Highest Temp. :	158 C	158 C	158 C
Dimension :	3460x1335x1320mm	3760x1335x1320mm	3960x1335x1320mm
Weight :	2600kg	2750kg	2850kg

Double Rollers

	Code: 0500600127	Code: 0500600128	Code: 0500600129
Code	0500600127	0500600128	0500600129
Max.ironing width:	2500mm	2800mm	3000mm
Roller Quantity:	2	2	2
Ironing speed:	4~25meter	4~25meter	4~25meter
Voltage:	3 phase, 380V, 50Hz	3 phase, 380V, 50Hz	3 phase, 380V, 50Hz
Motor power :	1.5kg	1.5kg	1.5kg
Heating power :	48kw	56kw	60kw
Highest Temp. :	158 C	158 C	158 C
Dimension :	3460x2329x1320mm	3760x2329x1320mm	3960x2329x1320mm
Weight :	3500kg	3800kg	4100kg

Flatwork Ironer (Steam)

- This product biggest feature is combination design . Front and rear component structure is very close ,Through simple transformation to achieving randome combination. In user's premises can be upgraded from single roller to a double roller, double to three , four, five , six etc .
- The large drum is made of high quality 304 stainless steel. each presser shaft and shaft belt tensioning shafts are made of high-quality seamless steel with 5mm thickness , to ensure fabric smoothly, no clip edge and reducing ironing marks after ironing.
- With large drum diameter 800mm, and by optimized design of leveling machine to ensure ironed material contact area up to three-quarters of the drum area. it is have high efficient for ironing.
- Reasonable differential design for the feed roller , ironing room and a large drum roll to improving the screed data ; Directed heater design of roller to improving the energy utilization.
- With gears to make transmission smoothly. Frequency control Transmission speed adjustment smoothly , soft , non-impact , speed adjustment and flexible, low noise . with the anti- roll feed safety shutter , which can effectively prevent the accidents.
- Products widely is used in hotels, hospitals, schools , military , and other agencies and professional laundry washing companies, textile dyeing factory, is one of the important washing equipment.



Code: 0500600156 Code: 0500600157 Code: 0500600158

Single Roller

Code	0500600156	0500600157	0500600158
Max.ironing width :	2500mm	2800mm	3000mm
Roller Quantity :	1	1	1
Ironing speed :	2~15m/min	2~15m/min	2~15m/min
Steam pressure:	<0.6	<0.6	<0.6
Steam consumption :	80kg/h	90kg/h	100kg/h
Steam interface:	ZG1 1/2"	ZG1 1/2"	ZG1 1/2"
Hydrophobic interface :	ZG3/4"	ZG3/4"	ZG3/4"
Highest Temp. :	158 C	158 C	158 C
Dimension :	3460x1335x1320mm	3760x1335x1320mm	3960x1335x1320mm
Weight:	2600kg	2750kg	2850kg

Code: 0500600159 Code: 0500600160 Code: 0500600161

Double Rollers

Code	0500600159	0500600160	0500600161
Max.ironing width :	2500mm	2800mm	3000mm
Roller Quantity :	2	2	2
Ironing speed :	4~25m/min	4~25m/min	4~25m/min
Steam pressure:	<0.6	<0.6	<0.6
Steam consumption :	140kg/h	160kg/h	180kg/h
Steam interface:	ZG1 1/2"	ZG1 1/2"	ZG1 1/2"
Hydrophobic interface :	ZG1"	ZG1"	ZG1"
Highest Temp. :	158 C	158 C	158 C
Dimension :	3460x2329x1320mm	3760x2329x1320mm	3960x2329x1320mm
Weight:	3500kg	3800kg	4100kg

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Stain Removal Table (Without Generator)

- This machine (vacuum dehumidifiers cold scouring) is a branch of our company manufacturing products dry cleaning, washing ironing equipment, which applies to the hotel, laundry center, remove all kinds of stains on the fabric. It makes work easier, saving medicine, it is the ideal tool for removing stains.
- This machine is use a powerful vacuum dehumidifiers, hot and cold scouring, it is configure two stain removal gun for cooling and one stain removal gun for steaning. The water tanks are made of high quality stainless steel with durable characteristic. It's knock-down system for easy transportation and maintenance.



Voltage:	1 phase, 220V, 50Hz
Motor power:	0.37kw
Compressed air pressure:	0.3~0.7Mpa
Compressed air interface size:	6mm
Steam Pressure:	0.15~0.5Mpa
Steam inlerface size:	1/2inch
Dimension:	950x400x1550mm
Weight:	52kg

Code: 0500600136

Vacuum Ironing Table (Without Generator)

- With centrifugal multi-blade impeller, with large suction and low noise.
- Made of high quality material and durable characteristic.
- It is suitable for semi-finish & finished garments ironing. The pedal controls the ventilation door.
- Foot switch is controls the main motor to saving energy, with iron hanger.



Voltage:	1 phase, 220V, 50Hz
Motor power:	0.37kw
Dimension:	1510x900x960mm
Ironing Table Area:	1500x800mm
Electric Heating Power:	1kw
Weight:	350kg

Code: 0500600137

Multi-Function Ironing Table (Built in Generator, Stain Removing Function)

- This machine is high product technology and process structure, with multifunctional feature ironing table for all kind of high-end clothing. which it is make quanlity singnificantly and prevernt light clothing collection surface efficiently.
- Equipped with stain removal gun for hot and cool and Stain removing countertop, it can process the stain removing treatment anytime during the ironing to improving working efficiency conveniently.
- With automatic steam generator, no need external steam. It's fast steam outlet, steam-saving.



Voltage:	1 phase, 220V, 50Hz
Motor power:	0.55kw
Dimension:	1900x760x1880mm
Weight:	200kg

Code: 0500600138

Bridge Pose Ironing Table (Without Generator)

- This machine is the multi-purpose product, which combines suction (blowing) and a small steam ironing table and a steam boiler. Mainly for Hygroscopic and sizing for Semi-finished and finished products to imprving processing quality and grade of the ideal equipment.
- This product has both suction and blowing function, it can be adsorbed cloth in hot mode or countertop when sucting , Meanwhile, out of water and steam, so that rapid cooling cloth stereotypes; it can be blow up the clothing when blowing and the cloth is ironing in the air, do not cause the fabric to produce a mirror phenomenon to improving the quality and efficiency.
- The product have steam boiler functions and no requires external steam source at work.
- Equipped with high-speed motor, it is big power stcution, fast dehumidification speed, lasting cooling styling effect.
- This product is comfortable and beautiful design, reasonable structure for inner, smooth operation, low noise.



Voltage:	1 phase, 220V, 50Hz
Pump power:	0.08kw
Heating power:	3.5kw
Blast pressure:	140Pa
Noise:	78db
Power consumption:	3kw
Net Weight:	160kg
Dimension:	1540x510x1880mm

Code: 0500600139

Semi- Automatic Steam Presser (Without Generator)

- Heavy pressure machine of fast positioning and unadjustment pressure
- Adjustable mold temperature for top and bottom.
- Free to set pressure time.
- Insulated from the chuck technology , safe, durable, distribution of steam symmetrically.
- The top is casting design for easy to use and convenient.
- 2-inch dehumidifier system.



Voltage:	220/380V
Motor power:	0.2kw
Steam consumption:	15-25kg/h
Dimension:	1200x1100x1500mm
Weight:	350kg

Code: 0500600140

Fully Automatic Steam Presser (Without Generator)

- Heavy pressure machine of fast positioning and unadjustment pressure
- Automatic press
- Adjustable mold temperature for top and bottom
- Free to set pressure time
- Insulated from the chuck technology , safe, durable, distribution of steam symmetrically.
- The top is casting design for easy to use and convenient.
- 2-inch dehumidifier system.



Voltage:	220/380V
Motor power:	0.2kw
Steam consumption:	15-25kg/h
Dimension:	1200x1100x1500mm
Weight:	400kg

Code: 0500600099

NTSmart Tel.+86-20-89301818/28/38 CHINA nts@ntsmart.com
NTSmart Tel.+95-1-7534400 MYANMAR nts@ntsmyanmar.com.mm
NTSmart Tel.+66-2-8667474 THAILAND sales@ntsmart.co.th
NTSmart Tel.+255-22-2700674/75 TANZANIA ntstz@ntsmart.com

Fully Automatic Wet Steam Presser (Without Generator)

- This machine mainly for relatively clothing of high requirements stereotypes :
- Two cylinders, it is efficient and can be reducing friction。
- With hydraulic shock absorber, opening and closing smoothly to reducing noise and vibration.
- Big scale pressing part, color code button for easy to use.
- Suitable foe all kind of clothing.



Voltage:	220/380V
Motor power:	0.2kw
Steam consumption:	15-25kg/h
Dimension:	1300x1200x1400mm
Weight:	400kg

Code 0500600141

Fully Automatic Mushroom Steam Presser (Without Generator)

- This machine is suitable for some small crosswise parts, belts, short sleeves and other hard to touch the place.
- high quality Pneumatic Original and reasonably gas path design, the air is control pressure work, no external power, stable, reliable, safety.
- 6mm polished stainless steel, reasonable gas pressure structure, Goodness of fit pressure to ensure high quality ironing.
- Steam path design is simple and effective, fast heating, low heat loss.
- Can be customized according to customer special requirements.



Voltage:	220V
Motor power:	0.2kw
Steam pressure:	0.4~0.5Mpa
Steam consumption:	15-25kg/h
Compressed air consumption:	60L/Hour
Dimension:	1300x1200x1400mm
Weight:	350kg

Code 0500600142

Fully Automatic Collar and Sleeve Steam Presser (Without Generator)

- Heavy pressure machine of fast positioning and pressure stepless adjustable
- Adjustable mold temperature for top and bottom
- Free to set pressure time
- Mainly for the collar and sleeve



Voltage:	220V
Motor power:	2.3kw
Steam pressure:	0.4~0.5Mpa
Steam consumption:	15-25kg/h
Compressed air consumption:	60L/Hour
Dimension:	1300x1350x1400mm
Weight:	350kg

Code: 0500600143

Form Finisher (Without Generator)

- Adopt high quality stainless steel, can prevent rust corrosion or high temperatures caused large corrosion, resistant rain durability.
- The machine is designed to maximize energy efficiency, and enable the machine to complete a large number of jobs in a short time, is an economical product with minimal fuel consumption.
- In order to avoid inconvenience in use, steam, cold and altitude of the device have made large additions have increased from regulating spray strong and weak features, so the ironing machine can handle other ironing machines are difficult to iron out the clothing.
- For user convenience, the figure is combined with timely, mannequins can freely rotate around.
- Installed a distribution operation switch, computer controlled automatic and manual combined under, to avoid inconvenience in use.



Voltage:	1 phase, 220V, 50Hz
Rated power:	0.85kw
Electric power:	0.75kw
Electric steam generator power:	≥12kw
Steam presser:	0.4~0.5Mpa
Working dimension:	1300x1300mm
Steam consumption:	10-15kg/h
Dimension:	1150x600x1550mm
Weight:	105kg

Code: 0500600100

Clothes Disinfection Cabinet

- Microcomputer automatic temperature control function, constant indoor temperature sterilization,high temperature disinfection to ensure efficient.
- Large-capacity high-temperature studio,faciliate a variety of clothing,use low ozone disinfection.



Voltage:	1phase 220V/50Hz
Rated Power:	420w
Dimension:	1030x690x1650mm
Weight:	55kg

Code: 0500600151

Clothes Packing Machine

- Stable machine performance, economical and practical, as packaged clothes can effectively prevent dust and grease.
- Plastic bags can be adjusted in length. Suitable for shirts, raincoats, suits, trousers and various hanging fashion packaging.



Voltage:	1 phase, 220V, 50Hz
Rated power:	0.35kw
Sealing width:	300mm
Sealing time:	0.2-2s
Dimension:	760x600x1700mm
Weight:	7.2kg

Code: 0500600152

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com

Steam generator

- This is the small steam boiler, supplying steam for the ironing equipment, like ironing table, stain removing table, form finisher, presser, etc. It can improve ironing quality for garment industry.



Code: 0500600144 Code: 0500600145 Code: 0500600146 Code: 0500600147

Code	0500600144	0500600145	0500600146	0500600147
Voltage:	1 phase, 220V, 50Hz	3 phase, 380V, 50Hz	3 phase, 380V, 50Hz	3 phase, 380V, 50Hz
Heating power:	3kw	6kw	9kw	12kw
Rated Evaporation:	4.3kg/hour	8.6kg/hour	12.9kg/hour	18kg/hour
Rated Steam Pressure:	0.4Mpa	0.4~0.7Mpa	0.4~0.7Mpa	0.4~0.7Mpa
Effective water volume:	18L	18L	28L	38L
Dimension(mm):	560x370x810mm	620x360x780mm	620x360x780mm	550x700x1200mm
Weight:	30kg	45kg	80kg	100kg
Automatic:	Fully Automatic manual add water	Fully Automatic manual add water	Fully Automatic manual add water	Fully Automatic manual add water

Code: 0500600148 Code: 0500600149 Code: 0500600150

Code	0500600148	0500600149	0500600150
Voltage:	3 phase, 380V, 50Hz	3 phase, 380V, 50Hz	3 phase, 380V, 50Hz
Heating power:	18kw	24kw	36kw
Rated Evaporation:	25.8kg/hour	34.4kg/hour	51.6kg/hour
Rated Steam Pressure:	0.4~0.7Mpa	0.4~0.7Mpa	0.4~0.7Mpa
Effective water volume:	48L	48L	48L
Dimension(mm):	820x750x1420mm	820x750x1420mm	1040x640x1360mm
Weight:	124kg	124kg	163kg
Automatic:	Semi-Automatic manual add water	Fully Automatic manual add water	Fully Automatic manual add water

Clothes Conveyor Machine

- The machine has a power-saving, low noise, can be placed at any location, can choose a variety of shapes, it is indispensable equipment wash industry is an ideal tool for garment factory showrooms.
- Can be customized



Voltage:	1 phase, 220V, 50Hz
Rated power:	0.75kw
Hanger quantity:	308
Dimension:	3560x770x1705mm
Weight:	750kg

Code: 0500600153

Steam Ironer

- Complete full steam iron is essential ironing equipment. It is suitable for ironing cotton, wool, synthetic and blended fabrics. After the fabric by ironing flat, straight, light perception, enduring kind and does not damage the fabric.



Type:	Steam
Steam pressure:	0.3~0.4Mpa
Dimension:	300x170x200mm
Weight:	1.5kg

Code: 0500600154

Air compressor

- All copper motor, operated stable, durable and safety.
- With Crankcase, reasonable design of thicker and taller boxes.
- With barometer, check the pressure at anytime to ensure safe operated.
- All brass ball value, too much pressure, automatic bounce off
- With high quality inlet port, operation stable
- With oil mirror, it can check the oil quality and capacity to add or change the oil.



Code: 0500600162 Code: 0500600163 Code: 0500600164

Code	0500600162	0500600163	0500600164
Dimension:	880x290x680mm	1000x360x700mm	1200x550x940mm
Motor Power:	1.1kW	1.5kW	4kW
Voltage:	220V/50HZ	220V/50HZ	380V/50HZ
Rated pressure:	0.8MPA	0.8MPA	0.8MPA
Gas-tank capacity:	36L	56L	120L
Gas production rate:	0.12M³/MIN	0.17M³/MIN	0.67M³/MIN
N.W:	60kg	70kg	135kg

Code: 0500600165 Code: 0500600166

Code	0500600165	0500600166
Dimension:	1480x560x1000mm	1780x730x1200mm
Motor Power:	7.5kW	11kW
Voltage:	380V/50HZ	380V/50HZ
Rated pressure:	0.8MPA	0.8MPA
Gas-tank capacity:	180L	400L
Gas production rate:	0.9M³/MIN	1.6M³/MIN
N.W:	155kg	350kg

NTSmart CHINA Tel.+86-20-89301818/28/38 nts@ntsmart.com
NTSmart MYANMAR Tel.+95-1-7534400 nts@ntsmyanmar.com.mm
NTSmart THAILAND Tel.+66-2-8667474 sales@ntsmart.co.th
NTSmart TANZANIA Tel.+255-22-2700674/75 ntstz@ntsmart.com






nts
MART






NTS MART

NTS MART CHINA

No.28 Daganwei Road, South of Gongye Dadao,
Haizhu Dist., Guangzhou, Guangdong, China
Tel: +86-20-89301818/28/38
Email: nts@ntsmart.com
Website: www.ntsmart.com

NTS MART THAILAND

161/735-740 Soi Charansanitwong 27 Lane
22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi,
Bangkok 10700 Thailand
Tel: +66-2-8667474 (auto)
Email: sales@ntsmart.co.th
Website: www.ntsmart.co.th

NTS MART MYANMAR (Yangon)

No.(2), Shwe Gone Daing (2) Road, West Shwe
Gone Daing Quarter, Bahan Township, Yangon Myanmar
Tel: +95-1-7534400
Email: nts@ntsmyanmar.com.mm
Website: www.ntsmyanmar.com.mm

NTS MART MYANMAR (Mandalay)

Buliding (5),62th street, Between 38/39th,
Maha Aung Myay Township, Mandalay Myanmar
Tel: +95-9-775 966645
Email: nts@ntsmyanmar.com.mm
Website: www.ntsmyanmar.com.mm

NTS MART TANZANIA

Plots No. 66 Block'D', Msasani Village, Kinondoni
District, Dar es salaam, Tanzania
Tel: +255-22-2700674/75
Email: ntstz@ntsmart.com
Website: www.ntsmart.com

2021-2025
WWW.NTSMART.COM